

TETRA

Accessories catalogue



MOTOROLA SOLUTIONS

Contents

TETRA accessories catalogue

MXP660 & MXP600 Portable Radios	<u>3</u>
Motorola Solutions Bluetooth Accessories	<u>38</u>
Peter Jones (ILG) LTD Kick Fast Accessory Range	<u>42</u>
MTP3000 Series Portable Radio	<u>45</u>
TPG2200 TETRA Pager	<u>61</u>
MTP8000Ex Series	<u>65</u>
MXP7000 Portable Radio	<u>67</u>
MXM600 TETRA mobile radio	<u>76</u>
Accessories for discontinued radios	<u>92</u>



MXP660 & MXP600 portable radios

Portable TETRA radios

The MXP660 and MXP600 are rugged and lightweight, yet fully capable, TETRA portable radios that are easy to carry and easy to use. MXP660 comes with built-in LTE.



MXP660 & MXP600

Portable Radio Accessories








Antennas

Description	Part Number	Description	Part Number
Stubby antenna, 60mm (380 - 430 MHz)	AN000354B01	Stubby antenna, 90mm (380 - 470 MHz)	PMAE4100
			
Description	Part Number	Description	Part Number
Whip antenna, 150mm (380-480 MHz)	PMAE4022	Whip antenna, 120mm (380-470 MHz)	AN000362A01
			
Description	Part Number	Description	Part Number
Stubby antenna, 72mm (350-390 MHz)	AN000401A01	Antenna ID Bands Coloured antenna ID bands are available for easy customisation and come in packs of 5.	PMLN6285 (blue) PMLN6288 (yellow) PMLN6286 (pearl white) PMLN6289 (red) PMLN6287 (green)
			



Programming/Data Cables

Description	Part Number	Description	Part Number	Description	Part Number
KVL6K E2EE, portable cable	CB001203A01	HIROSE KVL to portable radio key load cable	CB001149A01	Programming USB data cable CPS/iTM	PMKN4129
					
Description	Part Number	Description	Part Number	Description	Part Number
Bottom connector serial data cable	PMKN4127	Keyfill cable for E2E keys	PMKN4124	GCAI mini to GCAI cable adapter MR2025.1 or later software is required	PMLN8334
					



Batteries

Description	Part Number
-------------	-------------

IMPRES™ 2 Li-ion battery, 1900 mAh, IP68	PMNN4801
--	----------



Description	Part Number
-------------	-------------

IMPRES™ 2 Li-ion battery, 3400 mAh, IP68	PMNN4802
--	----------



Description	Part Number
-------------	-------------

IMPRES™ 2 Li-Ion Battery, 2900 mAh, IP68 Recommended for use in low temperature environments	PMNN4582
---	----------



IMPRES™ 2 Multi-Unit Chargers and Integrated Terminal Management (iTm) Support

Description	Part Number	Description	Part Number
IMPRES™ 2 multi-unit charger, 6 pockets, iTM	PMPN4402 EU Plug	IMPRES™ 2 multi-unit charger, 12 pockets, iTM	PMPN4217 EU Plug
	PMPN4403 UK Plug	12 pockets. Allows for charging of 12 radios or 6 radios and 6 batteries at once. Includes iTM capability via integrated hub and single USB connection to charger. IMPRES™ Fleet Management integrated. Compatible with MTP6000, MTP3000, and MXP600 series radio but the IMPRES™ functionality is supported on MTP6650 only equipped with IMPRES™ battery (PMNN4522A). Requires one USB A to micro-B cable (CB000458A07) to connect to PC	PMPN4218 UK Plug
	PMPN4404 ANZ Plug		PMPN4219 ANZ Plug
	PMPN4407 Korea Plug		PMPN4222 Korea Plug
	PMPN4401 US/LA Plug		PMPN4216 US/LA Plug
	PMPN4406 China Plug		PMPN4221 China Plug
	PMPN4409 Japan Plug		PMPN4282 Japan Plug









Description	Part Number
-------------	-------------

Wall mount bracket for 6-way multi-unit charger	BR000272A01
---	-------------



Charging Solutions

Description	Part Number	Description	Part Number	Description	Part Number
Single charger 90W power supply included. Mounting bracket not included. 	PMPN4534 EU Plug PMPN4535 UK Plug PMPN4536 ANZ Plug PMPN4538 Korea Plug PMPN4542 Taiwan Plug PMPN4533 US/LA Plug PMPN4541 China Plug PMPN4539 Japan Plug	Dual charger 90W power supply included. Mounting bracket included. 	PMPN4544 EU Plug PMPN4545 UK Plug PMPN4546 ANZ Plug PMPN4548 Korea Plug PMPN4522 Taiwan Plug PMPN4543 US/LA Plug PMPN4551 China Plug PMPN4549 Japan Plug	Quad charger 201W power supply included. (2) mounting brackets included. 	PMPN4554 EU Plug PMPN4555 UK Plug PMPN4556 ANZ Plug PMPN4558 Korea Plug PMPN4562 Taiwan Plug PMPN4553 US/LA Plug PMPN4561 China Plug PMPN4559 Japan Plug
Description	Part Number	Description	Part Number	Description	Part Number
90W power supply Included with single and dual chargers. 	PS000242A04	201W power supply Included with quad charger. 	PS000212A02	Mounting bracket One bracket holds up to two chargers. (1) bracket is included with the dual charger. (2) mounting brackets are included with the quad charger. 	BR000482A01



Charging Solutions (continued)

Description	Part Number	Description	Part Number
Sequential dual-unit charger This desktop dual-charger is for charging radios and batteries with an operating voltage of 100-240V. 	NNTN8245 EU Plug	Simultaneous desktop dual-charger For charging radios and spare batteries. The operating voltage is 100-240V. 	PMLN6494 EU Plug
	NNTN8246 UK Plug		PMLN6495 UK Plug
	NNTN8247 ANZ Plug		PMLN6493 US/LA Plug
	NNTN8249 Korea Plug		
	NNTN8244 US/LA Plug		
	NNTN8251 China Plug		
Description	Part Number	Description	Part Number
Travel/wall charger Conveniently and quickly charge your radio. The operating voltage is 100-240V. 	PS000042A32 EU Plug	Vehicular power adapter This power adapter is a 12-24V plug. 	NNTN8040
	PS000042A33 UK Plug		
	PS000042A34 ANZ Plug		
	PS000042A37 Korea Plug		
	PS000042A31 US/LA Plug		
	PS000042A36 China Plug		
	PS000042A31 Japan Plug		












Carry Solutions

Description	Part Number	Description	Part Number	Description	Part Number
MXP660 soft leather carry case with 2.5" swivel belt loop	PMLN8683	MXP660 soft leather carry case with 3" swivel belt loop	PMLN8684	MXP660 soft leather carry case for Peter Jones Klick Fast stud Klick Fast Stud PMLN8025 can be purchased separately.	PMLN8685
				 Used in conjunction with Peter Jones Klick Fast solutions.	
Description	Part Number	Description	Part Number	Description	Part Number
MXP600 soft leather carry case with 2.5" swivel belt loop	PMLN8184	MXP600 soft leather carry case with 3" swivel belt loop	PMLN8183	MXP600 soft leather carry case for Peter Jones Klick Fast stud Klick Fast Stud PMLN8025 can be purchased separately.	PMLN8185
				 Used in conjunction with Peter Jones Klick Fast solutions.	



Carry Solutions (continued)



<div>Description</div> <div>2" swivel belt loop</div> <div>For use with carry cases.</div> <div></div>	<div>Part Number</div> <div>PMLN5580</div>	<div>Description</div> <div>2.5" swivel belt loop</div> <div>For use with carry cases.</div> <div></div>	<div>Part Number</div> <div>PMLN5610</div>	<div>Description</div> <div>3" swivel belt loop</div> <div>For use with carry cases.</div> <div></div>	<div>Part Number</div> <div>PMLN5611</div>
<div>Description</div> <div>2.5" plastic belt clip</div> <div></div>	<div>Part Number</div> <div>PMLN8181</div>	<div>Description</div> <div>2" spring belt clip</div> <div></div>	<div>Part Number</div> <div>PMLN5616</div>	<div>Description</div> <div>Nylon shoulder strap</div> <div>Attaches to D-ring on carry cases.</div> <div></div>	<div>Part Number</div> <div>NTN5243</div>
<div>Description</div> <div>Black wrist strap</div> <div>Attaches directly to the radio.</div> <div></div>	<div>Part Number</div> <div>HLN9767</div>	<div>Description</div> <div>Break-away chest pack with radio holder</div> <div>Includes radio holder, pen holder, and a velcro secured pocket.</div> <div></div>	<div>Part Number</div> <div>RLN4570</div>	<div>Description</div> <div>Universal chest pack</div> <div>Includes radio holder, pen holder, and a velcro secured pocket. MXP600 only.</div> <div></div>	<div>Part Number</div> <div>HLN6602</div>



Remote Speaker Microphones (RSM)

Description	Part Number	Description	Part Number
IMPRES™ RM780 large remote speaker microphone Equipped with a loud and clear speaker up to 102 phon, windporting microphone, emergency button, 2 programmable buttons, volume control, and a 3.5mm audio jack.	PMMN4128	IMPRES™ RM730 small remote speaker microphone Equipped with a windporting microphone, emergency button, 3.5mm audio jack and a low profile swivel clip.	PMMN4131
			
Description	Part Number	Description	Part Number
IMPRES™ RM760 large remote speaker microphone Equipped to perform up to 102 phon loudness and IP68 rated.	PMMN4140	WM500 bluetooth remote speaker microphone Equipped with a windporting mic, emergency button, 3.5mm audio jack and USB-C charging.	PMMN4127
			

Compatible Earpieces

Description	Part Number	Description	Part Number
IMPRES™ RX only, loud translucent tube For use with PMMN4128, PMMN4131 and PMMN4140.	PMLN8120	3.5mm RX only earpiece Compatible with WM500.	PMLN7560
			

Add-on accessories & replacement parts

Description	Part Number
Replacement coil cord kit For PMMN4128, PMMN4131, and PMMN4140.	PMKN4232
	
Description	Part Number
Low profile swivel clip For PMMN4128, PMMN4131, and PMMN4140.	PMLN8121
	
Description	Part Number
Replacement dust cover (10 per pack) For PMMN4128 and PMMN4140.	PMLN8122
	
Description	Part Number
Replacement dust cover (10 per pack) For PMMN4131.	PMMN4131
	
Description	Part Number
Peter Jones klick fast stud For RM730, RM760, and RM780 * Peter Jones klick fast dock is required to purchase separately, only available in EMEA.	PMLN8475
	









Remote Speaker Microphones (RSM) with Large Front PTT

Description	Part Number
NS750 IMPRES™ omni-directional RSM with large front PTT and side PTT The NS750 IMPRES™ remote speaker microphone (RSM) is built for frontline workers in tough, loud, mission critical environments. This RSM has an additional advantage of an omnidirectional microphone that is able to capture noise from every direction.	PMMN4150 Long cable
	PMMN4151 Short cable
	PMMN4150_BLK Black, long cable
	PMMN4151_BLK Black, short cable

Secondary audio accessories

Description	Part Number	Description	Part Number
SAVOX HC-1 Helmet-COM® Bone-mic/single speaker headset with Nexus 4-pole quick release.	GMMN4585	SAVOX HC-2 Helmet-COM® Bone-mic/dual speaker headset with Nexus 4-pole quick release.	GMMN4584
			
Voice tube with 3.5mm jack Only compatible with NEXUS RSM twist and lock 3.5 socket.	PMLN7188		
			









Add-on accessories & replacement parts

Description	Part Number
Colour identification labels for NS750 10 pieces per pack.	
	PMLN8464 Green
	PMLN8465 Blue
	PMLN8466 Red
	PMLN8468 Yellow
	PMLN8469 Silver
	PMLN8523 Orange

Description	Part Number
Replacement swivel clip	0104068J78
	











Radio Earpieces

Description	Part Number	Description	Part Number		
IMPRES™ 1-wire surveillance kit with loud audio translucent tube With a replaceable quick disconnect clear acoustic tube and inline PTT and microphone.	PMLN8082	IMPRES™ 2-wire surveillance kit with loud audio translucent tube With a replaceable quick disconnect tube and a module with PTT, microphone, and a programmable button.	PMLN8083		
					
<small>*This earpiece is also compatible with the MXP7000, but the radio needs to be using MR2025.3 and above only.</small>					
Description	Part Number	Description	Part Number	Description	Part Number
IMPRES™ 3-wire surveillance kit with loud audio translucent tube With a replaceable quick disconnect clear acoustic tube, a module with PTT, and a dedicated microphone module.	PMLN8084	IMPRES™ 2-wire swivel ear hook with removable ear tip, loud audio Comfortable ear hook style worn over the ear with removable eartips.	PMLN8295	IMPRES™ 1-wire swivel ear bud with removable ear hook, loud audio With a removable earhook and inline PTT with a microphone.	PMLN8337
					
Description	Part Number	Description	Part Number	Description	Part Number
1-wire short cord, RX only, adjustable earpiece With adjustable ear-loop.	PMLN8247	1-wire short cord, RX only, surveillance kit with loud audio and translucent tube With replaceable quick disconnect clear tube, loud audio supported, black.	PMLN8087	1-wire short cord, RX only, swivel, loud audio earpiece with eartip, black With swivel ear hook suitable for the left or right ear.	PMLN8248
					

13















Earpiece Replacement Kits

<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement quick disconnect translucent tube with clear rubber eartip</div><div>Compatible with PMLN8082, PMLN8083, PMLN8084, PMLN8087, and PMLN8120.</div></div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement rubber ear tip, small (5 per pack)</div><div>Compatible with PMLN8295 and PMLN8248</div></div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement rubber ear tip, medium (5 per pack)</div><div>Compatible with PMLN8295 and PMLN8248.</div></div> <div></div>
<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement rubber ear tip, large (5 per pack)</div><div>Compatible earpieces: PMLN8295 and PMLN8248</div></div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement rubber sleeve, small (25 per pack)</div><div>Compatible earpiece: PMLN8337</div></div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement rubber sleeve, medium (25 per pack)</div><div>Compatible earpiece: PMLN8337</div></div> <div></div>
<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement rubber sleeve, large (25 per pack)</div><div>Compatible earpiece: PMLN8337</div></div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement cloth clip (pack of 10)</div><div>Compatible earpiece: PMLN8082</div></div> <div></div>	









Earpiece Replacement Kits (continued)

<div><div>Description</div><div>Part Number</div></div> <div><div>Small custom earpiece, right ear</div><div>Compatible with PMLN8749.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Medium custom earpiece, right ear</div><div>Compatible with PMLN8749.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Large custom earpiece, right ear</div><div>Compatible with PMLN8749.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Small custom earpiece, left ear</div><div>Compatible with PMLN8749.</div><div></div></div>
<div><div>Description</div><div>Part Number</div></div> <div><div>Medium custom earpiece, left ear</div><div>Compatible with PMLN8749.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Large custom earpiece, left ear</div><div>Compatible with PMLN8749.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Low noise kit with translucent tube and one clear rubber eartip</div><div>Compatible with PMLN8749.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement standard clear rubber eartip for RLN6242 pack of 50</div><div>Compatible with PMLN8749.</div><div></div></div>
<div><div>Description</div><div>Part Number</div></div> <div><div>Clear EP7-small hearing protectors [sonic defenders] ultra earplugs</div><div>Compatible with PMLN8749.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Clear EP7- medium hearing protectors [sonic defenders] ultra earplugs</div><div>Compatible with PMLN8749.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Clear EP7-large hearing protectors [sonic defenders] ultra earplugs</div><div>Compatible with PMLN8749..</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Replacement foam plugs for RLN6242 pack of 50</div><div>Compatible with PMLN8749..</div><div></div></div>












Wireless Accessories

Description	Part Number	Description	Part Number	Description	Part Number
EP900w Wireless earpiece with in-line PTT Volume up/down and noise cancellation. Includes a micro-USB for charging.	PMLN7851	Operations critical wireless discreet surveillance kit Covert wireless solution with a wireless adapter and a retention hook. Discreet Phonak Phonito Nano earpiece with a PTT pod (NTN8191).	NNTN8433	Operations critical wireless earpiece with 30 cm cable With in-ear tube. Requires NNTN8191 pod.	NTN2572
					
Description	Part Number	Description	Part Number	Description	Part Number
1-wire earbud with in-line microphone, 116 cm cord. Requires NNTN8191 pod.	NNTN8295	1-wire earbud with in-line microphone, 29 cm cord. Required NNTN8191 pod.	NNTN8294	1-wire translucent tube with in-line microphone. Required NNTN8191 pod.	PMLN7052
					









Wireless Accessories (continued)

<div><div>Description</div><div>Part Number</div></div> <div><div>Wireless PTT BT Pod module</div><div>Without charger.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>BT pod wall charger.</div><div>Operating voltage 100-240 VAC, micro USB.</div><div></div><div>PS000227A13 UK Plug</div><div>PS000042A11 US Plug</div><div>PS000227A12 EU Plug</div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Earpiece microphone.</div><div>With in-ear tube and 12" cable. Requires NNTN8191 pod.</div><div></div><div>NTN2572</div></div>
<div><div>Description</div><div>Part Number</div></div> <div><div>Single wire earbud, short cord.</div><div>With in-line microphone, 29 cm cord.</div><div>Requires NNTN8191 pod.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Single wire earbud, long cord.</div><div>With in-line microphone, 116 cm cord.</div><div>Requires NNTN8191 pod.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>Vehicular power adapter with USB connector.</div><div>In-vehicle charging with 12/24V input - 1.5A.</div><div>Compatible with ST7000, TPG2200, and NNTN8191 pod.</div><div></div><div>PMLN7745</div></div>
<div><div>Description</div><div>Part Number</div></div> <div><div>Discreet wireless surveillance kit.</div><div>Covert wireless solution includes a wireless neckhook adapter with a retention hook.</div><div>Discreet Phonak Phonito Nano wireless earpiece kit and wireless PTT NNTN8191 pod.</div><div></div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>EP900w wireless BT earpiece with fast PTT.</div><div>Volume up/down and noise cancellation.</div><div></div><div>PMLN7851</div></div>	<div><div>Description</div><div>Part Number</div></div> <div><div>1-wire surveillance kit.</div><div>Wireless surveillance kit with in-line microphone and a single-wire acoustic tube.</div><div>Required NNTN8191 pod.</div><div></div><div>PMLN7052</div></div>









Replacement Kits for Wireless Earpieces

Description	Part Number	Description	Part Number	Description	Part Number
Replacement small round earbud for OCW BT PTT (pack of 5). For EP900w BT earpiece.	PMLN8036	Replacement medium round earbud for OCW BT PTT (pack of 5). For EP900w BT earpiece.	PMLN8037	Replacement large round earbud for OCW BT PTT (pack of 5). For EP900w BT earpiece.	PMLN8038
					
Description	Part Number	Description	Part Number	Description	Part Number
Replacement small oval earpiece (pack of 5). For EP900w BT earpiece.	PMLN7940	Replacement large oval earpiece (pack of 5). For EP900w BT earpiece.	PMLN7941	Replacement neckloop retention hook. For NNTN8433 earpiece	NNTN8457
					






Headsets (Direct Radio Connection)

Description	Part Number	Description	Part Number	Description	Part Number
Behind-the-head headset. With flexible boom microphone and PTT, noise reduction 24dB	PMLN8085	Over-the-head headset With flexible boom microphone and PTT, noise reduction 24dB.	PMLN8086	CH-3 series over-the-head headset with NEXUS connector. Dual earcup headset with boom mic. NRR 26dB. SAA for NEXUS RSM (NS750)	PMLN8265
					
Description	Part Number	Description	Part Number	Description	Part Number
CH-3 series neckband headset with NEXUS connector. Dual earcup headset with boom mic. NRR 24dB. SAA for NEXUS RSM (NS750)	PMLN8266	CH-3 series hard hat attached with NEXUS connector (hat not included). Dual earcup headset with boom mic, NRR 24dB. SAA for NEXUS RSM (NS750).	PMLN8267	PTT NEXUS adapter (requires headset) Compatible with PMLN8265, PMLN8266, and PMLN8267.	PMLN8297
					



Misc. Accessories

Description	Part Number	Description	Part Number	Description	Part Number
Screen protector. Clear- single pack.	AY000813A01	GCAI mini dust cover.	PMHN4429	Bottom connector dust cover	PMHN4210
					



Car Kit - MXP600 only

Description	Part Number
-------------	-------------

For more information about the MXP600 Car Kit, please refer to the [MXP600 Data Sheet](#).

GM0368A
Standard car kit

GM0369A
Customised car kit



Car Kit Ordering Guide

GM0368A standard car kit includes:

Car kit junction box
Standard cradle to junction box cable
Power cable
Mourning bracket for cradle
MXP600 cradle with RF connection
Smart visor microphone
7.5W external speaker
Push button PTT
Installation manual

GM0360A customised car kit includes:

Car kit junction box
Power cable
Installation manual

Compatible Accessories

The following accessories are also available to order separately from the sales models.

Description	Part number
Compact fist microphone	RMN5107
Heavy duty fist microphone	RMN5111
Visor microphone (high bias)	PMMN4087
IMPRES™ visor microphone	RMN5054
IMPRES™ telephone style handset	MDHLN7016
Push button with remote PTT	RLN5926
Gooseneck PTT	RLN4858
Loudspeaker 13W	RSN4002
Emergency foot switch	RLN4836AR
Speaker extension cable	PMKN4119
External alarm relay	GKN6272
Power cable	30012040002
Combined TETRA/GPA 380-430 mHz external antenna	GMAE4290
Combined TETRA/GPS 430-470 mHz external antenna	GMAE4203
Non-charging RF cradle with mounting brackets	PMLN8306
Non-charging non-RF cradle with mountain brackets	PMLN8305



Car Kit - MXP600 only (continued)

Description	Part Number
For more information about the MXP600 Car Kit, please refer to the MXP600 Data Sheet .	GM0368A Standard car kit
	GM0369A Customised car kit



Description	Part number
MXP600 Car Kit Cradle (mandatory, choose one)	
ADD: RF cradle (includes RSM bracket and mounting bracket)	QA08540AA
ADD: Non RF cradle (includes rsm bracket and mounting bracket)	QA08539AA
MXP Car Kit Cable (mandatory, choose one)	
ADD: cradle to junction box cable	QA05461AA
ADD: cradle to junction box cable with USB (data)	QA05462AA
MXP600 Car Kit Speaker (mandatory, choose one)	
ADD: small loudspeaker 5W	QA05472AA
ADD: loudspeaker 7.5W	QA05473AA
ADD: loudspeaker 13W	QA05474AA
ADD: small loudspeaker 5w + extension cable	QA05475AA
ADD: loudspeaker 7.5 + extension cable	QA05476AA
ADD: loudspeaker 13W + extension cable	QA05477AA
MXP600 Car Kit Antenna (optional, choose one only)	
ADD: ant. digital car kit Tetra (380-430mHz/GPS)	QA05481AA
ADD: ant. digital car kit Tetra (430-470mHz/GPS)	QA05482AA
Choose a microphone from a least one of the following two categories: one mobile microphone type only and/or one visor microphone/push to talk combination only.	
MXP600 Car Kit Mobile Microphone (mandatory, choose one)	
ADD: compact first microphone + MMP extension cable	QA05465AA
ADD: heavy duty fist microphone + MMP extension cable	QA05466AA
ADD: IMPRES™ telephone style handset + MMP extension cable	QA05467AA
DELETE: mobile microphone	QA05479AA
MXP600 Car Kit Visor Microphone and Push to Talk (mandatory, choose one)	
ADD: visor microphone + push button with remote PTT	QA05468AA
ADD: IMPRES™ visor mic + push button with remote PTT	QA05469AA
ADD: visor microphone + gooseneck PTT	QA05470AA
ADD: IMPRES™ visor mic + gooseneck PTT	QA05471AA
DELETE: visor microphone and PTT	QA05478AA












In-Vehicle Solutions - MXP600 only

Description	Part Number	Description	Part Number	Description	Part Number
Car cradle. Transform the MXP600 portable radio into a virtual mobile radio, with access to a wide range of accessories commonly associated with mobile radios. 	PMLN8305 Non-RF PMLN8306 RF	Non-RF cradle radio holder. Non-charging. Does not include external RF connection. 	PMLN8305	RF cradle radio holder. Non-charging. Includes external RF connection. 	PMLN8306
Requires MR2021.2 software release or later.					
Description	Part Number	Description	Part Number	Description	Part Number
Non-RF Vehicular cradle with power adapter holder. Kit includes cradle mounting accessories. For radio charging it requires vehicular power adapter NNTN8030. No RF connection. 	PMLN8307	RF vehicular cradle with power adapter holder. Kit includes cradle mounting accessories. For radio charging it requires vehicular power adapter NNTN8040. 	PMLN8308	Non-RF vehicular charging cradle With power module and cables for radio charging- hardwired installation. Kit includes cradle mounting accessories. No RF connection. 	PMLN8309
Description	Part Number	Description	Part Number	Description	Part Number
RF vehicular charging cradle. With power module and cables for radio charging- hardwired installation/ Kit includes cradle mounting accessories. 	PMLN8310	Replacement three axis rotating mounting bracket. For car kit cradle. 	FTN6376	TETRA car kit junction box. Excludes connecting cables. 	PMLN6662









In-Vehicle Solutions - MXP600 only (continued)

<div><div>Description</div><div>Part Number</div></div> <div><p>Power cable for vehicular power module. Required to connect junction box PMLN6662A to car battery.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Standard cradle to junction box cable. Allows direct single connection between cradle and junction box.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Cradle to junction box Y cable. Includes additional USB connector for data connection.</p></div>
<div><div>Description</div><div>Part Number</div></div> <div><p>DC-DC converter 24/12V 6 to 10A isolated. Connects to junction box PMLN6662.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Mobile microphone port (MMP) extension cable. Required for connecting fist microphone RMN5107/RMN5111 or telephone style.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>IMPRES™ telephone style handset kit. Requires MMP extension cable PMLN4171 to connect to junction box PMLN6662/</p></div>
<div><div>Description</div><div>Part Number</div></div> <div><p>Compact mobile microphone. Requires MMP extension cable PMLN4171 to connect to junction box PMLN6662.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Heavy duty microphone. Requires MMP extension cable PMKN4171 to connect to junction box PMLN6662.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Visor mounted microphone. Connects to junction box PMLN6662. Requires external PTT RLN5926.</p></div>



In-Vehicle Solutions - MXP600 only (continued)

Description	Part Number	Description	Part Number	Description	Part Number
Smart visor microphone Connects to junction box PMLN6662. Requires external PTT RLN5926.	RMN5054	Push button PTT Connects to junction box PMLN6662.	RLN5926	Gooseneck PTT Connects to junction box PMLN6662.	RLN4858
					
Description	Part Number	Description	Part Number	Description	Part Number
Emergency foot switch. Connects to junction box PMLN6662.	RLN4836A	External alarm relay & cable Connects to junction box PMLN6662.	GKN6272	13W external speaker. Connects to junction box PMLN6662.	RSN4002
					





In-Vehicle Solutions - MXP600 only (continued)

Description	Part Number	Description	Part Number
7.5W external speaker. Connects to junction box PMLN6662.	RSN4003	Speaker extension cable. Allows you to use the speaker with a longer distance to the radio. Compatible with speakers: RSN4002 and RSN4003. To be assembled together with the accessory connector kit PMLN5072.	PMKN4119
			

Description	Part Number
Vehicular power adapter. Allows radio to charge in vehicle. Compatible with MTP3500/3550/MTP6650.	NNTN8040
	



In-Vehicle Antennas

Description	Part Number	Description	Part Number
Combined TETRA/GPS antenna 380-430mHz. Antenna kit includes combined GPS and TETRA antenna, all required cables, FTN6790 DC 5V adapter, and GMAE4264 TETRA + GPS/GNSS diplexer.	GMAE4290	Combined TETRA/GPS antenna 430-470mHz. Antenna kit includes combined GPS and TETRA antenna, all required cables, FTN6790 DC 5V adapter, and GMAE4264 TETRA + GPS/GNSS diplexer.	GMAE4293
			

Programming/data cables

Description	Part Number	Description	Part Number	Description	Part Number
Usb data cable Compatible with: MTP3500/3550/MTP6650/MXP600.	RLN4836A	Bottom connector serial data cable Compatible with: MTP3500/3550/MTP6650/MXP600.	GKN6272	Keyfill cable for E2E keys Compatible with: MTP3500/3550/6650/MXP600.	PMKN4124
					






Carry solutions


<div><div>Description</div><div>Part Number</div></div> <div>MXP600 soft leather carry case With 2.5" Swivel belt loop</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>MXP600 soft leather carry case With 3" swivel belt loop</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>2.5" Plastic belt clip Compatible with MXP600 portable radio.</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>2" Spring belt clip Compatible with MTP3500/3550/6650 portable radios.</div> <div></div>
<div><div>Description</div><div>Part Number</div></div> <div>2" Swivel belt loop For use with carry cases.</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>2.5" Swivel belt loop For use with carry cases.</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>3" Swivel belt loop For use with carry cases.</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>Shoulder strap, nylon attaches to d-rings on carry cases, compatible with all portable radios.</div> <div></div>
<div><div>Description</div><div>Part Number</div></div> <div>Wrist strap, black Attaches directly to the radio, Compatible with MTP3500/3550/6650.</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>Break-away chest pack With radio holder, pen holder and velcro secured pocket, compatible with all portable radios.</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>Universal chest pack With radio holder, pen holder and velcro secured pocket, compatible with MTP3500/3550/6650.</div> <div></div>	



Radio earpieces (short cord)







Description	Part Number	Description	Part Number	Description	Part Number
1-wire short cord, rx only, Adjustable d-style earpiece With adjustable ear-loop fitting different sizes, black.	PMLN8247	1-wire short cord, RX only, surveillance kit with loud audio and translucent tube With replaceable quick disconnect clear tube, loud audio supported, black.	PMLN8087	1-wire short cord, rx only, swivel, loud audio earpiece with eartip, black With swivel ear hook suitable for left or right ear, loud audio supported, optional earbud provided as inbox.	PMLN8248 PMLN8068 12.5mm (D) x 6.1mm (H) PMLN8069 13.0mm (D) x 7.0mm (H) PMLN8070 14.0mm (D) x 8.5mm (H)
					

Remote speaker microphones (RSM) with large front PTT

Description	Part Number
NS750 IMPRES™ omni-directional remote speaker microphone with large front PTT and side PTT The NS750 IMPRES Remote Speaker Microphone (RSM) is built for frontline workers in tough, loud, mission critical environments. It is built with windporting microphones that cancel the mechanical effects that wind has on the microphone. With additional advantage of an omnidirectional microphone is its able to capture noise from every direction. Smart audio switching allows audio to be easily switched between the RSM audio and the secondary earpiece or headset.	PMMN4150 (Long cable) PMMN4151 (Short cable)
	



Add-on accessories & replacement parts

Description	Part Number
Colour identification labels for NS750 10 pieces per pack.	
	PMLN8464 Green
	PMLN8465 Blue
	PMLN8466 Red
	PMLN8468 Yellow
	PMLN8469 Silver
	PMLN8523 Orange
Description	Part Number
Replacement swivel clip	0104068J78










Secondary audio accessories

Description	Part Number	Description	Part Number
Savox HC-1 Helmet-com® Bone-mic/single speaker headset with Nexus 4-pole quick release connection.For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM or MXP600 with Nexus NS750 RSM (order separately).	GMMN4585	Savox HC-2 Helmet-com® Bone-mic/dual speaker headset with Nexus 4-pole quick release connection. For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM or MXP600 with Nexus NS750 RSM (order separately).	GMMN4584
			
Description	Part Number		
Voice tube with 3.5mm jack Only compatible with NEXUS RSM twist and lock 3.5m socket.	PMLN7188		
			



Wireless earpieces

Description	Part Number	Description	Part Number	Description	Part Number
Wireless earpiece with in-line PTT Volume up/down and noise cancellation. Bluetooth 4.2. Minimum 8-hour battery talk time on 5/5/90 duty cycle. Includes micro-usb cable for charging. Earbud replacements available.	PMLN7851	Operations critical wireless PTT pod (charger sold separately) BT PTT module without charger. Large front PTT, volume control, audible and visual indicators for bt pairing, battery and charging status. Micro-usb charging port.	NNTN8191	Operations critical wireless discreet surveillance kit Covert wireless solution includes wireless adapter with retention hook, completely discreet phonak phonito nano wireless earpiece kit and wireless PTT pod NNTN8191.	NNTN8433
					
Description	Part Number	Description	Part Number	Description	Part Number
Operations critical wireless earpiece with 30 cm cable With in-ear tube. Requires NNTN8191 pod.	NTN2572	1-wire earbud with in-line microphone, 116 cm cord, black Requires NNTN8191 pod.	NNTN8295	1-wire earbud with in-line microphone, 29 cm cord, black Requires NNTN8191 pod.	NNTN8294
					
Description	Part Number				
1-wire translucent tube with in-line microphone, black Requires NNTN8191 pod.	PMLN7052				
					



For BT accessory portfolio compatibility with MXP600 series, please refer to the bluetooth accessories section.









Motorola Solutions Bluetooth accessories

Unleash the power of your radio with
Wireless bluetooth accessories.

Wherever your people work, they rely on clear, continuous communication. We offer a comprehensive portfolio of wireless Bluetooth® accessories, designed to either support the police officer on the beat, or the maintenance worker making repairs at a 5-star hotel, or the utility worker out in the field.








Operation critical wireless accessories - compatible with MXP660/MXP600/MTP3550/MTP6650/ST7000/ST7500

Description	Part Number	Description	Part Number	Description	Part Number
Wireless push-to-talk pod BT PTT module without charger. Includes 25ms fast PTT, volume control, audible and visual indicators for BT pairing, battery and charging status. Requires separate wall charger or vehicular charger.	NNTN8191	BT Pod wall charger Charger, Micro USB. Operating voltage: 100-240 VAC.	PS000227A13 - UK PLUG PS000042A11 - US PLUG PS000227A12 - EURO PLUG	Earpiece microphone With in-ear tube and 12-inch cable. Requires BT Pod NNTN8191.	NTN2572
					
Description	Part Number	Description	Part Number	Description	Part Number
Single wire earbud, short cord With inline microphone, 29cm cord, black. Requires BT pod NNTN8191.	NNTN8294	Single wire earbud, long cord With inline microphone, 116cm cord, black. Requires BT pod NNTN8191.	NNTN8295	Vehicular Power Adapter with USB connector In-vehicle charging with 12/24V input - 1.5A. Compatible with ST7000, TPG2200 and BT Wireless Pod NNTN8191.	PMLN7745
					





Operation critical wireless accessories - compatible with
MXP600/MTP3550/MTP6650/ST7000/ST7500 (continued)

Description	Part Number	Description	Part Number	Description	Part Number
Completely discreet wireless surveillance kit Covert wireless solution includes wireless neckloop adapter with retention hook, completely discreet Phonak Phonito Nano wireless earpiece kit and wireless push-to-talk pod NNTN8191.	NNTN8433	EP900w Wireless BT earpiece with fast PTT Volume up/down and noise cancellation. Bluetooth 4.2. Also compatible with LTE Wave 5000 (iOs and Android devices). Minimum 8-hour battery talk time on 5/5/90 duty cycle. Includes micro-USB cable for charging. Earbud replacements available. Does not require BT PTT pod NNTN8191.	PMLN7851	Small earbud replacement For EP900w BT earpiece (pack of 5).	PMLN7940
					
Description	Part Number	Description	Part Number		
Large earbud replacement For EP900w BT earpiece (pack of 5).	PMLN7941	One-wire surveillance kit Wireless Surveillance Kit with inline Microphone and a single-wire acoustic tube. Black. Requires BT pod NNTN8191.	PMLN7052		
					



Operation critical wireless accessories - compatible with ST7000/ST7500 only

Description	Part Number	Description	Part Number
Wireless kit with boom mic earpiece (3.5mm jack) Business wireless solution consisting of wireless pod, flexible earpiece and charging cradle (purchase wall charger separately PS000227A12 or PS000227A13). Flexible earpiece has a rotating boom microphone. The wireless pod has a 3.5mm jack, power/volume button, Bluetooth status indicator, clothing clip and no PTT. Use of the radio PTT is required. This kit is not compatible with BT pod NNTN8191.	PMLN7203 Earpiece only multipack (3 pack) PMLN7181 Earpiece, Cradle and Pod Kit PS000227A13 - UK PLUG PS000042A11 - US PLUG PS000227A12 - EURO PLUG	Wireless kit with swivel earpiece (3.5mm jack) Business wireless solution consisting of wireless pod, swivel earpiece and charging cradle (purchase wall charger for cradle separately PS000227A12 or PS000227A13). Swivel earpiece provides secure communication and comfort. The wireless pod has a 3.5mm Jack, Power/Volume button, Bluetooth status indicator, clothing clip and no PTT. Use of the radio PTT is required. This kit is not compatible with BT pod NNTN8191.	PMLN6463
			



Peter Jones (ILG) LTD Klick Fast

Accessory range

The Klick Fast System allows you to wear your radio securely in a variety of ways. The slim, durable Klick Fast Connector is compatible with all Klick Fast Docks. Simply slide the connector into any Klick Fast Dock and it locks securely into place. Once docked, your radio can be rotated to any of seven positions while remaining secure. Undocking your radio takes seconds - simply rotate the radio to the inverted position and it slides free.



Dock solutions for use with Klick Fast stud

Description	Part Number	Description	Part Number
Sew-on dock To be sewn onto the uniform/ clothing.Compatible with all portable radios.	GMDN0386	Klick Fast RSM Mounting Dock For garment tag. Compatible with all portable radios.	GMDN0445AA
			
Description	Part Number	Description	Part Number
Klick Fast double tongue dock Compatible with all portable radios.	GMDN0547	Klick Fast Dock for 38mm belt Compatible with all portable radios.	GMDN0497
			
Description	Part Number	Description	Part Number
Klick Fast Retro fitting garment Dock Easy to use "Screw to Fit" dock. Compatible with all portable radios.	WALN4307	Klick Fast 50mm belt loop With mounting dock. Compatible with all portable radios.	GMDN0566AC
			

Klick Fast studs




Description	Part Number
Shoulder wearing device With Klick Fast stud. Compatible with all Klick Fast solutions. Compatible with MTP8500Ex/MTP8550Ex ATEX radios.	PMLN5004
	
Description	Part Number
Klick Fast Stud Shoulder wearing device, compatible with all Klick Fast docks.Compatible with MTP3500/MTP3550/MXP600/MTP6550.	PMLN8025
	
Description	Part Number
Shoulder wearing device for RSM Compatible with Klick Fast Docks: GMDN0386, GMDN0445AA, GMDN0547, WALN4307 and PMLN7961. Compatible Remote Speaker Mics: RM780/RM760/ RM730.	PMLN8475
	



Dock solutions for use with Klick Fast stud (continued)

Description	Part Number	Description	Part Number
Klick Fast 50mm belt loop - low hang With screw-on dock low hang. Compatible with all portable radios.	GMDN0445AC	Klick Fast dock for 50mm belt Compatible with all portable radios.	GMLN4488
			
Description	Part Number	Description	Part Number
Extended Klick Fast Mounting dock For RSM garment tag.	PMLN7961	Klick Fast dock for 32mm belt Compatible with all portable radios.	PMLN5829
			
Description	Part Number		
Soft Leather Pouch Compatible with MTP6650.	PMLN6251		
			

Klick Fast carry solutions

Description	Part Number
Soft Leather Carry Case for Peter Jones Klick Fast Stud Used in conjunction with Peter Jones Klick Fast solutions. Peter Jones Klick Fast shoulder wearing device PMLN8025A attaches to the radio, plus a compatible Klick Fast dock/belt loop (ordered separately) Compatible with MXP600.	PMLN8185
	
Description	Part Number
Soft leather pouch For use with shoulder wearing device PMLN8025, fits limited and full keypad models. Only compatible with MTP3000.	PMLN5890
	
Description	Part Number
Carry holster with peter jones klick fast stud For use with all Peter Jones dock styles. Compatible with ST7500.	PMLN7842
	



MTP3000 Series

Portable radio

Designed to work in the toughest, most demanding environments, day in, day out.

The MTP3000 Series TETRA portable radio with colour display and full keypad delivers high performance and dependability required for enhanced workforce productivity and assured user safety.



MTP3500

MTP3550

Portable radios



MTP3500

MTP3550

Antennas

Description	Part Number	Description	Part Number
Stubby antenna, 55mm (380 - 430mhz).	AN000251A01	Stubby antenna, 80mm (380 - 430mhz).	85012033001
Whip antenna, 110mm (380 - 430mhz).	85012031001	Whip antenna, 110mm (410 - 470mhz).	85012065001
Stubby antenna, 55mm (410 - 470mhz).	85012066001		





Batteries

Description	Part Number	Description	Part Number
Li-ion battery 2200 mah, IP55* Compatible with MTP3500/3550/MTP6650.	NNTN8023	Li-ion battery 3400mah, IP68* Compatible with MTP3500/3550/MTP6650.	PMNN4522
			
LI-ION BATTERY 1950mAh IP55*. Compatible with MTP3500/3550/MTP6650.	NNTN8020	WALL CHARGER Conveniently and quickly charge your radio. Operating voltage:100-240VAC.	PS000042A3 - UK PLUG PS000042A31 - US PLUG PS000042A32 - EURO PLUG
			
* IP67 rated with MTP3500/MTP3550, IP68 rated with MTP6650			





Dual chargers

Description	Part Number	Description	Part Number
Sequential dual-unit charger This desktop dual-charger is for charging radios and batteries with an operating voltage of 100-240V.	NNTN8245 EU Plug NNTN8246 UK Plug NNTN8247 ANZ Plug NNTN8249 Korea Plug NNTN8244 US/LA Plug NNTN8251 China Plug	Desktop simultaneous dual-unit charger For charging radio and spare battery. Operating voltage: 100-240vac. Compatible with MXP600/MTP3500/MTP3550/MTP6650.	PMLN6494 - EU PLUG PMLN6495 - UK PLUG PMLN6493 - US/LA PLUG
			









IMPRES™ 2 multi-unit chargers and integrated terminal management (iTm) support

Description	Part Number	Description	Part Number
<p>IMPRES™ 2 6-way multi-unit charger</p> <p>Includes 6 pockets for radio or battery charging and a single display. Operating voltage: 100-240vac. iTM capability via integrated hub and single usb connection to charger. IMPRES™ fleet management: integrated (does not require separate charging interface unit ciu). Requires one usb a to usb micro-b cable (cb000458a07) to connect to pc (see miscellaneous accessories section)</p>	<p>PMPN4402 - EU PLUG</p> <p>PMPN4403 - UK PLUG</p> <p>PMPN4404 - ANZ PLUG</p> <p>PMPN4407 - KOREA PLUG</p> <p>PMPN4401 - US/LA PLUG</p> <p>PMPN4494 - BRAZIL PLUG</p> <p>PMPN4405 - ARGENTINA PLUG</p> <p>PMPN4406 - CHINA PLUG</p> <p>PMPN4409 - JAPAN PLUG</p>	<p>IMPRES™ 2 12-way multi-unit charger</p> <p>Allows for charging of 12 radios or 6 radios and 6 batteries at once. Includes iTM capability via integrated hub and single usb connection to charger. IMPRES™ fleet management: integrated (does not require separate charging interface unit ciu). Compatible with mtp6000, mtp3000, and MXP600 series radios but the imprestm functionality is supported on MTP6650 only equipped with imprestm battery (PMNN4522A). Requires one usb a to USB Micro-B cable (cb000458a07) to connect to pc (see miscellaneous accessories)</p>	<p>PMPN4217 - EU PLUG</p> <p>PMPN4218 - UK PLUG</p> <p>PMPN4219 - ANZ PLUG</p> <p>PMPN4222 - KOREA PLUG</p> <p>PMPN4216 - US/LA PLUG</p> <p>PMPN4221 - CHINA PLUG</p> <p>PMPN4282 - JAPAN PLUG</p>
			
iTM (Integrated Terminal Management)		iTM (Integrated Terminal Management)	





Charging solutions TETRA modular chargers

Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
Single charger 90W Power Supply Unit included. Mounting Bracket not included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.	PMPN4534-EU PLUG PMPN4535-UK PLUG PMPN4536-ANZ PLUG PMPN4538-KOREA PLUG PMPN4542-TAIWAN PLUG PMPN4533-US/LA PLUG PMPN4541-CHINA PLUG PMPN4539-JAPAN PLUG	Dual charger 90W Power Supply Unit included. Mounting Bracket included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.	PMPN4544-EU PLUG PMPN4545-UK PLUG PMPN4546-ANZ PLUG PMPN4548-KOREA PLUG PMPN4543-US/LA PLUG PMPN4550-BRAZIL PLUG PMPN4551-CHINA PLUG PMPN4549-JAPAN PLUG	Quad charger 201W Power Supply Unit Included. (2) Mounting Brackets included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.	PMPN4554 - EU PLUG PMPN4555 - UK PLUG PMPN4556 - ANZ PLUG PMPN4558 - KOREA PLUG PMPN4562 -TAIWAN PLUG PMPN4553 - US/LA PLUG PMPN4561 - CHINA PLUG PMPN4559 - JAPAN PLUG	Mounting bracket 1 Bracket holds up to 2 chargers. (1) Included in dual charger. (2) Mounting brackets included in quad charger.	BR000482A01
							

Description	Part Number	Description	Part Number
90W power supply, Included in single and dual chargers.	PS000242A04	201W power supply Included in quad charger.	PS000212A02
			



Miscellaneous







Description	Part Number	Description	Part Number
Wall mount bracket for 6-way multi-unit charger For six-way multi-unit charger. Design allows an audio accessory to remain attached to the radio while charging (e.G. RSM). The bracket can also hold and secure the external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable).	BR000272A01	Usb a to USB Micro-B cable 1300mm. Data cable for fleet management and programming through IMPRES™ 2 multi-unit charger.	CB000458A07
			

Dust covers

Description	Part Number	Description	Part Number
Slim connector dust cover	PMHN4178	Bottom connector dust cover	PMHN4210



Carry solutions

Description	Part Number	Description	Part Number	Description	Part Number
<p>Hard leather case with 3" swivel belt loop</p> <p>Fits limited and full keypad models.</p>	PMLN5885	<p>Soft leather case with 3" swivel belt loop</p> <p>Fits limited and full keypad models.</p>	PMLN5887	<p>Soft leather case with 2.5" swivel belt loop</p> <p>Fits limited and full keypad models.</p>	PMLN5888
					
Description	Part Number	Description	Part Number	Description	Part Number
<p>Soft leather pouch</p> <p>For use with shoulder wearing device PMLN8025, fits limited and full keypad models. Refer to Peter Jones section for more information.</p>	PMLN5890	<p>Spring belt clip 2 inches</p> <p>Compatible with MTP3500/3550/MTP6650 portable radios.</p>	PMLN5616	<p>Spring belt clip 2.5 Inches</p> <p>Compatible with MTP3500/3550/MTP6650 portable radios.</p>	HLN9714
					












Carry solutions (continued)

Description	Part Number	Description	Part Number
Shoulder strap Nylon shoulder strap, attaches to d-rings on carry cases. Compatible with all portable radios.	NTN5243	Wrist strap Compatible with all portable radios.	HLN9767
			
Description	Part Number	Description	Part Number
Universal chest pack Nylon. With radio holder, pen holder and velcro secured pocket. Compatible with all portable radios.	HLN6602	Soft leather case with built in belt clip Case with integrated belt clip.	GMLN5402
			



Remote speaker microphones (RSM)

<div><div>Description</div><div>IMPRES™ large remote speaker microphone With loud audio, audio jack and emergency button, noise-cancelling, IP54.</div><div></div></div>	<div>Part Number</div> <div>PMMN4072</div>	<div><div>Description</div><div>IMPRES™ small remote speaker microphone With audio jack and emergency button, windporting, ip55.</div><div></div></div>	<div>Part Number</div> <div>PMMN4074</div>	<div><div>Description</div><div>Small remote speaker microphone Windporting, ip57, no audio jack, no emergency button, no volume control.</div><div></div></div>	<div>Part Number</div> <div>PMMN4075</div>
<div><div>Description</div><div>Small remote speaker microphone With audio jack and emergency button, windporting, ip55.</div><div></div></div>	<div>Part Number</div> <div>PMMN4078</div>	<div><div>Description</div><div>D-shell receive only earpiece over the ear For use with RSM, 3.5mm jack, black.</div><div></div></div>	<div>Part Number</div> <div>PMLN4620</div>	<div><div>Description</div><div>Receive only covered earbud For use with RSM, 3.5mm jack, black.</div><div></div></div>	<div>Part Number</div> <div>MDRLN4885</div>
<div><div>Description</div><div>Receive-only earpiece with translucent tube and rubber eartip For use with RSM 3.5mm jack, black.</div><div></div></div>	<div>Part Number</div> <div>PMLN7560</div>	<div><div>Description</div><div>Receive-only flexible earpiece (Over the ear) for use with RSM, 3.5mm jack. Compatible with all TETRA RSMs.</div><div></div></div>	<div>Part Number</div> <div>WADN4190</div>	<div><div>Description</div><div>Adjustable D-style receive only earpiece for RSM 3.5mm jack. Compatible with MTP3500/3550/MTP6650.</div><div></div></div>	<div>Part Number</div> <div>PMLN7396</div>



Radio earpieces (long cord)





Description	Part Number	Description	Part Number
Mag one earbud With in-line microphone and push-to-talk button, black.	PMLN5733	Mag one over-the-ear swivel earpiece With in-line microphone and PTT switch, black.	PMLN5727
			
Description	Part Number	Description	Part Number
Mag one lightweight earset With boom microphone - fits on left or right ear - and in-line push-to-talk, black.	PMLN5732	Adjustable D-style earpiece With in-line microphone and push-to-talk, black.	PMLN6757
			



Radio earpieces (short cord)




Description	Part Number	Description	Part Number
Mag one receive-only swivel earpiece With short cord, black.	PMLN5728	1-wire surveillance kit With quick disconnect clear voice tube, receive only, short cord, black.	PMLN6758
			

Surveillance kits



Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
2-Wire surveillance kit With quick disconnect acoustic tube and combined microphone/ptt – beige cord.	PMLN7270	2-Wire surveillance kit With quick disconnect acoustic tube and combined microphone/ptt – black cord.	PMLN7269	3-Wire surveillance kit With quick disconnect acoustic tube and separate microphone and ptt – black cord.	PMLN6754	3-Wire surveillance kit With quick disconnect acoustic tube and separate microphone and ptt – beige cord.	PMLN6755
							



Surveillance kit replacement parts


Description	Part Number	Description	Part Number	Description	Part Number
Quick disconnect acoustic tube Low Noise Kit with translucent tube and 1 clear rubber eartip. Compatible with 1- 2- and 3-wire kits PMLN6123, PMLN6124, PMLN6129, PMLN6130, NNTN8459, PMLN7397, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece PMLN7560	RLN6242	Replacement standard clear rubber eartip (Pack of 50) For RLN6242. Noise reduction is 24 dB. Pack of 50 pairs. Compatible with 1, 2- and 3-wire kits: PMLN7397, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6129, PMLN6130, NNTN8459, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece: PMLN7560. Pack of 50.	RLN6282	Foam earplugs (pack OF 50) For high noise kit solution combine RLN6242 Low noise kit with 5080384F72 replacement foam plugs. Noise reduction is 24 dB. Pack of 50 pairs. Compatible with 1, 2- and 3-wire kits: PMLN7397, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6129, PMLN6130, NNTN8459, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece: PMLN7560. Pack of 50.	5080384F72
					

Radio earpieces (high noise environment)

Description	Part Number	Description	Part Number
IMPRES™ ear microphone system With bone conduction technology and in-line programmable button.	PMLN5729	IMPRES™ temple transducer headset With PTT and noise cancelling mic. Receive method: bone conduction.	PMLN6759
			



Radio identification




Description	Part Number
Coloured bands easily slip on antennas and enable you to quickly visually identify custom radio user groups. Each ID band kit is sold in packs of 5.	PMLN6285 Pack of 5 blue colour rings for antenna
	PMLN6286 Pack of 5 pearl white colour rings for antenna.
	PMLN6287 Pack of 5 green colour rings for antenna.
	PMLN6288 Pack of 5 yellow colour rings for antenna
	PMLN6289 Pack of 5 red colour rings for antenna

In-vehicle solutions




Description	Part Number	Description	Part Number
Vehicular power adapter Vehicular power adapter 12-24v plug. Allows radio to charge in vehicle. Compatible with MTP3500/3550/MTP6650.	NNTN8040	Non charging cradle Radio holder only - no charging capability. Compatible with rsm attachment. Kit also includes: RSM bracket and cradle mounting bracket. No RF compatibility.	PMLN7018
			
Description	Part Number	Description	Part Number
Cradle with vehicle power module & battery power cable Charges radio through the car battery. Compatible with RSM attachment. Kit also includes: rsm bracket, cradle mounting bracket, vehicular power module, power cables. No RF compatibility.	PMLN6182	Cradle with holder for vehicle power adapter Charges radio through the vehicular power adapter. Requires NNTN8040 to be ordered separately. Compatible with RSM attachment. Kit also includes: rsm bracket, cradle mounting bracket, vehicular power adapter holder. No RF compatibility.	PMLN6181
			



Programming/data cables





Description	Part Number	Description	Part Number	Description	Part Number
USB data cable Compatible with: MTP3500/3550/MTP6650/MXP600.	PMKN4129	Bottom connector serial data cable Compatible with: MTP3500/3550/MTP6650/MXP600.	PMKN4127	Keyfill cable for E2E keys Compatible with: MTP3500/3550/6650/MXP600.	PMKN4124
					
iTM (Integrated Terminal Management)					

SAVOX Solutions

Description	Part Number	Description	Part Number	Description	Part Number
Remote large PTT unit CC-400 Com-Control PTT unit for use with HC-1 single speaker or HC-2 dual speaker headset (order separately). Compatible with MTP3500/3550.	GMMN4579	HC-2 Helmet-com™ headset Bone-mic/dual speaker headset with Nexus 4-pole quick release connection. For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM, MXP600 Nexus RSM (NS750) (order separately).	GMMN4584	HC-1 Helmet-com™ headset Bone-mic/single speaker headset with Nexus 4-pole quick release connection. For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM, MXP600 Nexus RSM (NS750) (order separately).	GMMN4585
					



Headsets

Description	Part Number	Description	Part Number
Over the head, lightweight adjustable single muff headset With boom mic and in-line PTT.	PMLN6635	Behind-the-head heavy duty headset With noise-cancelling boom microphone and push-to-talk. Noise reduction: 24dB.	PMLN6760
			
Description	Part Number	Description	Part Number
Mag one behind-the-head style headset Ultra lightweight headset with boom mic and in-line PTT.	PMLN6761	Over-the-head heavy duty headset With noise cancelling boom mic and push-to-talk. Noise reduction: 24dB.	PMLN7464
			

▶ For BT accessory portfolio compatibility with MTP3000 SERIES, please refer to the BLUETOOTH accessories section.



TPG2200 TETRA Pager

The Advisor™ TPG2200 TETRA two-way pager ensures you can reach firefighters, emergency personnel and healthcare workers when they're needed most.

In those critical moments, every second counts. That's why we made the TPG2200 simple to use, even with one hand. Quickly read and respond to messages with a bright, 2" colour display and familiar user interface.



TPG2200

TETRA Pager



Home station

Description	Part Number	Description	Part Number
Home station kit Select antenna band 440-470mhz or 380-430mhz. Keep the battery fully charged and get enhanced coverage using the home station.	PMPN5002 440-470MHz PMPN4142 380-430MHz	External whip antenna	PMAE4108 380-430MHz



Carry solutions

Description	Part Number	Description	Part Number
Nylon wrist strap colour: black length (mm): 330	PMLN6074	Pager carry holster includes integrated spring belt clip.	PMLN7606






Description	Part Number	Description	Part Number
Carry case holder black soft leather pouch for belt wearing.	PMLN7605	Pager carry holster includes integrated spring belt clip.	PMLN7606



Miscellaneous






Description	Part Number
USB C to USB A radio programming cable Compatible with ST7000, TPG2200, and M6 handheld control head.	PMKN4196
	

Batteries and chargers

Description	Part Number	Description	Part Number	Description	Part Number
IMPRES™ 2 Li-ion 3600mah hicap battery compatible with TPG2200 only.	PMNN4586	Replacement hicap battery cover Compatible with TPG2200 hicap battery (PMNN4586) This kit includes the home station spacer	PMHN4463	IMPRES™ 2 Li-Ion 2300 mAh slim battery Compatible with ST7000, ST7500 and TPG2200.	PMNN4510
					
Description	Part Number	Description	Part Number	Description	Part Number
Replacement battery cover	PMHN4371	USB-C wall charger Operating voltage:100-240VAC. Compatible with ST7000 and TPG2200.	PS000150A23 - UK PLUG (1m) PS000150A21 - US PLUG (1m) PS000150A22 - EURO PLUG (1m) PS000150A52 - EURO PLUG (1.8m)	Vehicular power adapter with USB connector In-vehicle charging with 12/24V input - 1.5A.	PMLN7745
					



Chargers, IMPRES™ battery fleet

Description	Part Number	Description	Part Number	Description	Part Number
<p>IMPRES™ 2 six-way multi-unit desktop charger</p> <p>Six-pocket charger with USB ports enabling iTM (Integrated Terminal Management). Requires one USB-A to USB Micro-B cable (CB000521A01). Operating voltage: 100-240 VAC.</p>	<p>PMPN4305 - UK PLUG</p> <p>PMPN4287 - EURO PLUG</p>	<p>Wall mount bracket for 6-way multi-unit charger</p> <p>For six-way multi-unit charger. Design allows an audio accessory to remain attached to the radio while charging (e.g. RSM). The bracket can also hold and secure the external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable).</p>	<p>BR000272A01</p>	<p>Battery only single unit charger</p> <p>Kit includes charger base and power supply with USB-C connector. Charges on single battery. Operating voltage: 100-240 VAC. Compatible with battery for ST7000, ST7500 and TPG2200.</p>	<p>PMPN4447 - UK KIT</p> <p>PMPN4445 - US Kit</p> <p>PMPN4446 - EURO Kit</p>
					
Description	Part Number	Description	Part Number		
<p>IMPRES™ six-way battery only multi-unit charger</p> <p>Allows you to charge six spare batteries. Operating voltage: 100-240 VAC. Compatible with battery for ST7000, ST7500 and TPG2200.</p>	<p>HKVN4037</p>	<p>USB A to USB micro-b ITM cable for multi-unit charger</p> <p>Cable for iTM (Integrated Terminal Management). Compatible with ST7000 and TPG2200.</p>	<p>CB000521A01</p>		
					
		iTM (Integrated Terminal Management)			



MTP8000Ex Series

TETRA ATEX Radios

MTP8550Ex TETRA portable radio designed for today. Ready for tomorrow. MTP8500Ex series, power and performance designed for extreme environments



MTP8500Ex & MTP8550Ex

TETRA ATEX radios



MTP8550Ex
UHF FKP ATEX PT951NPEEX
Full Keypad

MTP8500Ex
UHF LKP ATEX PT951NMEEX
Limited keypad

Antennas

Description	Part Number	Description	Part Number
Stubby antenna, 80mm (380-430MHZ)	PMAE4096	Whip antenna 120mm (350-470MHZ)	PMAE4097

Battery

Description	Part Number
Li-Ion battery 1250mAH Lithium Ion IMPRES™ battery. Intrinsic Safety Standard: ATEX/IECEX. IP rating: IP67.	NNTN8570




Chargers, IMPRES™ battery fleet

Description	Part Number	Description	Part Number	Description	Part Number
<p>IMPRES™ single unit charger For charging radio or spare battery. Includes switch mode power supply. UK and EURO kits - Operating voltage: 100-240VAC US kit - Operating voltage: 110-120VAC.</p>	<p>PMPN4572 - UK Kit</p> <p>PMPN4576 - US kit</p> <p>PMPN4577 - EURO kit</p>	<p>IMPRES™ multi-unit charger With display (capability to charge up to six radios or six spare batteries simultaneously). Allows IMPRES™ battery fleet management via cable CB000458A07 - Operating Voltage: 100-240VAC.</p>	<p>PMPN4290 - UK Kit</p> <p>PMPN4284 - US kit</p> <p>PMPN4289 - EURO kit</p>	<p>Wall mount bracket for IMPRES™ six-way multi-unit charger Bracket design allows an audio accessory to remain attached to the radio while charging – for example remote speaker microphone.</p>	<p>BR000272A01</p>
					
Description	Part Number	Description	Part Number	Description	Part Number
<p>IMPRES™ Fleet management software license key This orders the licence key of fleet management software application. Our IMPRES Battery Fleet Management software collects critical data, it allows you to analyze key aspects of the battery, such as battery age, capacity, recondition history and manufacturing and service dates.</p>	<p>HKVN4037</p>	<p>IMPRES™ Vehicular Charger For radio or stand alone battery. Hard wired to the car battery. 12V compatible.</p>	<p>NNTN7616</p>	<p>In-vehicle charger adapter For radio or stand alone battery. Connects via vehicular power adapter. 12V-24V compatible.</p>	<p>NNTN8525</p>
					





Miscellaneous

Description	Part Number	Description	Part Number
Side connector dust cover	0104063J98	USB data cable for fleet management Use with IMPRES™ six-way multi-unit chargers.	CB000458A07
			





Carry solutions

Description	Part Number	Description	Part Number	Description	Part Number
<p>Hard leather case with 2.5" belt loop</p> <p>Can also be used with shoulder strap NTN5243A. Kit comes complete with case and belt loop.</p>	PMLN7195	<p>Hard leather case with 3" belt loop</p> <p>Can also be used with shoulder strap NTN5243A. Kit comes complete with case and belt loop.</p>	PMLN7268	<p>2.5 INCH replacement swivel belt loop</p> <p>Made of hard leather.</p>	PMLN5610
					
Description	Part Number	Description	Part Number	Description	Part Number
<p>3.0 Inch replacement swivel belt loop</p> <p>Made of hard leather. Compatible with MTP6550/MTP8500Ex/8550Ex.</p>	PMLN5611	<p>Shoulder wearing device with Klick Fast stud.</p> <p>Compatible with all Klick Fast solutions. Compatible with MTP8500Ex/MTP8550Ex ATEX radios.</p>	PMLN5004B	<p>ATEX 2.5 inch belt clip</p>	PMLN6086
					





Programming/data cables

Description	Part Number	Description	Part Number	Description	Part Number
<p>Atex USB data cable</p> <p>In order to comply with the ATEX/iecx compliance, the following cables must be used to program or configure your MTP8000ex series radios. No other cables can be used to interface to this product, doing so may invalidate the ATEX compliance.</p> <p>iTM (Integrated Terminal Management)</p>	PMKN4160	<p>Atex KVL cable</p> <p>Keyfill cable for E2E keys for use with the MTP8000Ex series.</p>	PMKN4161	<p>Atex serial data cable</p>	PMKN4159
					







Remote speaker microphones and push-to-talks

Description	Part Number	Description	Part Number	Description	Part Number
<p>ATEX active noise canceling large IMPRES™ remote speaker microphone With nexus plug. IP rating: IP67. Compatible with Peltor and Savox secondary nexus audio accessories.</p>	PMMN4093	<p>ATEX omni-directional large imprestm remote speaker microphone With nexus plug. IP rating: IP67. Compatible with Peltor and Savox secondary nexus audio accessories.</p>	PMMN4109	<p>Savox cc-440 ATEX com-control/ push-to-talk unit To be used as a remote large PTT, in conjunction with Savox ATEX HC1 RMN5123 or savox ATEX HC2 headset GMMN4580.</p>	PMLN7257
					
Description	Part Number	Description	Part Number		
<p>ATEX IMPRES™ windporting remote speaker Microphone with volume control and emergency button. (It has no 3.5mm jack).</p>	PMMN4067	<p>ATEX small PTT adapter This PTT adapter with nexus jack is required to be used with certified peltor headsets. It has a 0-360 degree rotating clothing clip.</p>	PMLN6803		
					



Secondary audio accessories

Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
Voice tube with 3.5mm jack only compatible with nexus RSM twist and lock 3.5m socket.	PMLN7188	Peltor ATEX twin cup headset with helmet attachment and noise cancelling boom microphone. Twin-cup for best ear cup noise attenuation.	PMLN6333	Savox ATEX HC-2 helmet-com® headset, bone-conductive microphone with dual speaker. Uses nexus 4-pole quick release plug connection.	GMMN4580	Savox ATEX HC-1 Helmet-com® headset, bone-mic/single speaker. Uses nexus 4-pole quick release plug connection.	RMN5123
							






MXP7000

Portable radio



Audio accessories


Description	Part Number	Description	Part Number
IMPRES™ RM780 large remote speaker microphone. Equipped with a loud and clear speaker, windporting microphone, and low profile swivel clip.	PMMN4128	IMPRES™ RX-only, loud audio translucent tube. For use with RSM, 3.5mm jack, black. Compatible with PMMN4128, PMMN4131, and PMMN4140.	PMLN8120
			
Description	Part Number		
Replacement quick disconnect translucent tube with clear rubber eartip Compatible with PMLN8120.	PMLN8092		
			



Antennas






Description	Part Number
Stubby antenna, 60mm (380-430 mHz)	AN000354B01
	

Batteries

Description	Part Number
IMPRES 2 Li-Ion 5600mAh battery, IP68 rugged	PMNN4877
	







Charging solutions

Description	Part Number	Description	Part Number	Description	Part Number
Multi-unit charger kit Charges multiple units for more efficiency (up to 12 units). Kit includes MUC, power cord, USB-C cable (pack of 6).	PMPN4644	Multi-unit charger (MUC) Base only.	PMPN4633	Power cord cable, 250VAC, 3A Europe power cord.	3087791G04
					
Description	Part Number	Description	Part Number	Description	Part Number
IMPRES dual unit desktop charger kit Kit includes charger, and European power cord.	PMPN4643	IMPRES dual unit desktop charger Base only.	PMPN4632	Power supply adaptor 100-240VAC, 5.25A/3A L6 USB-C	PS000555A02
					





Charging Solutions (continued)

Description	Part Number	Description	Part Number
LEX L11 wall adapter USB-A wall charger, 5V/1.5A, 240VAC	PS000150A31 US/Japan plug	LEX L11 wall plug USB-A wall plug, 5V/1.5A, 240VAC	PS000150A32 Euro plug
			
Description	Part Number	Description	Part Number
LEX L11 wall plug USB-A wall plug, 5V/1.5A, 240VAC	PS000150A33 UK/HK plug	LEX L11 USB wall adapter USB-A wall adapter, 5V/1.5A, 240VAC	PS000150A38 UK/HK
			





In-vehicle solutions

Description	Part Number	Description	Part Number
Vehicle cradle with mount	PMPN4638	Vehicle adaptor charger	PMLN7779
			







Carry solutions

Description	Part Number	Description	Part Number
Carry holster	PMLN8400	2.5" belt clip Consectetur adipiscing elit phasellus ut est. Phasellus ullamcorper odio id suscipit.	PMLN8181
			
Description	Part Number		
Low profile swivel clip For use with Remote Speaker Mic PMMN4128, PMMN4131, and PMMN4140.	PMLN8121		





Cables

Description	Part Number	Description	Part Number	Description	Part Number
USB-A to USB-C cable Pack of 6.	CB001130A01	USB-A to USB-C cable 1m cable.	CB000756A01	USB-C to USB-C cable 1m cable.	CB000754A01
					
Description	Part Number	Description	Part Number		
KVL4000 programming cable Serial to GCAI cable.	PMKN4159	KVL4000 programming cable GCAI to mini GCAI adaptor.	PMLN8334		
					

*only for AIE key loading



KVL6K Cables

Description		Part Number	Description		Part Number
AIE key loading cable Hirose to serial adapter. To be used with PMKN4158 and PMLN8334.		CB001118A01	E2EE key loading cable Hirose to GCAI adapter. To be used with PMKN4161 and PMLN8334.		CB001204A01
					



Miscellaneous

Description	Part Number
Mini GCAI dust cover	PMHN4429
	



MXM600 TETRA mobile radio

MXM600 Mission-Critical TETRA mobile radio

Frontline safety, today and tomorrow.

The MXM600 TETRA mobile radio supports various installation options including: control room, vehicle, and custom installation. The radio includes noise suppression technology, trained through AI machine learning. It has Wi-Fi over-the-air Programming, Bluetooth® 5.3, and automated configuration to ease installation.



MXM600

TETRA mobile radio



MXM600 dash / desk mount



MXM600 single remote



MXM600 dual remote



MXM600 databox



M6 handheld control head

Mobile microphones

Description	Part Number	Description	Part Number
Desktop microphone with push-to-talk Compatible with desk mount installation. Transmit only.	RMN5106	Heavy duty fist microphone with push-to-talk Compatible with dash/desk, single remote, dual remote mounts. Transmit only.	RMN5111
			
Description	Part Number	Description	Part Number
Remote Speaker Microphone with 3.5mm jack Volume control and emergency button. Compatible with dash/desk, single remote, dual remote mounts.	PMMN4086	Compact mobile fist microphone with push-to-talk Compatible with dash/desk, single remote, dual remote mounts. Transmit only.	RMN5107
			
Description	Part Number	Description	Part Number
IMPRES™ visor microphone Requires external PTT. Compatible with dash mount/remote mount.	RMN5054	Visor mounted microphone Requires external PTT. Compatible with dash mount/remote mount.	PMMN4087
			



Mobile handset

Description	Part Number
IMPRES™ telephone style handset kit Compatible with dash/desk, single remote, dual remote mounts	MDHLN7016
	

Wireless remote speaker microphone

Description	Part Number
WM500 bluetooth remote speaker microphone Equipped with a windporting microphone, emergency button, 4 front programmable buttons, volume control, 3.5mm audio jack,USB-C charging. The WM500 also works with PTT-over-cellular applications.	PMMN4127
	








Speakers

Description	Part Number	Description	Part Number
13W external speaker Compatible with dash/desk, single remote, dual remote mounts.	RSN4002	7.5W external speaker Compatible with dash/desk, single remote, dual remote mounts.	RSN4003
			
Description	Part Number	Description	Part Number
Speaker extension cable Compatible with external speakers RSN4002/RSN4003.	PMKN4119	15.6W Speaker Supports narrowband and wideband audio. Compatible with MXM600 dash/desk, single remote, dual remote mounts	AC000240A02
			



Push-to-talk and specific kits

Description	Part Number	Description	Part Number
Push button push-to-talk Can be held in the hand or mounted to vehicles. Compatible with dash mount/remote mount.	RLN5926	Gooseneck push-to-talk Placed in the steering wheel column, it remotely activates the PTT in the microphone. Compatible dash, single remote, dual remote mounts.	RLN4858
			
Description	Part Number	Description	Part Number
Emergency foot switch Easily and secretly triggers an emergency signal that is sent to the base station. Compatible with dash, single remote, dual remote mounts.	RLN4836	External alarm relay Compatible with dash, single remote, dual remote mounts.	GMLN5091
			
Description	Part Number		
Cable with 26-pin rear connector 26-pin rear connector with pre-crimped, open-ended cable, compatible with all mobile models	PMKN4303A		
			







Junction box and cables





Description	Part Number	Description	Part Number
Data junction box with accessory connector Compatible accessories: RMN5106, RMN5111, PMMN4086, RMN5107, MDHLN7016, RMN5054, PMMN4087, RSN4002, RSN4003, RLN5926, RLN4858, RLN4836, PMKN4120, PMKN4119 Compatible with all MXM600 models.	GMLN7825	5m junction box to transceiver cable Compatible with all MXM600 models.	PMKN4302
			
Description	Part Number	Description	Part Number
4m junction box to transceiver cable Compatible with all MXM600 models.	PMKN4301	2m junction box to transceiver cable Compatible with all MXM600 models.	PMKN4300
			
Description	Part Number	Description	Part Number
Expanded accessory terminal kit Hardware kit for use with the expanded accessory connector (includes 16 connector pins, (9) 8" wires with pins attached and an extra housing). Compatible with dash mount/remote mount.	HLN9457	M6 accessory hub Compatible with M6 handheld control head only. Requires PMKN4504 M6 accessory hub cable. Compatible accessories include: RSN4002, RSN4003, RMN5054, PMHN4087, RLN5926, RLN4858, RLN4836, PMKN4120, PMKN4119.	PMLN8767
			



Mounting solutions for control heads



Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
Standard remote mount trunnion kit Compatible with remote mount.	PMLN4912	Enhanced control head din trunnion Compatible with remote mount.	PMLN5093	Motorcycle enhanced control head trunnion Compatible with remote mount.	PMLN5092	Slim mounting bracket for control head Compatible with TSCH only.	PMLN6346
							

Mounting solutions for transceivers

Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
M6 Dock Compatible with M6 handheld control head only. Dimensions (HxDxW) (mm): 79x51x72mm Weight: 85g	PMLN8768	High profile mounting trunnion Compatible with all MXM600 transceivers.	PMLN8620A	DIN mounting kit Compatible with all mobile transceivers.	PMLN5094	Key lock mounting bracket Compatible with all mobile transceivers.	RLN4779
							



Desktop mounting solutions




Description	Part Number	Description	Part Number
Base tray without speaker Compatible with desk mount.	GLN7318	Desktop tray with 5W speaker Compatible with desk mount.	RSN4005
			

Power solutions

Description	Part Number	Description	Part Number	Description	Part Number
Wedge power supply AC-DC power adapter. Small compact design and true desktop styling. 6 Amp continuous usage. Requires DC cable PMKN4305A and line cord. Compatible with desk mount.	PMPN4076	Dc power cable For use with PMPN4076 AC-DC power adapter.	PMKN4305A	Power cable Right-angled connector. Compatible with desk mount	NTN7375 - UK plug NTN7373 - US plug NTN7374 - EURO plug
					









Cables

Description	Part Number	Description	Part Number	Description	Part Number		
RJ50 Ethernet control head cable Compatible with IP54 RECH & TSCH	PMKN4280 .5m	Multi radio control cross over ethernet cable	PMKN4176 0.5m	IP67 RJ50 Ethernet control head cable Compatible with IP67 RECH	PMKN4320 3m		
	PMKN4141 3m		PMKN4177 3m		PMKN4321 5m		
	PMKN4140 5m		PMKN4178 7m		PMKN4322 7m		
	PMKN4139 7m						
	PMKN4138 10m						PMKN4323 10m
	PMKN4136 12m						PMKN4324 15m
	PMKN4146 15m						PMKN4325 40m
	PMKN4135 40m						
Description	Part Number	Description	Part Number	Description	Part Number		
IP54 RECH accessory Y-cable	PMKN4133	Telephone style control head accessory Y-cable	PMKN4134	Accessory Y-cable connector kit For extending audio from rear of ethernet control head and telephone style control head.	PMLN6487		
							




Cables (continued)

Description	Part Number	Description	Part Number	Description	Part Number
Y-cable for IP67 RECH	PMKN4333	IP67 expansion cables for IP67 RECH	PMKN4429 2.3m PMKN4456 4m	IP54 expansion cables for IP54 RECH	GMDN3836 2m
					




Description	Part Number	Description	Part Number	Description	Part Number
M6 direct cable Compatible with M6 handheld control head only. Cable length: 705mm. Cable length (max stretch): 3m	PMKN4506	M6 accessory hub cable Compatible with M6 handheld control head only. Cable length: 940mm Cable length (max stretch): 3.6m	PMKN4504	M6 Y-cable M6 handheld control accessory Y-cable.	PMKN5134
					

Miscellaneous

Description	Part Number	Description	Part Number
Control head identification colour strip Compatible with telephone style control head and M6 handheld control head only. Pack of 5.	PMLN6339 (White) PMLN6339 (Green) PMLN6339 (Red) PMLN6339 (Yellow) PMLN6339 (Blue)	M6 screen protector Compatible with M6 handheld control head only. Clear-single pack.	AY000980A01
			



Programming and data cables






Description	Part Number	Description	Part Number	Description	Part Number
Active data cable RS232-to-26 pin rear accessory connector data cable Compatible with dash mount/remote mount/motorcycle mount/data mount.	PMKN4104	Mobile programming cable GCAI MMP-to-USB cable. Programming from the front of the radio control head connection. Compatible with dash/desk mount and remote mount with IP54 RECH and IP67 RECH.	HKN6184	USB flash cable USB-to-26-pin rear accessory connector cable. USB cable to connect to the rear of the transceiver.	PMKN4110 iTM (Integrated Terminal Management)
					

Battery power cables

Description	Part Number	Description	Part Number	Description	Part Number
USB-C to USB-A radio programming cable Compatible with ST7000, TPG2200, and M6 handheld control head.	PMKN4196	Ignition sense cable Compatible with all transceivers.	PMKN4120	12v power cable to battery with fuse 15a (1m) Compatible with all transceivers.	PMKN4289 1m PMKN4243 3m PMKN4275 6m
					











Combined antennas

Description	Part Number	Description	Part Number	Description	Part Number
<div>Combined antenna TETRA/GPS 380 - 430mhz sma Mounting Type: direct Dimension (HxWxL) (mm): 18 x 50 x 60 Height: 154mm</div> <div></div>	GMAE4507	<div>GPS only antenna panel mount sma mounting type: direct (panel/roof) Dimension (HxWxL) (mm): 18x50x60.</div> <div></div>	GMAG4253	<div>GPS only antenna magnetic mount sma Mounting type: magnetic mount Dimension (HxWxL) (mm): 18x50x60.</div> <div></div>	GMAG4254
Description	Part Number	Description	Part Number	Description	Part Number
<div>TETRA 350-470 MHz/BT/WiFi/GNSS combined antenna direct mount</div> <div></div>	PMAE4115	<div>TETRA 350-470 MHz/BT/WiFi/GNSS magnetic antenna</div> <div></div>	PMAE4116	<div>TETRA 806 - 870 MHZ/BT/WiFi/GNSS combined antenna panel mount</div> <div></div>	PMAF4415
Description	Part Number				
<div>TETRA/GPS 806 - 870 mHz sma combined antenna</div> <div></div>	PMAF4408				








TETRA mobile antennas 380 - 430mHz

<div><div>Description</div><div>Part Number</div></div> <div>Antenna panel mount 380 - 430 MHz. Mounting Type: panel mount Height: 176mm</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna magnetic mount 380 - 430mhz Mounting Type: magnetic mount. Height: 165mm.</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna covert strip 410 - 430mhz Mounting type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 At cable entry) x19x217.</div> <div></div>
<div><div>Description</div><div>Part Number</div></div> <div>Antenna covert strip 410 - 430mhz Mounting type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 At cable entry) x19x217.</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna tetra wall mount 380 - 400 mhz Mounting type: 4 screws to a wall or other surface. Dimension (HxWxL) (mm): 252 x 32.7</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna wall mount 410-430mhz Mounting type: 4 screws to a wall or other surface. Dimension (HxWxL) (mm): 252x32.7</div> <div></div>
<div><div>Description</div><div>Part Number</div></div> <div>Antenna motorcycle mount 380 - 400mhz Mounting type: centre bolt with adhesive pad. Height: 420mm. Base diameter: 35mm.</div> <div></div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna motorcycle mount 410 - 430 mhz Mounting type: centre bolt with adhesive pad. Height: 355mm. Base diameter: 35mm.</div> <div></div>	



TETRA mobile antennas 430 - 470mHz

Description	Part Number	Description	Part Number	Description	Part Number
Antenna glass mount 450 - 470MHz Mounting type: external glass mount Height: 176mm	GMAE4270	Antenna panel mount 430 - 470mhz Mounting type: panel mount. Height: 176mm	GMAE4271	Antenna magnetic mount 430 - 470mhz Mounting type: magnetic Height: 140mm	GMAE4272
					
Description	Part Number	Description	Part Number		
Antenna covert strip 430 - 465mhz Mounting type: glass mountable strip. Dimension: (HxWxL)(mm): 2.5 (6.5 At cable entry) x 19 x 217	GMAE4273	Antenna wall mount 450 - 470mhz Mounting Type: 4 screws to a wall or other surface Dimensions: (HxWxL) (mm): 220 x 32.7 x 150	GMAE4275		
					



TETRA mobile antennas 806 - 870mHz

[illegible]



GPS only antenna

Description	Part Number
Combined antenna TETRA/GPS 380 - 430mhz sma Mounting Type: direct Dimension (HxWxL) (mm): 18 x 50 x 60 Height: 154mm	GMAE4507



Bluetooth/Wifi only antenna

Description	Part Number
BT/Wifi magnetic antenna	AN000459A01



Legacy Items

Accessories for discontinued radios

MTP6650, ST7000, ST7500, and MTM5000







MTP6650

Portable radio



Antennas

Description	Part Number	Description	Part Number
Whip antenna 120MM (350 - 470MHz)	PMAE4105	Stubby antenna 60MM (380 - 430MHz)	PMAE4106
			
Description	Part Number	Description	Part Number
Stubby antenna 90MM (380 - 430MHz)	PMAE4107	Stubby antenna 60MM (410 - 470MHz)	PMAE4103
			



Batteries



Description	Part Number
LI-ION BATTERY 2200mAh IP55*. Compatible with MTP3500/3550/MTP6650.	NNTN8023
	

Description	Part Number
LI-ION BATTERY 1950mAh IP55*. Compatible with MTP3500/3550/MTP6650.	NNTN8020
	



Description	Part Number
IMPRES™ 2 LI-ION BATTERY 3400 mAh IP68*. Compatible with MTP3500/3550/6650.	PMNN4522
	

* Meets rating of IP67 for MTP3500/3550, IP68 for MTP6650

Dual chargers





Description	Part Number	Description	Part Number
Desktop SEQUENTIAL Dual-Unit charger Desktop dual-unit charger for charging radio and spare battery sequentially. Operating voltage: 100-240VAC. Compatible with MXP600/MTP3500/MTP3550/MTP6650.	NNTN8246 - UK PLUG NNTN8244 - US PLUG NNTN8245 - EURO PLUG	DESKTOP SIMULTANEOUS DUAL-UNIT CHARGER or charging radio and spare battery. Operating voltage:100-240VAC. Compatible with MXP600/MTP3500/ MTP3550/MTP6650.	PMLN6495 - UK PLUG PMLN6493 - US PLUG PMLN6494 - EURO PLUG
 iTm (Integrated Terminal Management)		 iTm (Integrated Terminal Management)	



IMPRES™ 2 multi-unit chargers and integrated terminal management (iTm) support

Description	Part Number	Description	Part Number
IMPRES™ 2 multi-unit charger, 6 pockets, iTm Includes 6 pockets for radio or battery charging and a single display. Operating voltage: 100-240VAC. iTm capability via integrated hub and single USB connection to charger. IMPRES™ Fleet management: integrated (does not require separate Charging Interface Unit CIU). Requires one USB A to USB micro-B cable (CB000458A07) to connect to PC. (see multi-unit charger accessories section)	PMPN4403 - UK PLUG PMPN4401 - US PLUG PMPN4402 - EURO PLUG	IMPRES™ 2 12-WAY MULTI-UNIT CHARGER Allows for charging of 12 radios OR 6 radios and 6 batteries at once. Includes iTm capability via integrated hub and single USB connection to charger. IMPRES™ Fleet management: integrated (does not require separate Charging Interface Unit CIU). Compatible with MTP6000, MTP3000, and MXP600 Series radios but the IMPRES™ functionality is supported on MTP6650 only equipped with IMPRES™ battery (PMNN4522A). Requires one USB A to USB micro-B cable (CB000458A07) to connect to PC. (see multi-unit charger accessories section)	PMPN4218 - UK PLUG PMPN4216 - US PLUG PMPN4217 - EURO PLUG
			



Charging solutions tetra modular chargers

Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
SINGLE CHARGER 90W Power Supply Unit included. Mounting Bracket not included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.	PMPN4534-EU PLUG PMPN4535-UK PLUG PMPN4536-ANZ PLUG PMPN4538-KOREA PLUG PMPN4542-TAIWAN PLUG PMPN4533-US/LA PLUG PMPN4541-CHINA PLUG PMPN4539-JAPAN PLUG	DUAL CHARGER 90W Power Supply Unit included. Mounting Bracket included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.	PMPN4544-EU PLUG PMPN4545-UK PLUG PMPN4546-ANZ PLUG PMPN4548-KOREA PLUG PMPN4543-US/LA PLUG PMPN4536-ANZ PLUG PMPN4551-CHINA PLUG PMPN4549-JAPAN PLUG	QUAD CHARGER 201W Power Supply Unit Included. (2) Mounting Brackets included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.	PMPN4554 - EU PLUG PMPN4555 - UK PLUG PMPN4556 - ANZ PLUG PMPN4558 - KOREA PLUG PMPN4562 -TAIWAN PLUG PMPN4553 - US/LA PLUG PMPN4561 - CHINA PLUG PMPN4559 - JAPAN PLUG	MOUNTING BRACKET 1 Bracket holds up to 2 chargers. (1) Included in DUAL CHARGER. (2) Mounting Brackets included in QUAD CHARGER.	BR000-482A01
							

Description	Part Number	Description	Part Number
90W POWER SUPPLY, Included in SINGLE and DUAL CHARGERS.	PS000242A04	201W POWER SUPPLY, Included in QUAD CHARGER.	PS000212A02
			




Personal chargers

Description	Part Number
Wall charger Conveniently and quickly charge your radio. Operating voltage:100-240VAC.	PS000042A33 - UK PLUG
	PS000042A31 - US PLUG
	PS000042A32 - EURO PLUG



Multi-unit charger accessories

Description	Part Number
Wall mount bracket For six-way multi-unit charger. Design allows an audio accessory to be attached to the radio while charging (e.g. RSM). The bracket can also hold and secure external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable). Compatible with MTP3500/3550/MTP6650.	BR000272A01



Description	Part Number
USB A TO USB MICRO-B CABLE 1300mm. iTM and fleet management programming cable for chargers.	CB000458A07



Programming/data cables

Description	Part Number	Description	Part Number
USB DATA CABLE Compatible with MTP3500/3550/MTP6650.	PMKN4129	BOTTOM CONNECTOR SERIAL DATA CABLE Compatible with MTP3500/3550/MTP6650	PMKN4127
			
iTM (Integrated Terminal Management)			
Description	Part Number		
KEYFILL CABLE FOR E2E KEYS Compatible with MTP3500/3550/MTP6650	PMKN4124		
			



Carry solutions

<div>Description</div> <div>Hard leather case with 3" swivel belt loop</div> <div></div>	<div>Part Number</div> <div>PMLN6249</div>	<div>Description</div> <div>Soft leather case with 3" swivel belt loop</div> <div></div>	<div>Part Number</div> <div>PMLN6250</div>	<div>Description</div> <div>Hard leather case with 2.5" Swivel belt loop</div> <div></div>	<div>Part Number</div> <div>PMLN6253</div>
<div>Description</div> <div>Soft leather case with 2.5" Swivel belt loop</div> <div></div>	<div>Part Number</div> <div>PMLN6252</div>	<div>Description</div> <div>2.5" Replacement leather swivel belt loop For carry cases.</div> <div></div>	<div>Part Number</div> <div>PMLN5580</div>	<div>Description</div> <div>3" Replacement leather swivel belt loop For carry cases.</div> <div></div>	<div>Part Number</div> <div>PMLN5611</div>
<div>Description</div> <div>Universal chest pack With radio holder, pen holder and velcro secured pocket. Compatible with mtp3500/3550/mtp6650.</div> <div></div>	<div>Part Number</div> <div>HLN6602</div>	<div>Description</div> <div>Black wrist strap Attaches directly to the radio. Compatible with mtp3500/3550/mtp6650.</div> <div></div>	<div>Part Number</div> <div>HLN9767</div>	<div>Description</div> <div>Nylon shoulder strap Attaches to d-rings on carry cases. Compatible with all portable radios.</div> <div></div>	<div>Part Number</div> <div>NTN5243</div>



Carry solutions (continued)

Description	Part Number	Description	Part Number
2" BELT CLIP Spring belt clip 2 inches long. Compatible with MTP3500/3550/MTP6650 Portable radios.	PMLN5616	2.5" BELT CLIP Spring belt clip 2.5 inches long. Compatible with MTP3500/3550/MTP6650 Portable radios.	HLN9714

Description	Part Number
Coloured bands easily slip on antennas and enable you to quickly visually identify custom radio user groups. Each ID band kit is sold in packs of 5.	<p>PMLN6285 Pack of 5 blue colour rings for antenna</p> <p>PMLN6286 Pack of 5 pearl white colour rings for antenna.</p> <p>PMLN6287 Pack of 5 green colour rings for antenna.</p> <p>PMLN6288 Pack of 5 yellow colour rings for antenna</p> <p>PMLN6289 Pack of 5 red colour rings for antenna</p>



For BT accessory portfolio compatibility with MTP6650 SERIES, please refer to the BLUETOOTH accessories section








Remote speaker microphones (RSM)




<div>Description</div> <div>IMPRESTM LARGE SUBMERSIBLE, WINDPORTING REMOTE SPEAKER MICROPHONE (RSM)High/low volume toggle switch, emergency button and programmable button. IP57 rated.</div> <div></div>	<div>Part Number</div> <div>PMMN4082</div>	<div>Description</div> <div>IMPRESTM LARGE NOISE-CANCELLING REMOTE SPEAKER MICROPHONE (RSM) With 3.5mm audio jack and emergency button. IP54 rated.</div> <div></div>	<div>Part Number</div> <div>PMMN4081</div>	<div>Description</div> <div>IMPRESTM SMALL, WINDPORTING REMOTE SPEAKER MICROPHONE (RSM) With 3.5mm audio jack and emergency button. IP54 rated.</div> <div></div>	<div>Part Number</div> <div>PMMN4080</div>
<div>Description</div> <div>LARGE RSM WITH EMERGENCY BUTTON PTT. One programmable button and volume control.</div> <div></div>	<div>Part Number</div> <div>PMMN4085</div>	<div>Description</div> <div>SMALL WINDPORTING REMOTE SPEAKER MICROPHONE With 3.5mm audio jack, IP54. No emergency button.</div> <div></div>	<div>Part Number</div> <div>PMMN4024</div>	<div>Description</div> <div>3RECEIVE ONLY COVERED EARBUD With coiled cord for use with personal RSM, 3.5mm jack. Compatible with all TETRA RSMs.</div> <div></div>	<div>Part Number</div> <div>MDRLN4885</div>
<div>Description</div> <div>RECEIVE ONLY EARPIECE WITH TRANSLUCENT TUBE And rubber eartip, for use with personal RSM 3.5mm jack. Compatible with all TETRA RSMs.</div> <div></div>	<div>Part Number</div> <div>PMLN7560</div>	<div>Description</div> <div>RECEIVE-ONLY FLEXIBLE EARPIECE (Over the ear) for use with RSM, 3.5mm jack. Compatible with all TETRA RSMs.</div> <div></div>	<div>Part Number</div> <div>WADN4190</div>	<div>Description</div> <div>ADJUSTABLE D-STYLE RECEIVE ONLY EARPIECE FOR RSM 3.5mm jack. Compatible with MTP3500/3550/MTP6650.</div> <div></div>	<div>Part Number</div> <div>PMLN7396</div>



Remote speaker microphones (RSM) continued






Description	Part Number	Description	Part Number	Description	Part Number
Impres™ large submersible windporting RSM With high/low volume toggle switch, emergency button and programmable buttons, 3.5mm audio jack, ip68.	PMMN4099	Impres™ ultra-large windporting rsm With 4-pole nexus jack, emergency button and one programmable button. This rsm includes a front and side push-to-talk. Compatible with savox.	PMMN4113	SAVOX HC-1 HELMET-COM® Bone-mic/single speaker headset with Nexus 4-pole quick release connection. For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM, MXP600 Nexus RSM (NS750) (order separately).	GMMN4585
					
Description	Part Number	Description	Part Number		
Savox hc-2 helmet-com® bone-mic/dual speaker headset with nexus 4-pole quick release connection. For use with mtp3000 series cc-400 com-control ptt, mtp6000 series large nexus RSM, mxp600 nexus RSM (ns750) (order separately).	GMMN4584	Receive-only earpiece With translucent tube and rubber eartip. Compatible with all rsms with nexus plug.	PMLN7188		
					

Radio earpieces (short cord)




Description	Part Number	Description	Part Number	Description	Part Number
Earpiece receive only Over the ear earpiece. Swivel design. Black, short cord	PMLN7164	Receive only earpiece with voice tube Black. Compatible replacement voice tube and eartip: RIN6242.	PMLN7397	Adjustable D-style receive only earpiece Ear hanger size adjustable as per user's need. Black, short cord.	PMLN7512
					



Radio earpieces (long cord)






Description	Part Number	Description	Part Number	Description	Part Number
D-style earset With boom microphone and in-line push-to-talk.	PMLN5096	Mag one earbud With in-line microphone and Push-to-talk button.	PMLN6069	Mag one flexible over-the-ear receiver With in-line microphone/PTT.	PMLN5973
					
Description	Part Number	Description	Part Number		
Mag one over-the-ear swivel earpiece With in-line microphone and PTT switch.	PMLN5975	Mag one lightweight earset With boom microphone and in-line push-to-talk.	PMLN5976		
					

Surveillance kits




Description	Part Number	Description	Part Number	Description	Part Number
IMPRES™ 3-wire surveillance kit Separate mic & PTT, with translucent voice tube, one programmable button, long cord, black.	PMLN6123	IMPRES™ 3-wire surveillance kit Separate mic & PTT, with translucent voice tube, one programmable button, long cord, beige.	PMLN6124	IMPRES™ 2-wire surveillance kit Combined mic & PTT, with translucent voice tube, one programmable button, long cord, black.	PMLN6129
					



Surveillance kits (continued)






Description	Part Number	Description	Part Number	Description	Part Number
IMPRESTM 2-wire surveillance kit Combined mic & PTT, with translucent tube, one programmable button, long cord, beige.	PMLN6130	2-Wire surveillance kit Combined mic & PTT, with translucent tube, long cord, black.	PMLN6225	1-Wire surveillance kit Receive and transmit, with translucent tube, long cord, black. Features an In-line push-to-talk and microphone combined on a single wire.	NNTN8459
					
Description	Part Number	Description	Part Number		
1-Wire Surveillance Kit Receive only With standard ear loop, long cord, black.	PMLN6125	1-Wire Surveillance Kit Receive only With standard ear loop, long cord, beige.	PMLN6126		
					

Surveillance kit replacement parts

Description	Part Number	Description	Part Number	Description	Part Number
Quick disconnect acoustic tube Low Noise Kit with translucent tube and 1 clear rubber eartip.	RLN6242	Replacement standard clear rubber eartip (Pack of 50) For RLN6242. Noise reduction is 24 dB. Pack of 50 pairs.	RLN6282	FOAM EARPLUGS (PACK OF 50) For high noise kit solution combine RLN6242 Low noise kit with 5080384F72 replacement foam plugs. Noise reduction is 24 dB. Pack of 50 pairs.	5080384F72
Compatible with 1- 2- and 3-wire kits PMLN6123, PMLN6124, PMLN6129, PMLN6130, NNTN8459, PMLN7397, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece PMLN7560		Compatible with 1, 2- and 3-wire kits: PMLN7397, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6129, PMLN6130, NNTN8459, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece: PMLN7560. Pack of 50.		Compatible with 1, 2- and 3-wire kits: PMLN7397, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6129, PMLN6130, NNTN8459, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece: PMLN7560. Pack of 50.	



Headsets

Description	Part Number	Description	Part Number	Description	Part Number
Behind-the-head heavy duty headset With noise-cancelling boom microphone and push-to-talk earcup. Noise reduction: 24db.	PMLN6852	Over the head heavy duty headset With noise-cancelling boom microphone and push-to-talk. Noise reduction: 24db.	PMLN7466	Behind-the-head ultra lightweight headset With boom microphone and in-line push-to-talk.	PMLN5102
					
Description	Part Number	Description	Part Number		
Mag one over-the-head-style headset Lightweight headset with boom microphone and in-line ptt.	PMLN5974	Mag one behind-the-head headset With boom microphone and in-line ptt.	PMLN5979		
					













Radio earpieces (high noise environment)

Description	Part Number	Description	Part Number
<p>IMPRES™ bone conductive in-ear microphone system With bone conduction, large rugged in-line push-to-talk with protective ring and one programmable button.</p>	<p>PMLN5653</p>	<p>IMPRES™ temple transducer bone conduction headset with boom microphone and in-line push-to-talk.</p>	<p>PMLN6624</p>



Tactical solutions

<div>Description</div> <div>Tactical ptt only interface module Requires secondary audio accessories and optional ptt's.</div> <div></div> <div>Part Number</div> <div>PMLN6827</div>	<div>Description</div> <div>Tactical vox ptt interface module Requires secondary audio accessories And optional ptt's.</div> <div></div> <div>Part Number</div> <div>PMLN6765</div>	<div>Description</div> <div>Receive transmit tactical boomless Temple transducer headset, noise canceling. For use with ptt only. Module pmln6827 or vox ptt module Pmln6765.</div> <div></div> <div>Part Number</div> <div>PMLN6766</div>
<div>Description</div> <div>Tactical ear microphone Built-in bone conduction mic and receiver earpiece. For use with ptt only module pmln6827 or vox ptt module pmln6765.</div> <div></div> <div>Part Number</div> <div>PMLN6829</div>	<div>Description</div> <div>Tactical heavy duty temple transducer with boom microphone For use with ptt only module pmln6827 or vox ptt module pmln6765.</div> <div></div> <div>Part Number</div> <div>PMLN6833</div>	<div>Description</div> <div>Tactical throat microphone For use with ptt only module pmln6827 or vox ptt module pmln6765.</div> <div></div> <div>Part Number</div> <div>PMLN6828</div>
<div>Description</div> <div>Optional remote large tactical PTT body switch For use with PTT only module PMLN6827 or VOX PTT module PMLN6765.</div> <div></div> <div>Part Number</div> <div>PMLN6767</div>	<div>Description</div> <div>Optional remote tactical PTT ring switch For use with PTT only module PMLN6827 or VOX PTT module PMLN6765.</div> <div></div> <div>Part Number</div> <div>PMLN6830</div>	




In-vehicle solutions

<div><div>Description</div><div>Part Number</div></div> <div><p>Standard digital car kit</p><p>Kit includes: junction box, cradle to junction box Cable, power cable, Mounting bracket for Cradle, cradle with rf Connection, smart visor Microphone, 7.5w loudspeaker, push button ptt, Installation manual And user guide.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Customised car kit</p><p>Pick and choose at point of order various options of cradles, speakers, microphones and ptt's to suit your operational needs. In-vehicle accessories are included in this section.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Non-rf cradle radio holder</p><p>Non-charging. No external RF connection.</p></div>
<div><div>Description</div><div>Part Number</div></div> <div><p>RF cradle radio holder</p><p>Non-charging. Includes external RF connection.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Vehicular cradle with power adapter holder</p><p>Kit includes cradle mounting accessories. For radio charging. Requires vehicular power adapter NNTN8040. No RF connection.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Vehicular cradle with RF connection and power adapter holder</p><p>Kit includes cradle mounting accessories. For radio charging. Requires vehicular power adapter NNTN8040.</p></div>
<div><div>Description</div><div>Part Number</div></div> <div><p>Vehicular charging cradle</p><p>With power module and cables for radio charging - hardwired installation. Kit includes cradle mounting accessories. No rf connection.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Vehicular charging cradle with rf connection</p><p>With power module and cables for radio charging - hardwired installation. Kit includes cradle mounting accessories.</p></div>	<div><div>Description</div><div>Part Number</div></div> <div><p>Replacement Three axis rotating mounting bracket</p><p>For car kit cradle.</p></div>







In-vehicle solutions (continued)

<div>Description</div> <div>MTP6650 junction box only excludes connecting cables.</div> <div></div>	<div>Part Number</div> <div>PMLN6662</div>	<div>Description</div> <div>Power cable for vehicular power module Required to connect junction box pmln6662a to car battery</div> <div></div>	<div>Part Number</div> <div>30012040002</div>	<div>Description</div> <div>Standard cradle to junction box cable allows direct single connection between cradle and junction box.</div> <div></div>	<div>Part Number</div> <div>PMKN4169</div>
<div>Description</div> <div>Cradle to junction box y cable Includes additional usb connector for data connection.</div> <div></div>	<div>Part Number</div> <div>PMKN4170</div>	<div>Description</div> <div>Dc dc converter 24/12v 6 to 10a isolated Connects to junction box pmln6662.</div> <div></div>	<div>Part Number</div> <div>WAPN4004</div>	<div>Description</div> <div>Mobile microphone port (mmp) extension cable Required for connecting fist microphone rmn5107 / rmn5111 or telephone style handset mdhln7016 to junction box pmln6662.</div> <div></div>	<div>Part Number</div> <div>PMKN4171</div>
<div>Description</div> <div>IMPRES™ telephone style handset kit Requires mmp* extension cable pmkn4171 to connect to junction box pmln6662.</div> <div></div>	<div>Part Number</div> <div>MDHLN7016</div>	<div>Description</div> <div>Compact mobile microphone Requires mmp* extension cable pmkn4171 to connect to junction box pmln6662.</div> <div></div>	<div>Part Number</div> <div>RMN5107</div>	<div>Description</div> <div>Heavy duty microphone Requires mmp* extension cable pmkn4171 to connect to junction box pmln6662.</div> <div></div>	<div>Part Number</div> <div>RMN5111</div>




In-vehicle solutions (continued)

<div><div>Description</div><div>Visor mounted microphone Connects to junction box PMLN6662. Requires external PTT RLN5926.</div><div></div></div>	<div>Part Number</div> <div>PMMN4087</div>	<div><div>Description</div><div>Smart visor microphone Connects to junction box PMLN6662. Requires external PTT RLN5926.</div><div></div></div>	<div>Part Number</div> <div>RMN5054</div>	<div><div>Description</div><div>Push button PTT Connects to junction box PMLN6662.</div><div></div></div>	<div>Part Number</div> <div>RLN5926</div>
<div><div>Description</div><div>Gooseneck PTT Connects to junction box PMLN6662.</div><div></div></div>	<div>Part Number</div> <div>RLN4858</div>	<div><div>Description</div><div>Emergency foot switch Connects to junction box PMLN6662.</div><div></div></div>	<div>Part Number</div> <div>RLN4836A</div>	<div><div>Description</div><div>External alarm relay & cable Connects to junction box PMLN6662.</div><div></div></div>	<div>Part Number</div> <div>GKN6272</div>
<div><div>Description</div><div>13w external speaker Connects to junction box PMLN6662.</div><div></div></div>	<div>Part Number</div> <div>RSN4002</div>	<div><div>Description</div><div>7.5w external speaker Connects to junction box PMLN6662.</div><div></div></div>	<div>Part Number</div> <div>RSN4003</div>		




In-vehicle solutions (continued)

Description	Part Number	Description	Part Number
Speaker extension cable Allows you to use the speaker with a longer distance to the radio. Compatible with speakers: RSN4002 and RSN4003. To be assembled together with the accessory connector kit PMLN5072.	PMKN4119	Vehicular power adapter 12 - 24v plug Allows radio to charge in vehicle. Compatible with MTP3500/3550/MTP6650.	NNTN8040
			

In-vehicle antennas

Description	Part Number	Description	Part Number
Combined TETRA/GPS antenna 380 - 430MHz Antenna kit includes combined GPS and TETRA Antenna, all required cables, FTN6790 DC 5V adapter and GMAE4264 Duplexer Box.	GMAE4290	Combined TETRA/GPS antenna 430 - 470MHZ Antenna Kit includes combined GPS and TETRA Antenna, all required cables, FTN6790 DC 5V adapter and GMAE4264 Duplexer Box.	GMAE4293
			

Dust covers

Description	Part Number	Description	Part Number
Bottom connector dust cover Protects the radio accessory connector when Motorola Original accessories are not being used. Compatible with MTP3500/3550/MTP6650.	PMHN4210	Side connector dust cover Protects the radio accessory connector when original Motorola accessories are not being used.	15012157001
			



For BT accessory portfolio compatibility with MTP6650 SERIES or MTP600, please refer to the BLUETOOTH accessories section.



ST7500

Compact TETRA radio




Chargers



Description	Part Number	Description	Part Number
IMPRES™ 2 dual-unit charger Kit includes charger base and power supply with USB-C connector. Front pocket charges one device and rear pocket charges one spare battery. Operating voltage: 100-240VAC.	PMPN4502 UK kit	Battery only single-unit charger Charges one single battery only. Kit includes charger base and power supply with USB-C connector. Compatible with ST7000, ST7500 and TPG2200.	PMPN4447 UK kit
	PMPN4509 US kit		PMPN4445 US kit
	PMPN4501 Euro kit		PMPN4446 Euro kit
Description	Part Number	Description	Part Number
IMPRES™ 2 six-way battery-only multi-unit charger Allows you to charge six spare batteries. Operating voltage: 100-240VAC. Compatible with battery for ST7000, ST7500 and TPG2200.	PMPN4373 UK kit	IMPRES™ 2 six-way multi-unit charger Operating voltage:100-240VAC. Accommodates radio or battery. iTM enabled with integrated hub. Requires cable CB000458A07 (USB A to USB micro-B cable, 1300mm).	PMPN4393 UK kit
	PMPN4371 US kit		PMPN4461 US kit
	PMPN4372 Euro kit		PMPN4392 Euro kit



Battery and Mounts

Description	Part Number	Description	Part Number
IMPRES™ 2 Li-Ion mAh slim battery Compatible with ST7000, ST7500 and TPG2200.	PMNN4510	Wall mount bracket for six-way multi-unit charger For six-way multi-unit charger. Design allows an audio accessory to remain attached to the radio while charging (e.g. RSM). The bracket can also hold and secure the external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable).	BR000272A01
			



Antennas


Description	Part Number	Description	Part Number
Stubby antenna 380-430 mHz Length: 28mm	AN000169A01	Stubby antenna 380-430 mHz Length: 57mm	AN000262A01
			

Description	Part Number
Antenna bands Coloured bands easily slip on antennas and enable you to quickly visually identify custom radio user groups. Each ID band kit is sold in packs of 10.	PMLN7636 Grey
	PMLN7638 Red
	PMLN7640 Purple
	PMLN7637 Yellow
	PMLN7639 Blue






Misc.

Description	Part Number	Description	Part Number	Description	Part Number
Carry holster with swivel clip	PMLN7841	Replacement battery cover	PMHN4389	USB-A to USB micro-B iTM cable for multi-unit charger Length: 1300mm. Compatible with IMPRES™ 2 six-way multi-unit chargers.	CB000458A07
					

Description	Part Number	Description	Part Number	Description	Part Number
Programming cable USB programming and AIE keyloading with KVL4000.	PMKN4203	Dust cover	HN0001402A01	Cosmetic label Pack of 50.	PMLN7951
					

Audio

Description	Part Number	Description	Part Number	Description	Part Number
IMPRES™ small remote speaker microphone Compact and powerful, the IMPRESTM Small Remote Speaker Microphone is built with the same minimal design of the ST7500 but features a 3.5mm audio jack and emergency button for more control on the job.	PMMN4550	1-wire RX only earpiece with translucent tube This 1-wire receive-only earpiece connects directly to the ST7500 with MAC13 connection and is designed for discreet communication with all-day comfort.	PMLN6900	3.5mm RX only earpiece with translucent tube Receive communication discreetly with this receive-only earpiece. The translucent acoustic tube has been designed for all-day comfort and the earpiece features a 3.5 mm connector for use with remote speaker microphone PMMN4550.	PMLN7844
					




ST7000

Small TETRA radio






Batteries and Chargers

Description	Part Number	Description	Part Number
IMPRES™ 2 Li-Ion 2300 mAh slim battery Compatible with ST7000, ST7500 and TPG2200.	PMNN4510	IMPRES™ 2 multi-unit charger iTm enabled 12-way charger. Operating voltage:100-240VAC. Requires USB A to USB micro-B cable CB000521A01 per each pocket (length 1.5m).	PMPN4122 UK plug PMPN4121 Euro plug
			
Description	Part Number	Description	Part Number
Wall-mount bracket for 12-way multi-unit charger	BR000270A01	USB-C wall charger Operating voltage:100-240VAC. Compatible with ST7000 and TPG2200.	PS000150A23 UK plug (1M) PS000150A21 US plug (1M) PS000150A22 Euro plug (1M) PS000150A52 Euro plug (1.8M)
			





Batteries and Chargers (continued)

Description	Part Number	Description	Part Number	Description	Part Number
Battery only single-unit charger Kit includes charger base and power supply with USB-C connector. Charges one single battery. Operating voltage: 100-240VAC. Compatible with ST7000, ST7500 and TPG2200.	PMPN4447 UK kit PMPN4445 US kit PMPN4446 Euro kit	IMPRES™ six-way battery only multi-unit charger Charges up to six spare batteries. Operating voltage: 100-240VAC. Compatible with battery for ST7000, ST7500 and TPG2200	PMPN4373 UK plug PMPN4371 US plug PMPN4372 Euro plug	Vehicular power adapter with USB connector In-vehicle charging with 12/24V input - 1.5A. Compatible with ST7000, TPG2200 and BT Wireless Pod NNTN8191.	PMLN7745
					



Description	Part Number	Description	Part Number
Wall mount bracket for six-way multi-unit charger For six-way multi-unit charger. Design allows an audio accessory to remain attached to the radio while charging (e.g. RSM). The bracket can also hold and secure the external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable).	BR000272A01	USB-A to USB micro-B iTM cable for multi-unit charger Length: 1.5m. Compatible with ST7000, ST7500, TPG2200 and BT Wireless Pod NNTN8191.	CB000521A01
			



Audio

Description	Part Number	Description	Part Number
3.5mm audio jack mono earbud With Inline Microphone and Push-to-Talk.	PMLN7540	3.5mm audio jack two-wire earpiece With combined Microphone/ Push-to-Talk and Translucent Tube.	PMLN7541
			

Carry Solutions

Description	Part Number	Description	Part Number	Description	Part Number
Carry holster Includes belt clip attachment.	PMLN7510	Carry sling Colour: black/grey. Includes break-away adjustable shoulder strap.	PMLN7511	Wrist strap Colour: black	HLN9767
					



Antennas

Description	Part Number	Description	Part Number
Stubby antenna 380-430 mHz, 25mm	AN000168A01	Antenna bands Coloured bands easily slip on antennas and enable you to quickly visually identify custom radio user groups. Each ID band kit is sold in packs of 10.	PMLN7636 Grey PMLN7638 Red PMLN7640 Purple PMLN7637 Yellow PMLN7639 Blue



Misc.

Description	Part Number	Description	Part Number	Description	Part Number
Replacement battery cover	PMHN4359	Battery door removal tool	HW001104A01	USB-C to USB-A radio programming cable Compatible with ST7000 and TPG2200.	PMKN4196



MTM5000 Series

MTM5400 &
MTM5500 TETRA mobile radios








MTM5500



MTM5400

Mobile Microphones


Description	Part Number	Description	Part Number
Desktop microphone with Push-to-Talk Compatible with desk mount installation. Transmit only.	RMN5106	Heavy duty microphone with Push-to-Talk Compatible with desk mount/dash mount/remote mount/motorcycle mount. Transmit only.	RMN5111
			
Description	Part Number	Description	Part Number
Hearer speaker microphone with 3.5mm jack Volume control and emergency button. Compatible with desk mount/dash mount/remote mount/motorcycle mount.	PMMN4086	Compact mobile microphone with Push-to-Talk Compatible with desk mount/dash mount/remote mount/motorcycle mount. Transmit only.	RMN5107
			
Description	Part Number	Description	Part Number
IMPRES™ visor microphone Requires external PTT. Compatible with dash mount/ren	RMN5054	Visor mounted microphone Requires external PTT. Compatible with dash mount/remote mount.	PMMN4087
			



Speakers




Description	Part Number	Description	Part Number	Description	Part Number
13W external speaker For receiving in high noise working environments. Compatible with desk mount/dash mount/remote mount/motorcycle mount.	RSN4002	7.5W external speaker Compatible with desk mount/dash mount/remote mount/motorcycle mount.	RSN4003	Speaker extension cable Compatible with external speakers RSN4002/RSN4003.	PMNKN4119
					


Mobile handset

Description	Part Number
IMPRES™ telephone style handset kit Compatible with desk mount/dash mount/remote mount. Kit includes hangup cup.	MDHLN7016
	





Push-to-Talk and Specific Kits


Description	Part Number	Description	Part Number	Description	Part Number
Push button Push-to-Talk Can be held in the hand or mounted to vehicles. Compatible with dash mount/remote mount.	RLN5926	Gooseneck Push-to-Talk Placed in the steering wheel column, it remotely activates the PTT in the microphone. Compatible with dash mount/remote mount.	RLN4858	Emergency foot switch Easily and secretly triggers an emergency signal that is sent to the base station. Compatible with dash mount/remote mount.	RLN4836
					

Description	Part Number	Description	Part Number
External alarm relay Compatible with dash mount/remote mount.	GMLN5091	Rear mobile accessory connector kit	PMLN5072
			



Junction Box and Cables


Description	Part Number	Description	Part Number	Description	Part Number
Data junction box with accessory connector Compatible with dash mount/ remote mount.	GMLN5089	6M junction box to transceiver cable Compatible with dash mount/ remote mount.	PMKN4101	4M junction box to transceiver cable Compatible with dash mount/remote mount.	PMKN4102
					

Description	Part Number	Description	Part Number
2M junction box to transceiver cable Compatible with dash mount/remote mount.	PMKN4103	Expanded accessory terminal kit Hardware Kit for use with the expanded accessory connector (includes 16 connector pins, (9) 8" wires with pins attached and an extra housing). Compatible with dash mount/remote mount.	HLN9457
			



Legacy Accessories (connected to the MTM5400 through junction box only)

Description	Part Number	Description	Part Number	Description	Part Number
Fist microphone with Push-to-Talk Transmit only. Compatible with dash mount/remote mount.	GMMN4063	Large external speaker 13 watts For receiving in high noise working environments. Compatible with dash mount/remote mount.	GMSN4066	Small external speaker 5 watts Compatible with dash mount/remote mount.	GMSN4078
					

Description	Part Number	Description	Part Number
Speaker extension cable Compatible with external speakers GMSN4066/GMSN4078.	GMKN4084	Push button Push-to-Talk Can be held in the hand or mounted to vehicles.	RLN4857
			



Mounting Solutions for Control Heads

Description	Part Number	Description	Part Number
Standard remote mount trunnion kit Compatible with remote mount.	PMLN4912	Enhanced control head din trunnion Compatible with remote mount.	PMLN5093
			
Description	Part Number	Description	Part Number
Motorcycle enhanced control head trunnion Compatible with remote mount.	PMLN5092	Slim mounting bracket for control head Compatible with MTM5500 only.	PMLN6346
			



Mounting Solutions for Transceivers

Description	Part Number	Description	Part Number
-------------	-------------	-------------	-------------

High profiling mounting bracket
Compatible with all mobile transceivers.

GLN7317



Low profile mounting bracket
Compatible with all mobile transceivers.

GLN7324



Description	Part Number	Description	Part Number
-------------	-------------	-------------	-------------

Key lock mounting bracket
Compatible with all mobile transceivers.

RLN4779




Din mounting kit
Compatible with all mobile transceivers.

PMLN5094







Desktop Mounting Solutions

Description		Part Number	Description		Part Number
Base tray without speaker		GLN7318	Desktop tray with speaker		RSN4005
Compatible with desk mount.			Compatible with desk mount.		
					








Power Solutions

Description	Part Number	Description	Part Number	Description	Part Number
Wedge power supply Small compact design and true desktop styling. 6 Amp continuous usage. Requires DC cable PMKN4165A and line cord. Compatible with desk mount.	PMPN4076	High current power supply Integrated DC cable with ignition sense output. AC input voltage range: 90 to 275 VAC. DC Output Voltages: 0 to +14.1V. 8 Amp Continuous usage. Kit includes US power cord - requires line cord for EU or UK.	HPN4007	Small power supply Includes wall bracket. 6 Amp continuous usage. Requires DC cable PMKN4165 and line cord. Compatible with desk mount.	PMPN4055
					
Description	Part Number	Description	Part Number		
DC power cable For use with PMPN4076 and PMPN4055 power supplies.	PMKN4165	Power cable Right-angled connector. Compatible with desk mount.	NTN7375 UK plug NTN7373 US plug NTN7374 Euro plug		
					






Installation Cables for MTM5400

Description	Part Number	Description	Part Number	Description	Part Number
Remote mount cable 3M Compatible with remote mount/motorcycle mount. 	RKN4077	Remote mount cable 5M Compatible with remote mount/motorcycle mount. 	RKN4078	Remote mount cable 7M Compatible with remote mount/motorcycle mount. 	RKN4079
Description	Part Number	Description	Part Number	Description	Part Number
Remote mount cable 10M Compatible with remote mount/motorcycle mount. 	PMKN4020	Remote mount cable 2.3M Compatible with motorcycle mount only. 	PMKN4030	Accessory expansion cable 2.3M Connects at the rear of the remote control head and provides connectivity for GPIOs and for a second microphone port. Compatible with remote mount/motorcycle mount.	PMKN4029
Description	Part Number				
Accessory expansion cable 4M Connects at the rear of the remote control head and provides connectivity for GPIOs and for a second microphone port. Compatible with remote mount/motorcycle mount.	PMKN4056				



Programming and Data Cables








Description	Part Number	Description	Part Number	Description	Part Number
Active data cable Compatible with dash mount/remote mount/motorcycle mount/data mount.	PMKN4104	Mobile programming cable Programming from the front of the radio. Control Head connection. Compatible with dash mount/desk mount/remote mount/motorcycle mount/data mount.	HKN6184	USB flash cable USB cable to connect to the rear of the transceiver.	PMKN4110
					

Battery Power Cables

Description	Part Number	Description	Part Number	Description	Part Number
12V power cable to battery with fuse 10A (3M) Compatible with all transceivers.	GKN6270	12V power cable to battery with fuse 10A (6M) Compatible with all transceivers.	GKN6274	Ignition sense cable Compatible with all transceivers.	PMKN4120
					





Cables Unique to MTM5000

<div>Description</div> <div>Ethernet cable 3M Compatible with MTM5500.</div> <div></div>	<div>Part Number</div> <div>PMKN4141</div>	<div>Description</div> <div>Ethernet cable 5M Compatible with MTM5500.</div> <div></div>	<div>Part Number</div> <div>PMKN4140</div>	<div>Description</div> <div>Ethernet cable 7M Compatible with MTM5500.</div> <div></div>	<div>Part Number</div> <div>PMKN4139</div>
<div>Description</div> <div>Ethernet cable 10M Compatible with MTM5500.</div> <div></div>	<div>Part Number</div> <div>PMKN4138</div>	<div>Description</div> <div>Ethernet cable 12M Compatible with MTM5500.</div> <div></div>	<div>Part Number</div> <div>PMKN4136</div>	<div>Description</div> <div>Ethernet cable 15M Compatible with MTM5500.</div> <div></div>	<div>Part Number</div> <div>PMKN4146</div>
<div>Description</div> <div>Ethernet cable 40M Compatible with MTM5500.</div> <div></div>	<div>Part Number</div> <div>PMKN4135</div>	<div>Description</div> <div>Multiple radio control crossover ethernet cable 0.5M</div> <div></div>	<div>Part Number</div> <div>PMKN4176</div>	<div>Description</div> <div>Multiple radio control crossover ethernet cable 3M</div> <div></div>	<div>Part Number</div> <div>PMKN4177</div>



Cables Unique to MTM5000 (continued)


Description	Part Number	Description	Part Number
Multiple radio control crossover ethernet cable 7M	PMKN4178	Ethernet control head accessory Y-cable	PMKN4133
			
Description	Part Number	Description	Part Number
Telephone style control head accessory Y-cable	PMKN4134	Accessory Y cable connector kit For extending audio from rear of Ethernet Control Head and Telephone Style Control Head.	PMLN6487
			



GPS Antennas









Description	Part Number	Description	Part Number	Description	Part Number
Combined antenna TETRA/GPS 380-430 mHz SMA Mounting Type: direct Dimension (HxWxL) (mm): 18 x 50 x 60 Height: 154mm	GMAE4507	Combined antenna TETRA/GPS 430-472 mHz SMA Mounting Type: direct Dimension (HxWxL)(mm): 18x50x60 Height: 154mm.	PMAE4269	GPS only antenna panel mount SMA Mounting Type: direct (panel/roof) Dimension (HxWxL) (mm): 18x50x60.	GMAG4253

Telephone Style Control Head Identification

Description	Part Number	Description	Part Number	Description	Part Number
GPS only antenna magnetic mount SMA Mounting Type: magnetic mount Dimension (HxWxL) (mm): 18x50x60. 	GMAG4254	GPS adaptor To enable reuse of MTM800 Enhanced FME GPS Antennas.	PMKN4114	Colour strips Pack of five. PMLN6335 White PMLN6337 Red PMLN6339 Blue PMLN6336 Green PMLN6338 Yellow	









TETRA Mobile Antennas 380-430 mHz

<div><div>Description</div><div>Part Number</div></div> <div>Antenna glass mount 380-400 mHz Mounting Type: external glass mount Height: 259mm. </div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna glass mount 410-430 mHz Mounting Type: external glass mount Height: 259mm. </div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna panel mount 380-430 mHz Mounting Type: panel mount Height: 176mm. </div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna magnetic mount 380-430 mHz Mounting Type: magnetic mount. Height: 165mm. </div>
<div><div>Description</div><div>Part Number</div></div> <div>Antenna low profile 380-400 mHz Mounting Type: centre bolt with adhesive pad. Height: 45mm. Base diameter: 160mm. </div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna low profile 410-430 mHz Mounting Type: centre bolt with adhesive pad. Height: 45mm. Base diameter: 160mm. </div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna TETRA wall mount 380-400 mHz Mounting Type: 4 screws to a wall or other surface. Dimension (HxW) (mm): 252 x 32.7.</div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna wall mount 410-430 mHz Mounting Type: 4 screws to a wall or other surface. Dimension (HxW)(mm): 252x32.7.</div>
<div><div>Description</div><div>Part Number</div></div> <div>Antenna motorcycle mount 380-400 mHz Mounting Type: centre bolt with adhesive pad. Height: 420mm. Base diameter: 35mm.</div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna motorcycle mount 410-430 mHz Mounting Type: centre bolt with adhesive pad. Height: 355mm. Base diameter: 35mm.</div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna covert strip 380-400 mHz Mounting Type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 at cable entry) x19x217. </div>	<div><div>Description</div><div>Part Number</div></div> <div>Antenna covert strip 410-430 mHz Mounting Type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 at cable entry) x19x217. </div>



TETRA Mobile Antennas 380-430 mHz (continued)

Description	Part Number	Description	Part Number	Description	Part Number
Antenna whip flexible 380-430 mHz Requires antenna mount GMLN4276, GMLN4277 or GMLN4278.	GMAE4281	Antenna whip flexible 380-400 mHz Requires base GMLN4276, GMLN4277 or GMLN4278.	GMAE4279	Antenna whip 380-430 mHz Requires antenna mount GMLN4276, GMLN4277 or GMLN4278.	GMAE4284
					
Description	Part Number	Description	Part Number	Description	Part Number
Antenna panel mount base Thickness up to 4mm. Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284.	GMLN4276	Antenna panel mount base Thickness up to 6mm. Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284.	GMLN4277	Antenna magnetic mount base Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284.	GMLN4278
					



TETRA Mobile Antennas 430-470 mHz

Description	Part Number	Description	Part Number	Description	Part Number
Antenna glass mount 450-470 mHz Mounting Type: external glass mount. Height: 176mm.	GMAE4270	Antenna panel mount 430-470 mHz Mounting Type: panel mount. Height 176mm.	GMAE4271	Antenna magnetic mount 430-470 mHz Mounting Type: magnetic. Height 140mm.	GMAE4272
Description	Part Number	Description	Part Number	Description	Part Number
Antenna low profile 430-470 mHz Mounting Type: centre bolt with adhesive pad. Height: 45mm. Base diameter: 160mm.	GMAE4274	Antenna covert strip 430-465 mHz Mounting Type: Glass mountable strip. Dimension (HXWXL)(mm): 2.5 (6.5 at cable entry) x 19 x 217.	GMAE4273	Antenna wall mount 450-470 mHz Mounting Type: 4 screws to a wall or other surface. Dimensions (HxWxL)(mm): 220 x 32.7 x 150.	GMAE4275
Description	Part Number				
Antenna whip hinged 450 mHz Requires antenna mount GMLN4276, GMLN4277 or GMLN4278.	GMAE4285				



For more information on Motorola accessories,
visit: motorolasolutions.com/TETRA
or contact your Motorola Solutions
Sales Representative.



MOTOROLA SOLUTIONS

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2025 Motorola Solutions, Inc. All rights reserved. 12-2025 [JM1]