

# TETRA

## Accessories catalogue



# Contents

## TETRA accessories catalogue

MXP660 & MXP600 Portable Radios	<a href="#"><u>3</u></a>
Motorola Solutions Bluetooth Accessories	<a href="#"><u>38</u></a>
Peter Jones (ILG) LTD Kick Fast Accessory Range	<a href="#"><u>42</u></a>
MTP3000 Series Portable Radio	<a href="#"><u>45</u></a>
TPG2200 TETRA Pager	<a href="#"><u>61</u></a>
MTP8000Ex Series	<a href="#"><u>65</u></a>
MXP7000 Portable Radio	<a href="#"><u>67</u></a>
MXM600 TETRA mobile radio	<a href="#"><u>76</u></a>
Accessories for discontinued radios	<a href="#"><u>92</u></a>



# MXP660 & MXP600 portable radios

## Portable TETRA radios

The MXP660 and MXP600 are rugged and lightweight, yet fully capable, TETRA portable radios that are easy to carry and easy to use. MXP660 comes with built-in LTE.



# MXP660 & MXP600

## Portable Radio Accessories



### Antennas

Description	Part Number	Description	Part Number
Stubby antenna, 60mm (380 - 430 MHz)	AN000354B01	Stubby antenna, 90mm (380 - 470 MHz)	PMAE4100








Description	Part Number	Description	Part Number
Whip antenna, 150mm (380-480 MHz)	PMAE4022	Whip antenna, 120mm (380-470 MHz)	AN000362A01



Description	Part Number	Description	Part Number
Stubby antenna, 72mm (350-390 MHz)	AN000401A01	Antenna ID Bands Coloured antenna ID bands are available for easy customisation and come in packs of 5.	PMLN6285 (blue) PMLN6288 (yellow) PMLN6286 (pearl white) PMLN6289 (red) PMLN6287 (green)



## Programming/Data Cables

Description	Part Number	Description	Part Number	Description	Part Number
KVL6K E2EE, portable cable	CB001203A01	HIROSE KVL to portable radio key load cable	CB001149A01	Programming USB data cable CPS/iTM	PMKN4129
					
Description	Part Number	Description	Part Number	Description	Part Number
Bottom connector serial data cable	PMKN4127	Keyfill cable for E2E keys	PMKN4124	GCAI mini to GCAI cable adapter MR2025.1 or later software is required	PMLN8334
					



## Batteries

Description	Part Number
-------------	-------------

IMPRES™ 2 Li-ion battery, 1900 mAh, IP68 **PMNN4801**



Description	Part Number
-------------	-------------

IMPRES™ 2 Li-ion battery, 3400 mAh, IP68 **PMNN4802**





Description	Part Number
-------------	-------------

IMPRES™ 2 Li-Ion Battery, 2900 mAh, IP68 **PMNN4582**  
Recommended for use in low temperature environments



## IMPRES™ 2 Multi-Unit Chargers and Integrated Terminal Management (iTM) Support

Description	Part Number	Description	Part Number
IMPRES™ 2 multi-unit charger, 6 pockets, iTM	<b>PMPN4402</b> EU Plug	IMPRES™ 2 multi-unit charger, 12 pockets, iTM 12 pockets. Allows for charging of 12 radios or 6 radios and 6 batteries at once. Includes iTM capability via integrated hub and single USB connection to charger. IMPRES™ Fleet Management integrated. Compatible with MTP6000, MTP3000, and MXP600 series radio but the IMPRES™ functionality is supported on MTP6650 only equipped with IMPRES™ battery (PMNN4522A). Requires one USB A to micro-B cable (CB000458A07) to connect to PC	<b>PMPN4217</b> EU Plug
	<b>PMPN4403</b> UK Plug		<b>PMPN4218</b> UK Plug
	<b>PMPN4404</b> ANZ Plug		<b>PMPN4219</b> ANZ Plug
	<b>PMPN4407</b> Korea Plug		<b>PMPN4222</b> Korea Plug
	<b>PMPN4401</b> US/LA Plug		<b>PMPN4216</b> US/LA Plug
	<b>PMPN4406</b> China Plug		<b>PMPN4221</b> China Plug
	<b>PMPN4409</b> Japan Plug		<b>PMPN4282</b> Japan Plug
			

Description	Part Number
-------------	-------------

Wall mount bracket for 6-way multi-unit charger **BR000272A01**



# Charging Solutions

Description	Part Number	Description	Part Number	Description	Part Number
<b>Single charger</b> 90W power supply included. Mounting bracket not included.	<b>PMPN4534</b> EU Plug	<b>Dual charger</b> 90W power supply included. Mounting bracket included.	<b>PMPN4544</b> EU Plug	<b>Quad charger</b> 201W power supply included. (2) mounting brackets included.	<b>PMPN4554</b> EU Plug
	<b>PMPN4535</b> UK Plug		<b>PMPN4545</b> UK Plug		<b>PMPN4555</b> UK Plug
	<b>PMPN4536</b> ANZ Plug		<b>PMPN4546</b> ANZ Plug		<b>PMPN4556</b> ANZ Plug
	<b>PMPN4538</b> Korea Plug		<b>PMPN4548</b> Korea Plug		<b>PMPN4558</b> Korea Plug
	<b>PMPN4542</b> Taiwan Plug		<b>PMPN4522</b> Taiwan Plug		<b>PMPN4562</b> Taiwan Plug
	<b>PMPN4533</b> US/LA Plug		<b>PMPN4543</b> US/LA Plug		<b>PMPN4553</b> US/LA Plug
	<b>PMPN4541</b> China Plug		<b>PMPN4551</b> China Plug		<b>PMPN4561</b> China Plug
	<b>PMPN4539</b> Japan Plug		<b>PMPN4549</b> Japan Plug		<b>PMPN4559</b> Japan Plug

Description	Part Number	Description	Part Number	Description	Part Number
<b>90W power supply</b> Included with single and dual chargers.	<b>PS000242A04</b>	<b>201W power supply</b> Included with quad charger.	<b>PS000212A02</b>	<b>Mounting bracket</b> One bracket holds up to two chargers. (1) bracket is included with the dual charger. (2) mounting brackets are included with the quad charger.	<b>BR000482A01</b>



## Charging Solutions (continued)

Description	Part Number	Description	Part Number
<b>Sequential dual-unit charger</b> This desktop dual-charger is for charging radios and batteries with an operating voltage of 100-240V.	<b>NNTN8245</b> EU Plug	<b>Simultaneous desktop dual-charger</b> For charging radios and spare batteries. The operating voltage is 100-240V.	<b>PMLN6494</b> EU Plug
	<b>NNTN8246</b> UK Plug		<b>PMLN6495</b> UK Plug
	<b>NNTN8247</b> ANZ Plug		<b>PMLN6493</b> US/LA Plug
	<b>NNTN8249</b> Korea Plug		
	<b>NNTN8244</b> US/LA Plug		
	<b>NNTN8251</b> China Plug		



Description	Part Number	Description	Part Number
<b>Travel/wall charger</b> Conveniently and quickly charge your radio. The operating voltage is 100-240V.	<b>PS000042A32</b> EU Plug	<b>Vehicular power adapter</b> This power adapter is a 12-24V plug.	<b>NNTN8040</b>
	<b>PS000042A33</b> UK Plug		
	<b>PS000042A34</b> ANZ Plug		
	<b>PS000042A37</b> Korea Plug		
	<b>PS000042A31</b> US/LA Plug		
	<b>PS000042A36</b> China Plug		
A black travel/wall charger with a coiled power cord and a connector for a radio.	<b>PS000042A31</b> Japan Plug	A black vehicular power adapter with a coiled power cord and a cigarette lighter plug.	




# Carry Solutions

Description	Part Number	Description	Part Number	Description	Part Number
MXP660 soft leather carry case with 2.5" swivel belt loop	<b>PMLN8683</b>	MXP660 soft leather carry case with 3" swivel belt loop	<b>PMLN8684</b>	MXP660 soft leather carry case for Peter Jones Klick Fast stud Klick Fast Stud PMLN8025 can be purchased separately.	<b>PMLN8685</b>
					
				Used in conjunction with Peter Jones Klick Fast solutions.	

Description	Part Number	Description	Part Number	Description	Part Number
MXP600 soft leather carry case with 2.5" swivel belt loop	<b>PMLN8184</b>	MXP600 soft leather carry case with 3" swivel belt loop	<b>PMLN8183</b>	MXP600 soft leather carry case for Peter Jones Klick Fast stud Klick Fast Stud PMLN8025 can be purchased separately.	<b>PMLN8185</b>
					
				Used in conjunction with Peter Jones Klick Fast solutions.	



## Carry Solutions (continued)



Description	Part Number	Description	Part Number	Description	Part Number
<b>2" swivel belt loop</b> For use with carry cases.	<b>PMLN5580</b>	<b>2.5" swivel belt loop</b> For use with carry cases.	<b>PMLN5610</b>	<b>3" swivel belt loop</b> For use with carry cases.	<b>PMLN5611</b>
					
Description	Part Number	Description	Part Number	Description	Part Number
<b>2.5" plastic belt clip</b>	<b>PMLN8181</b>	<b>2" spring belt clip</b>	<b>PMLN5616</b>	<b>Nylon shoulder strap</b> Attaches to D-ring on carry cases.	<b>NTN5243</b>
					
Description	Part Number	Description	Part Number	Description	Part Number
<b>Black wrist strap</b> Attaches directly to the radio.	<b>HLN9767</b>	<b>Break-away chest pack with radio holder</b> Includes radio holder, pen holder, and a velcro secured pocket.	<b>RLN4570</b>	<b>Universal chest pack</b> Includes radio holder, pen holder, and a velcro secured pocket. MXP600 only.	<b>HLN6602</b>
					



## Remote Speaker Microphones (RSM)

Description	Part Number	Description	Part Number
<b>IMPRES™ RM780 large remote speaker microphone</b> Equipped with a loud and clear speaker up to 102 phn, windporting microphone, emergency button, 2 programmable buttons, volume control, and a 3.5mm audio jack.	<b>PMMN4128</b>	<b>IMPRES™ RM730 small remote speaker microphone</b> Equipped with a windporting microphone, emergency button, 3.5mm audio jack and a low profile swivel clip.	<b>PMMN4131</b>
			
Description	Part Number	Description	Part Number
<b>IMPRES™ RM760 large remote speaker microphone</b> Equipped to perform up to 102 phn loudness and IP68 rated.	<b>PMMN4140</b>	<b>WM500 bluetooth remote speaker microphone</b> Equipped with a windporting mic, emergency button, 3.5mm audio jack and USB-C charging.	<b>PMMN4127</b>
			

## Compatible Earpieces

Description	Part Number	Description	Part Number
<b>IMPRES™ RX only, loud translucent tube</b> For use with PMMN4128, PMMN4131 and PMMN4140.	<b>PMLN8120</b>	<b>3.5mm RX only earpiece</b> Compatible with WM500.	<b>PMLN7560</b>
			

## Add-on accessories & replacement parts

Description	Part Number
<b>Replacement coil cord kit</b> For PMMN4128, PMMN4131, and PMMN4140.	<b>PMKN4232</b>
	
Description	Part Number
<b>Low profile swivel clip</b> For PMMN4128, PMMN4131, and PMMN4140.	<b>PMLN8121</b>
	
Description	Part Number
<b>Replacement dust cover (10 per pack)</b> For PMMN4128 and PMMN4140.	<b>PMLN8122</b>
	
Description	Part Number
<b>Replacement dust cover (10 per pack)</b> For PMMN4131.	<b>PMMN4131</b>
	
Description	Part Number
<b>Peter Jones klick fast stud</b> For RM730, RM760, and RM780 * Peter Jones klick fast dock is required to purchase separately, only available in EMEA.	<b>PMLN8475</b>
	



## Remote Speaker Microphones (RSM) with Large Front PTT

Description	Part Number
<b>NS750 IMPRES™ omni-directional RSM with large front PTT and side PTT</b> The NS750 IMPRES™ remote speaker microphone (RSM) is built for frontline workers in tough, loud, mission critical environments. This RSM has an additional advantage of an omnidirectional microphone that is able to capture noise from every direction.	<b>PMMN4150</b> Long cable  <b>PMMN4151</b> Short cable  <b>PMMN4150_BLK</b> Black, long cable  <b>PMMN4151_BLK</b> Black, short cable









## Secondary audio accessories

Description	Part Number	Description	Part Number
<b>SAVOX HC-1 Helmet-COM®</b> Bone-mic/single speaker headset with Nexus 4-pole quick release.	<b>GMMN4585</b>	<b>SAVOX HC-2 Helmet-COM®</b> Bone-mic/dual speaker headset with Nexus 4-pole quick release.	<b>GMMN4584</b>
<b>Voice tube with 3.5mm jack</b> Only compatible with NEXUS RSM twist and lock 3.5 socket.	<b>PMLN7188</b>		



## Add-on accessories & replacement parts









Description	Part Number
<b>Colour identification labels for NS750</b> 10 pieces per pack.	
	<b>PMLN8464</b> Green
	<b>PMLN8465</b> Blue
	<b>PMLN8466</b> Red
	<b>PMLN8468</b> Yellow
	<b>PMLN8469</b> Silver
	<b>PMLN8523</b> Orange

Description	Part Number
-------------	-------------

Replacement swivel clip	<b>0104068J78</b>
-------------------------	-------------------











# Radio Earpieces

Description	Part Number	Description	Part Number
<p><b>IMPRES™ 1-wire surveillance kit with loud audio translucent tube</b>                      With a replaceable quick disconnect clear acoustic tube and inline PTT and microphone.</p>  <p>*This earpiece is also compatible with the MXP7000, but the radio needs to be using MR2025.3 and above only.</p>	<b>PMLN8082</b>	<p><b>IMPRES™ 2-wire surveillance kit with loud audio translucent tube</b>                      With a replaceable quick disconnect tube and a module with PTT, microphone, and a programmable button.</p> 	<b>PMLN8083</b>
Description	Part Number	Description	Part Number
<p><b>IMPRES™ 3-wire surveillance kit with loud audio translucent tube</b>                      With a replaceable quick disconnect clear acoustic tube, a module with PTT, and a dedicated microphone module.</p> 	<b>PMLN8084</b>	<p><b>IMPRES™ 2-wire swivel ear hook with removable ear tip, loud audio</b>                      Comfortable ear hook style worn over the ear with removable eartips.</p> 	<p><b>IMPRES™ 1-wire swivel ear bud with removable ear hook, loud audio</b>                      With a removable earhook and inline PTT with a microphone.</p> 
Description	Part Number	Description	Part Number
<p><b>1-wire short cord, RX only, adjustable earpiece</b>                      With adjustable ear-loop.</p> 	<b>PMLN8247</b>	<p><b>1-wire short cord, RX only, surveillance kit with loud audio and translucent tube</b>                      With replaceable quick disconnect clear tube, loud audio supported, black.</p> 	<p><b>1-wire short cord, RX only, swivel, loud audio earpiece with eartip, black</b>                      With swivel ear hook suitable for the left or right ear.</p> 















# Earpiece Replacement Kits

Description	Part Number	Description	Part Number	Description	Part Number
<b>Replacement quick disconnect translucent tube with clear rubber eartip</b> Compatible with PMLN8082, PMLN8083, PMLN8084, PMLN8087, and PMLN8120.	<b>PMLN8092</b>	<b>Replacement rubber ear tip, small (5 per pack)</b> Compatible with PMLN8295 and PMLN8248	<b>PMLN8068</b>	<b>Replacement rubber ear tip, medium (5 per pack)</b> Compatible with PMLN8295 and PMLN8248.	<b>PMLN8069</b>
					
Description	Part Number	Description	Part Number	Description	Part Number
<b>Replacement rubber ear tip, large (5 per pack)</b> Compatible earpieces: PMLN8295 and PMLN8248	<b>PMLN8070</b>	<b>Replacement rubber sleeve, small (25 per pack)</b> Compatible earpiece: PMLN8337	<b>PMLN8363</b>	<b>Replacement rubber sleeve, medium (25 per pack)</b> Compatible earpiece: PMLN8337	<b>PMLN8364</b>
					
Description	Part Number	Description	Part Number		
<b>Replacement rubber sleeve, large (25 per pack)</b> Compatible earpiece: PMLN8337	<b>PMLN8365</b>	<b>Replacement cloth clip (pack of 10)</b> Compatible earpiece: PMLN8082	<b>PMLN8079</b>		
					









## Earpiece Replacement Kits (continued)

Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
Small custom earpiece, right ear Compatible with PMLN8749.	<b>RLN4760</b>	Medium custom earpiece, right ear Compatible with PMLN8749.	<b>RLN4761</b>	Large custom earpiece, right ear Compatible with PMLN8749.	<b>RLN4762</b>	Small custom earpiece, left ear Compatible with PMLN8749.	<b>RLN4763</b>
							
Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
Medium custom earpiece, left ear Compatible with PMLN8749.	<b>RLN4764</b>	Large custom earpiece, left ear Compatible with PMLN8749.	<b>RLN4765</b>	Low noise kit with translucent tube and one clear rubber eartip Compatible with PMLN8749.	<b>RLN6242</b>	Replacement standard clear rubber eartip for RLN6242 pack of 50 Compatible with PMLN8749.	<b>RLN6282</b>
							
Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
Clear EP7-small hearing protectors [sonic defenders] ultra earplugs Compatible with PMLN8749.	<b>RLN6511</b>	Clear EP7- medium hearing protectors [sonic defenders] ultra earplugs Compatible with PMLN8749.	<b>RLN6512</b>	Clear EP7-large hearing protectors [sonic defenders] ultra earplugs Compatible with PMLN8749..	<b>RLN6513</b>	Replacement foam plugs for RLN6242 pack of 50 Compatible with PMLN8749.	<b>5080384F72</b>
							












## Wireless Accessories

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>EP900w Wireless earpiece with in-line PTT</b> Volume up/down and noise cancellation. Includes a micro-USB for charging.</p> 	<b>PMLN7851</b>	<p><b>Operations critical wireless discreet surveillance kit</b> Covert wireless solution with a wireless adapter and a retention hook. Discreet Phonak Phonito Nano earpiece with a PTT pod (NTN8191).</p> 	<b>NNTN8433</b>	<p><b>Operations critical wireless earpiece with 30 cm cable</b> With in-ear tube. Requires NNTN8191 pod.</p> 	<b>NTN2572</b>
<p><b>1-wire earbud with in-line microphone, 116 cm cord.</b> Requires NNTN8191 pod.</p> 	<b>NNTN8295</b>	<p><b>1-wire earbud with in-line microphone, 29 cm cord.</b> Required NNTN8191 pod.</p> 	<b>NNTN8294</b>	<p><b>1-wire translucent tube with in-line microphone.</b> Required NNTN8191 pod.</p> 	<b>PMLN7052</b>









## Wireless Accessories (continued)

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Wireless PTT BT Pod module</b> Without charger.</p> 	<b>NNTN8191</b>	<p><b>BT pod wall charger.</b> Operating voltage 100-240 VAC, micro USB.</p> 	<p><b>PS000227A13</b> UK Plug</p> <p><b>PS000042A11</b> US Plug</p> <p><b>PS000227A12</b> EU Plug</p>	<p><b>Earpiece microphone.</b> With in-ear tube and 12" cable. Requires NNTN8191 pod.</p> 	<b>NTN2572</b>
<p><b>Single wire earbud, short cord.</b> With in-line microphone, 29 cm cord. Requires NNTN8191 pod.</p> 	<b>NNTN8294</b>	<p><b>Single wire earbud, long cord.</b> With in-line microphone, 116 cm cord. Requires NNTN8191 pod.</p> 	<b>NNTN8295</b>	<p><b>Vehicular power adapter with USB connector.</b> In-vehicle charging with 12/24V input - 1.5A. Compatible with ST7000, TPG2200, and NNTN8191 pod.</p> 	<b>PMLN7745</b>
<p><b>Discreet wireless surveillance kit.</b> Covert wireless solution includes a wireless neckhook adapter with a retention hook. Discreet Phonak Phonito Nano wireless earpiece kit and wireless PTT NNTN8191 pod.</p> 	<b>NNTN8433</b>	<p><b>EP900w wireless BT earpiece with fast PTT.</b> Volume up/down and noise cancellation.</p> 	<b>PMLN7851</b>	<p><b>1-wire surveillance kit.</b> Wireless surveillance kit with in-line microphone and a single-wire acoustic tube. Required NNTN8191 pod.</p> 	<b>PMLN7052</b>









## Replacement Kits for Wireless Earpieces

Description	Part Number	Description	Part Number	Description	Part Number
<p>Replacement small round earbud for OCW BT PTT (pack of 5). For EP900w BT earpiece.</p> 	<b>PMLN8036</b>	<p>Replacement medium round earbud for OCW BT PTT (pack of 5). For EP900w BT earpiece.</p> 	<b>PMLN8037</b>	<p>Replacement large round earbud for OCW BT PTT (pack of 5). For EP900w BT earpiece.</p> 	<b>PMLN8038</b>
<p>Replacement small oval earpiece (pack of 5). For EP900w BT earpiece.</p> 	<b>PMLN7940</b>	<p>Replacement large oval earpiece (pack of 5). For EP900w BT earpiece.</p> 	<b>PMLN7941</b>	<p>Replacement neckloop retention hook. For NNTN8433 earpiece</p> 	<b>NNTN8457</b>






## Headsets (Direct Radio Connection)

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Behind-the-head headset.</b> With flexible boom microphone and PTT, noise reduction 24dB</p> 	<b>PMLN8085</b>	<p><b>Over-the-head headset</b> With flexible boom microphone and PTT, noise reduction 24dB.</p> 	<b>PMLN8086</b>	<p><b>CH-3 series over-the-head headset with NEXUS connector.</b> Dual earcup headset with boom mic. NRR 26dB. SAA for NEXUS RSM (NS750)</p> 	<b>PMLN8265</b>
<p><b>CH-3 series neckband headset with NEXUS connector.</b> Dual earcup headset with boom mic. NRR 24dB. SAA for NEXUS RSM (NS750)</p> 	<b>PMLN8266</b>	<p><b>CH-3 series hard hat attached with NEXUS connector (hat not included).</b> Dual earcup headset with boom mic, NRR 24dB. SAA for NEXUS RSM (NS750).</p> 	<b>PMLN8267</b>	<p><b>PTT NEXUS adapter (requires headset)</b> Compatible with PMLN8265, PMLN8266, and PMLN8267.</p> 	<b>PMLN8297</b>



# Misc. Accessories

Description	Part Number	Description	Part Number	Description	Part Number
<p>Screen protector. Clear- single pack.</p> 	<p><b>AY000813A01</b></p>	<p>GCAI mini dust cover.</p> 	<p><b>PMHN4429</b></p>	<p>Bottom connector dust cover</p> 	<p><b>PMHN4210</b></p>



## Car Kit - MXP600 only

Description	Part Number
-------------	-------------

For more information about the MXP600 Car Kit, please refer to the [MXP600 Data Sheet](#).

**GM0368A**  
Standard car kit

**GM0369A**  
Customised car kit



## Car Kit Ordering Guide

### GM0368A standard car kit includes:

- Car kit junction box
- Standard cradle to junction box cable
- Power cable
- Mounting bracket for cradle
- MXP600 cradle with RF connection
- Smart visor microphone
- 7.5W external speaker
- Push button PTT
- Installation manual

### GM0360A customised car kit includes:

- Car kit junction box
- Power cable
- Installation manual

## Compatible Accessories

The following accessories are also available to order separately from the sales models.

Description	Part number
Compact fist microphone	RMN5107
Heavy duty fist microphone	RMN5111
Visor microphone (high bias)	PMMN4087
IMPRES™ visor microphone	RMN5054
IMPRES™ telephone style handset	MDHLN7016
Push button with remote PTT	RLN5926
Gooseneck PTT	RLN4858
Loudspeaker 13W	RSN4002
Emergency foot switch	RLN4836AR
Speaker extension cable	PMKN4119
External alarm relay	GKN6272
Power cable	30012040002
Combined TETRA/GPA 380-430 mHz external antenna	GMAE4290
Combined TETRA/GPS 430-470 mHz external antenna	GMAE4203
Non-charging RF cradle with mounting brackets	PMLN8306
Non-charging non-RF cradle with mounting brackets	PMLN8305



# Car Kit - MXP600 only (continued)

Description	Part Number
-------------	-------------

For more information about the MXP600 Car Kit, please refer to the [MXP600 Data Sheet](#).

**GM0368A**  
Standard car kit

**GM0369A**  
Customised car kit



Description	Part number
<b>MXP600 Car Kit Cradle (mandatory, choose one)</b>	
ADD: RF cradle (includes RSM bracket and mounting bracket)	QA08540AA
ADD: Non RF cradle (includes rsm bracket and mounting bracket)	QA08539AA
<b>MXP Car Kit Cable (mandatory, choose one)</b>	
ADD: cradle to junction box cable	QA05461AA
ADD: cradle to junction box cable with USB (data)	QA05462AA
<b>MXP600 Car Kit Speaker (mandatory, choose one)</b>	
ADD: small loudspeaker 5W	QA05472AA
ADD: loudspeaker 7.5W	QA05473AA
ADD: loudspeaker 13W	QA05474AA
ADD: small loudspeaker 5w + extension cable	QA05475AA
ADD: loudspeaker 7.5 + extension cable	QA05476AA
ADD: loudspeaker 13W + extension cable	QA05477AA
<b>MXP600 Car Kit Antenna (optional, choose one only)</b>	
ADD: ant. digital car kit Tetra (380-430mHz/GPS)	QA05481AA
ADD: ant. digital car kit Tetra (430-470mHz/GPS)	QA05482AA
Choose a microphone from a least one of the following two categories: one mobile microphone type only and/or one visor microphone/push to talk combination only.	
<b>MXP600 Car Kit Mobile Microphone (mandatory, choose one)</b>	
ADD: compact fist microphone + MMP extension cable	QA05465AA
ADD: heavy duty fist microphone + MMP extension cable	QA05466AA
ADD: IMPRES™ telephone style handset + MMP extension cable	QA05467AA
DELETE: mobile microphone	QA05479AA
<b>MXP600 Car Kit Visor Microphone and Push to Talk (mandatory, choose one)</b>	
ADD: visor microphone + push button with remote PTT	QA05468AA
ADD: IMPRES™ visor mic + push button with remote PTT	QA05469AA
ADD: visor microphone + gooseneck PTT	QA05470AA
ADD: IMPRES™ visor mic + gooseneck PTT	QA05471AA
DELETE: visor microphone and PTT	QA05478AA












## In-Vehicle Solutions - MXP600 only

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Car cradle.</b> Transform the MXP600 portable radio into a virtual mobile radio, with access to a wide range of accessories commonly associated with mobile radios.</p>  <p>Requires MR2021.2 software release or later.</p>	<p><b>PMLN8305</b> Non-RF</p> <p><b>PMLN8306</b> RF</p>	<p><b>Non-RF cradle radio holder.</b> Non-charging. Does not include external RF connection.</p> 	<b>PMLN8305</b>	<p><b>RF cradle radio holder.</b> Non-charging. Includes external RF connection.</p> 	<b>PMLN8306</b>
<p><b>Non-RF Vehicular cradle with power adapter holder.</b> Kit includes cradle mounting accessories. For radio charging it requires vehicular power adapter NNTN8030. No RF connection.</p> 	<b>PMLN8307</b>	<p><b>RF vehicular cradle with power adapter holder.</b> Kit includes cradle mounting accessories. For radio charging it requires vehicular power adapter NNTN8040.</p> 	<b>PMLN8308</b>	<p><b>Non-RF vehicular charging cradle</b> With power module and cables for radio charging- hardwired installation. Kit includes cradle mounting accessories. No RF connection.</p> 	<b>PMLN8309</b>
<p><b>RF vehicular charging cradle.</b> With power module and cables for radio charging- hardwired installation/ Kit includes cradle mounting accessories.</p> 	<b>PMLN8310</b>	<p><b>Replacement three axis rotating mounting bracket.</b> For car kit cradle.</p> 	<b>FTN6376</b>	<p><b>TETRA car kit junction box.</b> Excludes connecting cables.</p> 	<b>PMLN6662</b>









## In-Vehicle Solutions - MXP600 only (continued)

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Power cable for vehicular power module.</b> Required to connect junction box PMLN6662A to car battery.</p> 	<b>30012040002</b>	<p><b>Standard cradle to junction box cable.</b> Allows direct single connection between cradle and junction box.</p> 	<b>PMKN4169</b>	<p><b>Cradle to junction box Y cable.</b> Includes additional USB connector for data connection.</p> 	<b>PMKN4170</b>
<p><b>DC-DC converter 24/12V 6 to 10A isolated.</b> Connects to junction box PMLN6662.</p> 	<b>WAPN4004</b>	<p><b>Mobile microphone port (MMP) extension cable.</b> Required for connecting fist microphone RMN5107/RMN5111 or telephone style.</p> 	<b>PMKN4171</b>	<p><b>IMPRES™ telephone style handset kit.</b> Requires MMP extension cable PMKN4171 to connect to junction box PMLN6662/</p> 	<b>MDHLN7016</b>
<p><b>Compact mobile microphone.</b> Requires MMP extension cable PMKN4171 to connect to junction box PMLN6662.</p> 	<b>RMN5107</b>	<p><b>Heavy duty microphone.</b> Requires MMP extension cable PMKN4171 to connect to junction box PMLN6662.</p> 	<b>RMN5111</b>	<p><b>Visor mounted microphone.</b> Connects to junction box PMLN6662. Requires external PTT RLN5926.</p> 	<b>PMMN4087</b>




## In-Vehicle Solutions - MXP600 only (continued)

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Smart visor microphone</b> Connects to junction box PMLN6662. Requires external PTT RLN5926.</p>	<b>RMN5054</b>	<p><b>Push button PTT</b> Connects to junction box PMLN6662.</p>	<b>RLN5926</b>	<p><b>Gooseneck PTT</b> Connects to junction box PMLN6662.</p>	<b>RLN4858</b>
					
Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Emergency foot switch.</b> Connects to junction box PMLN6662.</p>	<b>RLN4836A</b>	<p><b>External alarm relay &amp; cable</b> Connects to junction box PMLN6662.</p>	<b>GKN6272</b>	<p><b>13W external speaker.</b> Connects to junction box PMLN6662.</p>	<b>RSN4002</b>
					





# In-Vehicle Solutions - MXP600 only (continued)

Description	Part Number	Description	Part Number
<p><b>7.5W external speaker.</b> Connects to junction box PMLN6662.</p> 	<p><b>RSN4003</b></p>	<p><b>Speaker extension cable.</b> Allows you to use the speaker with a longer distance to the radio. Compatible with speakers: RSN4002 and RSN4003. To be assembled together with the accessory connector kit PMLN5072.</p> 	<p><b>PMKN4119</b></p>

Description	Part Number
<p><b>Vehicular power adapter.</b> Allows radio to charge in vehicle. Compatible with MTP3500/3550/MTP6650.</p> 	<p><b>NNTN8040</b></p>



## In-Vehicle Antennas




Description	Part Number	Description	Part Number
<b>Combined TETRA/GPS antenna 380-430mHz.</b> Antenna kit includes combined GPS and TETRA antenna, all required cables, FTN6790 DC 5V adapter, and GMAE4264 TETRA + GPS/GNSS diplexer.	<b>GMAE4290</b>	<b>Combined TETRA/GPS antenna 430-470mHz.</b> Antenna kit includes combined GPS and TETRA antenna, all required cables, FTN6790 DC 5V adapter, and GMAE4264 TETRA + GPS/GNSS diplexer.	<b>GMAE4293</b>
			

## Programming/data cables

Description	Part Number	Description	Part Number	Description	Part Number
<b>Usb data cable</b> Compatible with: MTP3500/3550/MTP6650/MXP600.	<b>RLN4836A</b>	<b>Bottom connector serial data cable</b> Compatible with: MTP3500/3550/MTP6650/MXP600.	<b>GKN6272</b>	<b>Keyfill cable for E2E keys</b> Compatible with: MTP3500/3550/6650/MXP600.	<b>PMKN4124</b>
					









## Radio earpieces (short cord)

Description	Part Number	Description	Part Number	Description	Part Number
<p>1-wire short cord, rx only, Adjustable d-style earpiece With adjustable ear-loop fitting different sizes, black.</p>	<b>PMLN8247</b>	<p>1-wire short cord, RX only, surveillance kit with loud audio and translucent tube With replaceable quick disconnect clear tube, loud audio supported, black.</p>	<b>PMLN8087</b>	<p>1-wire short cord, rx only, swivel, loud audio earpiece with eartip, black With swivel ear hook suitable for left or right ear, loud audio supported, optional earbud provided as inbox.</p>	<p><b>PMLN8248</b> <b>PMLN8068</b> 12.5mm (D) x 6.1mm (H) <b>PMLN8069</b> 13.0mm (D) x 7.0mm (H) <b>PMLN8070</b> 14.0mm (D) x 8.5mm (H)</p>
					



# Add-on accessories & replacement parts

Description	Part Number
Colour identification labels for NS750 10 pieces per pack.	
	<b>PMLN8464</b> Green
	<b>PMLN8465</b> Blue
	<b>PMLN8466</b> Red
	<b>PMLN8468</b> Yellow
	<b>PMLN8469</b> Silver
	<b>PMLN8523</b> Orange

Description	Part Number
-------------	-------------

Replacement swivel clip **0104068J78**



# Secondary audio accessories

Description	Part Number	Description	Part Number
<b>Savox HC-1 Helmet-com® Bone-mic/single speaker</b> headset with Nexus 4-pole quick release connection. For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM or MXP600 with Nexus NS750 RSM (order separately).	<b>GMMN4585</b>	<b>Savox HC-2 Helmet-com®</b> Bone-mic/dual speaker headset with Nexus 4-pole quick release connection. For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM or MXP600 with Nexus NS750 RSM (order separately).	<b>GMMN4584</b>
			




Description	Part Number
-------------	-------------

**Voice tube with 3.5mm jack** **PMLN7188**  
 Only compatible with NEXUS RSM twist and lock 3.5m socket.



## Wireless earpieces

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Wireless earpiece with in-line PTT</b> Volume up/down and noise cancellation. Bluetooth 4.2. Minimum 8-hour battery talk time on 5/5/90 duty cycle. Includes micro-usb cable for charging. Earbud replacements available.</p>	<b>PMLN7851</b>	<p><b>Operations critical wireless PTT pod (charger sold separately)</b> BT PTT module without charger. Large front PTT, volume control, audible and visual indicators for bt pairing, battery and charging status. Micro-usb charging port.</p>	<b>NNTN8191</b>	<p><b>Operations critical wireless discreet surveillance kit</b> Covert wireless solution includes wireless adapter with retention hook, completely discreet phonak phonito nano wireless earpiece kit and wireless PTT pod NNTN8191.</p>	<b>NNTN8433</b>
					

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Operations critical wireless earpiece with 30 cm cable</b> With in-ear tube. Requires NNTN8191 pod.</p>	<b>NTN2572</b>	<p><b>1-wire earbud with in-line microphone, 116 cm cord, black</b> Requires NNTN8191 pod.</p>	<b>NNTN8295</b>	<p><b>1-wire earbud with in-line microphone, 29 cm cord, black</b> Requires NNTN8191 pod.</p>	<b>NNTN8294</b>
					

Description	Part Number
-------------	-------------

**1-wire translucent tube with in-line microphone, black**  
Requires NNTN8191 pod.

**PMLN7052**



For BT accessory portfolio compatibility with MXP600 series, please refer to the bluetooth accessories section.









# Motorola Solutions Bluetooth accessories

Unleash the power of your radio with  
Wireless bluetooth accessories.

Wherever your people work, they rely on clear, continuous communication. We offer a comprehensive portfolio of wireless Bluetooth® accessories, designed to either support the police officer on the beat, or the maintenance worker making repairs at a 5-star hotel, or the utility worker out in the field.



## Operation critical wireless accessories - compatible with MXP660/MXP600/MTP3550/MTP6650/ST7000/ST7500

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Wireless push-to-talk pod</b> BT PTT module without charger. Includes 25ms fast PTT, volume control, audible and visual indicators for BT pairing, battery and charging status. Requires separate wall charger or vehicular charger.</p> 	<b>NNTN8191</b>	<p><b>BT Pod wall charger</b> Charger, Micro USB. Operating voltage: 100-240 VAC.</p> 	<p><b>PS000227A13</b> - UK PLUG</p> <p><b>PS000042A11</b> - US PLUG</p> <p><b>PS000227A12</b> - EURO PLUG</p>	<p><b>Earpiece microphone</b> With in-ear tube and 12-inch cable. Requires BT Pod NNTN8191.</p> 	<b>NTN2572</b>
<p><b>Single wire earbud, short cord</b> With inline microphone, 29cm cord, black. Requires BT pod NNTN8191.</p> 	<b>NNTN8294</b>	<p><b>Single wire earbud, long cord</b> With inline microphone, 116cm cord, black. Requires BT pod NNTN8191.</p> 	<b>NNTN8295</b>	<p><b>Vehicular Power Adapter with USB connector</b> In-vehicle charging with 12/24V input - 1.5A. Compatible with ST7000, TPG2200 and BT Wireless Pod NNTN8191.</p> 	<b>PMLN7745</b>



## Operation critical wireless accessories - compatible with MXP600/MTP3550/MTP6650/ST7000/ST7500 (continued)

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Completely discreet wireless surveillance kit</b> Covert wireless solution includes wireless neckloop adapter with retention hook, completely discreet Phonak Phonito Nano wireless earpiece kit and wireless push-to-talk pod NNTN8191.</p> 	<b>NNTN8433</b>	<p><b>EP900w Wireless BT earpiece with fast PTT</b> Volume up/down and noise cancellation. Bluetooth 4.2. Also compatible with LTE Wave 5000 (iOs and Android devices). Minimum 8-hour battery talk time on 5/5/90 duty cycle. Includes micro-USB cable for charging. Earbud replacements available. Does not require BT PTT pod NNTN8191.</p> 	<b>PMLN7851</b>	<p><b>Small earbud replacement</b> For EP900w BT earpiece (pack of 5).</p> 	<b>PMLN7940</b>
<p><b>Large earbud replacement</b> For EP900w BT earpiece (pack of 5).</p> 	<b>PMLN7941</b>	<p><b>One-wire surveillance kit</b> Wireless Surveillance Kit with inline Microphone and a single-wire acoustic tube. Black. Requires BT pod NNTN8191.</p> 	<b>PMLN7052</b>		



## Operation critical wireless accessories - compatible with ST7000/ST7500 only

Description	Part Number	Description	Part Number
<p><b>Wireless kit with boom mic earpiece (3.5mm jack)</b>                      Business wireless solution consisting of wireless pod, flexible earpiece and charging cradle (purchase wall charger separately PS000227A12 or PS000227A13). Flexible earpiece has a rotating boom microphone. The wireless pod has a 3.5mm jack, power/volume button, Bluetooth status indicator, clothing clip and no PTT. Use of the radio PTT is required. This kit is not compatible with BT pod NNTN8191.</p>	<p><b>PMLN7203</b>                      Earpiece only multipack (3 pack)</p> <p><b>PMLN7181</b>                      Earpiece, Cradle and Pod Kit</p> <p><b>PS000227A13</b>                      - UK PLUG</p> <p><b>PS000042A11</b>                      - US PLUG</p> <p><b>PS000227A12</b>                      - EURO PLUG</p>	<p><b>Wireless kit with swivel earpiece (3.5mm jack)</b>                      Business wireless solution consisting of wireless pod, swivel earpiece and charging cradle (purchase wall charger for cradle separately PS000227A12 or PS000227A13). Swivel earpiece provides secure communication and comfort. The wireless pod has a 3.5mm Jack, Power/Volume button, Bluetooth status indicator, clothing clip and no PTT. Use of the radio PTT is required. This kit is not compatible with BT pod NNTN8191.</p>	<p><b>PMLN6463</b></p>



# Peter Jones (ILG) LTD Klick Fast

## Accessory range

The Klick Fast System allows you to wear your radio securely in a variety of ways. The slim, durable Klick Fast Connector is compatible with all Klick Fast Docks. Simply slide the connector into any Klick Fast Dock and it locks securely into place. Once docked, your radio can be rotated to any of seven positions while remaining secure. Undocking your radio takes seconds - simply rotate the radio to the inverted position and it slides free.



## Dock solutions for use with Klick Fast stud

Description	Part Number	Description	Part Number
<b>Sew-on dock</b> To be sewn onto the uniform/ clothing. Compatible with all portable radios.	<b>GMDN0386</b>	<b>Klick Fast RSM Mounting Dock</b> For garment tag. Compatible with all portable radios.	<b>GMDN0445AA</b>
			
Description	Part Number	Description	Part Number
<b>Klick Fast double tongue dock</b> Compatible with all portable radios.	<b>GMDN0547</b>	<b>Klick Fast Dock for 38mm belt</b> Compatible with all portable radios.	<b>GMDN0497</b>
			
Description	Part Number	Description	Part Number
<b>Klick Fast Retro fitting garment Dock</b> Easy to use "Screw to Fit" dock. Compatible with all portable radios.	<b>WALN4307</b>	<b>Klick Fast 50mm belt loop</b> With mounting dock. Compatible with all portable radios.	<b>GMDN0566AC</b>
			

## Klick Fast studs




Description	Part Number
<b>Shoulder wearing device</b> With Klick Fast stud. Compatible with all Klick Fast solutions. Compatible with MTP8500Ex/MTP8550Ex ATEX radios.	<b>PMLN5004</b>
	
Description	Part Number
<b>Klick Fast Stud</b> Shoulder wearing device, compatible with all Klick Fast docks. Compatible with MTP3500/MTP3550/MXP600/MTP6550.	<b>PMLN8025</b>
	
Description	Part Number
<b>Shoulder wearing device for RSM</b> Compatible with Klick Fast Docks: GMDN0386, GMDN0445AA, GMDN0547, WALN4307 and PMLN7961. Compatible Remote Speaker Mics: RM780/RM760/RM730.	<b>PMLN8475</b>
	



## Dock solutions for use with Klick Fast stud (continued)

Description	Part Number	Description	Part Number
<b>Klick Fast 50mm belt loop - low hang</b> With screw-on dock low hang. Compatible with all portable radios.	<b>GMDN0445AC</b>	<b>Klick Fast dock for 50mm belt</b> Compatible with all portable radios.	<b>GMLN4488</b>
			
Description	Part Number	Description	Part Number
<b>Extended Klick Fast</b> Mounting dock For RSM garment tag.	<b>PMLN7961</b>	<b>Klick Fast dock for 32mm belt</b> Compatible with all portable radios.	<b>PMLN5829</b>
			
Description	Part Number		
<b>Soft Leather Pouch</b> Compatible with MTP6650.	<b>PMLN6251</b>		
			

## Klick Fast carry solutions

Description	Part Number
<b>Soft Leather Carry Case for Peter Jones Klick Fast Stud</b> Used in conjunction with Peter Jones Klick Fast solutions.  Peter Jones Klick Fast shoulder wearing device PMLN8025A attaches to the radio, plus a compatible Klick Fast dock/belt loop (ordered separately) Compatible with MXP600.	<b>PMLN8185</b>
	
Description	Part Number
<b>Soft leather pouch</b> For use with shoulder wearing device PMLN8025, fits limited and full keypad models. Only compatible with MTP3000.	<b>PMLN5890</b>
	
Description	Part Number
<b>Carry holster with peter jones klick fast stud</b> For use with all Peter Jones dock styles. Compatible with ST7500.	<b>PMLN7842</b>
	



# MTP3000 Series

## Portable radio

Designed to work in the toughest, most demanding environments, day in, day out.

The MTP3000 Series TETRA portable radio with colour display and full keypad delivers high performance and dependability required for enhanced workforce productivity and assured user safety.



# MTP3500 MTP3550






Portable radios



MTP3500

MTP3550

## Antennas

Description	Part Number	Description	Part Number
Stubby antenna, 55mm (380 - 430mhz).	AN000251A01	Stubby antenna, 80mm (380 - 430mhz).	85012033001
			
Description	Part Number	Description	Part Number
Whip antenna, 110mm (380 - 430mhz).	85012031001	Whip antenna, 110mm (410 - 470mhz).	85012065001
			
Description	Part Number		
Stubby antenna, 55mm (410 - 470mhz).	85012066001		
			





## Batteries

Description	Part Number	Description	Part Number
<p><b>Li-ion battery 2200 mah, IP55*</b> Compatible with MTP3500/3550/MTP6650.</p> 	<p><b>NNTN8023</b></p>	<p><b>Li-ion battery 3400mah, IP68*</b> Compatible with MTP3500/3550/MTP6650.</p> 	<p><b>PMNN4522</b></p>
<p><b>LI-ION BATTERY 1950mAh</b> IP55*. Compatible with MTP3500/3550/MTP6650.</p> 	<p><b>NNTN8020</b></p>	<p><b>WALL CHARGER</b> Conveniently and quickly charge your radio. Operating voltage:100-240VAC.</p> 	<p><b>PS000042A3</b> - UK PLUG</p> <p><b>PS000042A31</b> - US PLUG</p> <p><b>PS000042A32</b> - EURO PLUG</p>

\* IP67 rated with MTP3500/MTP3550,  
IP68 rated with MTP6650





## Dual chargers

Description	Part Number	Description	Part Number
<p><b>Sequential dual-unit charger</b>            This desktop dual-charger is for charging radios and batteries with an operating voltage of 100-240V.</p>	<p><b>NNTN8245</b> EU Plug</p> <p><b>NNTN8246</b> UK Plug</p> <p><b>NNTN8247</b> ANZ Plug</p> <p><b>NNTN8249</b> Korea Plug</p> <p><b>NNTN8244</b> US/LA Plug</p> <p><b>NNTN8251</b> China Plug</p>	<p><b>Desktop simultaneous dual-unit charger</b>            For charging radio and spare battery.            Operating voltage: 100-240vac.            Compatible with MXP600/MTP3500/MTP3550/MTP6650.</p>	<p><b>PMLN6494</b> - EU PLUG</p> <p><b>PMLN6495</b> - UK PLUG</p> <p><b>PMLN6493</b> - US/LA PLUG</p>
 <p>A black plastic sequential dual-unit charger with a recessed area for a radio and a separate compartment for a spare battery. It features a warning label and a set of LED indicators on the front panel.</p>		 <p>A black plastic desktop simultaneous dual-unit charger designed for charging a radio and a spare battery at the same time. It includes a warning label and a set of LED indicators on the front panel.</p>	




# IMPRES™ 2 multi-unit chargers and integrated terminal management (iTM) support

Description	Part Number	Description	Part Number
<p><b>IMPRES™ 2 6-way multi-unit charger</b>                      Includes 6 pockets for radio or battery charging and a single display. Operating voltage: 100-240vac. iTM capability via integrated hub and single usb connection to charger. IMPRES™ fleet management: integrated (does not require separate charging interface unit ciu). Requires one usb a to usb micro-b cable (cb000458a07) to connect to pc (see miscellaneous accessories section)</p>	<p><b>PMPN4402</b> - EU PLUG</p> <p><b>PMPN4403</b> - UK PLUG</p> <p><b>PMPN4404</b> - ANZ PLUG</p> <p><b>PMPN4407</b> - KOREA PLUG</p> <p><b>PMPN4401</b> - US/LA PLUG</p> <p><b>PMPN4494</b> - BRAZIL PLUG</p> <p><b>PMPN4405</b> - ARGENTINA PLUG</p> <p><b>PMPN4406</b> - CHINA PLUG</p> <p><b>PMPN4409</b> - JAPAN PLUG</p>	<p><b>IMPRES™ 2 12-way multi-unit charger</b>                      Allows for charging of 12 radios or 6 radios and 6 batteries at once. Includes iTM capability via integrated hub and single usb connection to charger. IMPRES™ fleet management: integrated (does not require separate charging interface unit ciu). Compatible with mtp6000, mtp3000, and MXP600 series radios but the imprestm functionality is supported on MTP6650 only equipped with imprestm battery (PMNN4522A). Requires one usb a to USB Micro-B cable (cb000458a07) to connect to pc (see miscellaneous accessories)</p>	<p><b>PMPN4217</b> - EU PLUG</p> <p><b>PMPN4218</b> - UK PLUG</p> <p><b>PMPN4219</b> - ANZ PLUG</p> <p><b>PMPN4222</b> - KOREA PLUG</p> <p><b>PMPN4216</b> - US/LA PLUG</p> <p><b>PMPN4221</b> - CHINA PLUG</p> <p><b>PMPN4282</b> - JAPAN PLUG</p>
			
<p>iTM (Integrated Terminal Management)</p>		<p>iTM (Integrated Terminal Management)</p>	



# Charging solutions TETRA modular chargers



Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
<b>Single charger</b> 90W Power Supply Unit included. Mounting Bracket not included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.	<b>PMPN4534-EU PLUG</b>  <b>PMPN4535-UK PLUG</b>  <b>PMPN4536-ANZ PLUG</b>  <b>PMPN4538-KOREA PLUG</b>  <b>PMPN4542-TAIWAN PLUG</b>  <b>PMPN4533-US/LA PLUG</b>  <b>PMPN4541-CHINA PLUG</b>  <b>PMPN4539-JAPAN PLUG</b>	<b>Dual charger</b> 90W Power Supply Unit included. Mounting Bracket included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.	<b>PMPN4544-EU PLUG</b>  <b>PMPN4545-UK PLUG</b>  <b>PMPN4546-ANZ PLUG</b>  <b>PMPN4548-KOREA PLUG</b>  <b>PMPN4543-US/LA PLUG</b>  <b>PMPN4550-BRAZIL PLUG</b>  <b>PMPN4551-CHINA PLUG</b>  <b>PMPN4549-JAPAN PLUG</b>	<b>Quad charger</b> 201W Power Supply Unit Included. (2) Mounting Brackets included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.	<b>PMPN4554 - EU PLUG</b>  <b>PMPN4555 - UK PLUG</b>  <b>PMPN4556 - ANZ PLUG</b>  <b>PMPN4558 - KOREA PLUG</b>  <b>PMPN4562 - TAIWAN PLUG</b>  <b>PMPN4553 - US/LA PLUG</b>  <b>PMPN4561 - CHINA PLUG</b>  <b>PMPN4559 - JAPAN PLUG</b>	<b>Mounting bracket</b> 1 Bracket holds up to 2 chargers. (1) Included in dual charger. (2) Mounting brackets included in quad charger.	<b>BR000482A01</b>



Description	Part Number	Description	Part Number
<b>90W power supply</b> , Included in single and dual chargers.	<b>PS000242A04</b>	<b>201W power supply</b> Included in quad charger.	<b>PS000212A02</b>



## Miscellaneous

Description	Part Number	Description	Part Number
<p><b>Wall mount bracket for 6-way multi-unit charger</b>                      For six-way multi-unit charger. Design allows an audio accessory to remain attached to the radio while charging (e.G. RSM). The bracket can also hold and secure the external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable).</p>	<b>BR000272A01</b>	<p><b>Usb a to USB Micro-B cable 1300mm.</b>                      Data cable for fleet management and programming through IMPRES™ 2 multi-unit charger.</p>	<b>CB000458A07</b>
			

## Dust covers

Description	Part Number	Description	Part Number
<p><b>Slim connector dust cover</b></p>	<b>PMHN4178</b>	<p><b>Bottom connector dust cover</b></p>	<b>PMHN4210</b>





## Carry solutions

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Hard leather case with 3" swivel belt loop</b> Fits limited and full keypad models.</p> 	<b>PMLN5885</b>	<p><b>Soft leather case with 3" swivel belt loop</b> Fits limited and full keypad models.</p> 	<b>PMLN5887</b>	<p><b>Soft leather case with 2.5" swivel belt loop</b> Fits limited and full keypad models.</p> 	<b>PMLN5888</b>
<p><b>Soft leather pouch</b> For use with shoulder wearing device PMLN8025, fits limited and full keypad models. Refer to Peter Jones section for more information.</p> 	<b>PMLN5890</b>	<p><b>Spring belt clip 2 inches</b> Compatible with MTP3500/3550/MTP6650 portable radios.</p> 	<b>PMLN5616</b>	<p><b>Spring belt clip 2.5 Inches</b> Compatible with MTP3500/3550/MTP6650 portable radios.</p> 	<b>HLN9714</b>












# Carry solutions (continued)

Description	Part Number	Description	Part Number
<p><b>Shoulder strap</b> Nylon shoulder strap, attaches to d-rings on carry cases. Compatible with all portable radios.</p>	<p><b>NTN5243</b></p>	<p><b>Wrist strap</b> Compatible with all portable radios.</p>	<p><b>HLN9767</b></p>
			

Description	Part Number	Description	Part Number
<p><b>Universal chest pack</b> Nylon. With radio holder, pen holder and velcro secured pocket. Compatible with all portable radios.</p>	<p><b>HLN6602</b></p>	<p><b>Soft leather case with built in belt clip</b> Case with integrated belt clip.</p>	<p><b>GMLN5402</b></p>
			



## Remote speaker microphones (RSM)

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>IMPRES™ large remote speaker microphone</b> With loud audio, audio jack and emergency button, noise-cancelling, IP54.</p> 	<b>PMMN4072</b>	<p><b>IMPRES™ small remote speaker microphone</b> With audio jack and emergency button, windporting, ip55.</p> 	<b>PMMN4074</b>	<p><b>Small remote speaker microphone</b> Windporting, ip57, no audio jack, no emergency button, no volume control.</p> 	<b>PMMN4075</b>
<p><b>Small remote speaker microphone</b> With audio jack and emergency button, windporting, ip55.</p> 	<b>PMMN4078</b>	<p><b>D-shell receive only earpiece over the ear</b> For use with RSM, 3.5mm jack, black.</p> 	<b>PMLN4620</b>	<p><b>Receive only covered earbud</b> For use with RSM, 3.5mm jack, black.</p> 	<b>MDRLN4885</b>
<p><b>Receive-only earpiece with translucent tube and rubber eartip</b> For use with RSM 3.5mm jack, black.</p> 	<b>PMLN7560</b>	<p><b>Receive-only flexible earpiece</b> (Over the ear) for use with RSM, 3.5mm jack. Compatible with all TETRA RSMs.</p> 	<b>WADN4190</b>	<p><b>Adjustable D-style receive only earpiece for RSM</b> 3.5mm jack. Compatible with MTP3500/3550/MTP6650.</p> 	<b>PMLN7396</b>





## Radio earpieces (long cord)





Description	Part Number	Description	Part Number
<p><b>Mag one earbud</b> With in-line microphone and push-to-talk button, black.</p>	<b>PMLN5733</b>	<p><b>Mag one over-the-ear swivel earpiece</b> With in-line microphone and PTT switch, black.</p>	<b>PMLN5727</b>
			
Description	Part Number	Description	Part Number
<p><b>Mag one lightweight earset</b> With boom microphone - fits on left or right ear - and in-line push-to-talk, black.</p>	<b>PMLN5732</b>	<p><b>Adjustable D-style earpiece</b> With in-line microphone and push-to-talk, black.</p>	<b>PMLN6757</b>
			



## Radio earpieces (short cord)




Description	Part Number	Description	Part Number
<b>Mag one receive-only swivel earpiece</b> With short cord, black.	<b>PMLN5728</b>	<b>1-wire surveillance kit</b> With quick disconnect clear voice tube, receive only, short cord, black.	<b>PMLN6758</b>
			

## Surveillance kits



Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
<b>2-Wire surveillance kit</b> With quick disconnect acoustic tube and combined microphone/ptt – beige cord.	<b>PMLN7270</b>	<b>2-Wire surveillance kit</b> With quick disconnect acoustic tube and combined microphone/ptt – black cord.	<b>PMLN7269</b>	<b>3-Wire surveillance kit</b> With quick disconnect acoustic tube and separate microphone and ptt – black cord.	<b>PMLN6754</b>	<b>3-Wire surveillance kit</b> With quick disconnect acoustic tube and separate microphone and ptt – beige cord.	<b>PMLN6755</b>
							



## Surveillance kit replacement parts

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Quick disconnect acoustic tube</b> Low Noise Kit with translucent tube and 1 clear rubber eartip.</p> <p>Compatible with 1- 2- and 3-wire kits PMLN6123, PMLN6124, PMLN6129, PMLN6130, NNTN8459, PMLN7397, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece PMLN7560</p> 	<b>RLN6242</b>	<p><b>Replacement standard clear rubber eartip (Pack of 50)</b> For RLN6242. Noise reduction is 24 dB. Pack of 50 pairs.</p> <p>Compatible with 1, 2- and 3-wire kits: PMLN7397, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6129, PMLN6130, NNTN8459, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece: PMLN7560. Pack of 50.</p> 	<b>RLN6282</b>	<p><b>Foam earplugs (pack OF 50)</b> For high noise kit solution combine RLN6242 Low noise kit with 5080384F72 replacement foam plugs. Noise reduction is 24 dB. Pack of 50 pairs.</p> <p>Compatible with 1, 2- and 3-wire kits: PMLN7397, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6129, PMLN6130, NNTN8459, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece: PMLN7560. Pack of 50.</p> 	<b>5080384F72</b>

## Radio earpieces (high noise environment)

Description	Part Number	Description	Part Number
<p><b>IMPRES™ ear microphone system</b> With bone conduction technology and in-line programmable button.</p> 	<b>PMLN5729</b>	<p><b>IMPRES™ temple transducer headset</b> With PTT and noise cancelling mic. Receive method: bone conduction.</p> 	<b>PMLN6759</b>



## Radio identification

Description	Part Number
-------------	-------------

Coloured bands easily slip on antennas and enable you to quickly visually identify custom radio user groups. Each ID band kit is sold in packs of 5.



**PMLN6285**  
Pack of 5 blue colour rings for antenna

**PMLN6286**  
Pack of 5 pearl white colour rings for antenna.

**PMLN6287**  
Pack of 5 green colour rings for antenna.

**PMLN6288**  
Pack of 5 yellow colour rings for antenna

**PMLN6289**  
Pack of 5 red colour rings for antenna

## In-vehicle solutions

Description	Part Number	Description	Part Number
-------------	-------------	-------------	-------------

**Vehicular power adapter**  
Vehicular power adapter 12-24v plug. Allows radio to charge in vehicle. Compatible with MTP3500/3550/MTP6650.



**Non charging cradle**  
Radio holder only - no charging capability. Compatible with rsm attachment. Kit also includes: RSM bracket and cradle mounting bracket. No RF compatibility.



Description	Part Number	Description	Part Number
-------------	-------------	-------------	-------------




**Cradle with vehicle power module & battery power cable**  
Charges radio through the car battery. Compatible with RSM attachment. Kit also includes: rsm bracket, cradle mounting bracket, vehicular power module, power cables. No RF compatibility.






**Cradle with holder for vehicle power adapter**  
Charges radio through the vehicular power adapter. Requires NNTN8040 to be ordered separately. Compatible with RSM attachment. Kit also includes: rsm bracket, cradle mounting bracket, vehicular power adapter holder. No RF compatibility.



## Programming/data cables



Description	Part Number	Description	Part Number	Description	Part Number
<b>USB data cable</b> Compatible with: MTP3500/3550/MTP6650/MXP600.	<b>PMKN4129</b>	<b>Bottom connector serial data cable</b> Compatible with: MTP3500/3550/MTP6650/MXP600.	<b>PMKN4127</b>	<b>Keyfill cable for E2E keys</b> Compatible with: MTP3500/3550/6650/MXP600.	<b>PMKN4124</b>
					
iTM (Integrated Terminal Management)					



## SAVOX Solutions

Description	Part Number	Description	Part Number	Description	Part Number
<b>Remote large PTT unit</b> CC-400 Com-Control PTT unit for use with HC-1 single speaker or HC-2 dual speaker headset (order separately). Compatible with MTP3500/3550.	<b>GMMN4579</b>	<b>HC-2 Helmet-com™ headset</b> Bone-mic/dual speaker headset with Nexus 4-pole quick release connection. For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM, MXP600 Nexus RSM (NS750) (order separately).	<b>GMMN4584</b>	<b>HC-1 Helmet-com™ headset</b> Bone-mic/single speaker headset with Nexus 4-pole quick release connection. For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM, MXP600 Nexus RSM (NS750) (order separately).	<b>GMMN4585</b>
					



# Headsets

Description	Part Number	Description	Part Number
<p><b>Over the head, lightweight adjustable single muff headset</b> With boom mic and in-line PTT.</p>	<p><b>PMLN6635</b></p>	<p><b>Behind-the-head heavy duty headset</b> With noise-cancelling boom microphone and push-to-talk. Noise reduction: 24dB.</p>	<p><b>PMLN6760</b></p>
			

Description	Part Number	Description	Part Number
<p><b>Mag one behind-the-head style headset</b> Ultra lightweight headset with boom mic and in-line PTT.</p>	<p><b>PMLN6761</b></p>	<p><b>Over-the-head heavy duty headset</b> With noise cancelling boom mic and push-to-talk. Noise reduction: 24dB.</p>	<p><b>PMLN7464</b></p>
			

▶ For BT accessory portfolio compatibility with MTP3000 SERIES, please refer to the BLUETOOTH accessories section.



# TPG2200 TETRA Pager

The Advisor™ TPG2200 TETRA two-way pager ensures you can reach firefighters, emergency personnel and healthcare workers when they're needed most.

In those critical moments, every second counts. That's why we made the TPG2200 simple to use, even with one hand. Quickly read and respond to messages with a bright, 2" colour display and familiar user interface.



# TPG2200

## TETRA Pager



### Home station

Description	Part Number	Description	Part Number
<b>Home station kit</b> Select antenna band 440-470mhz or 380-430mhz. Keep the battery fully charged and get enhanced coverage using the home station.	<b>PMPN5002</b> 440-470MHz  <b>PMPN4142</b> 380-430MHz	External whip antenna	<b>PMAE4108</b> 380-430MHz



### Carry solutions

Description	Part Number	Description	Part Number
<b>Nylon wrist strap</b> colour: black length (mm): 330	<b>PMLN6074</b>	<b>Pager carry holster</b> includes integrated spring belt clip.	<b>PMLN7606</b>



Description	Part Number	Description	Part Number
<b>Carry case holder</b> black soft leather pouch for belt wearing.	<b>PMLN7605</b>	<b>Pager carry holster</b> includes integrated spring belt clip.	<b>PMLN7606</b>




## Miscellaneous

Description	Part Number
<b>USB C to USB A radio programming cable</b> Compatible with ST7000, TPG2200, and M6 handheld control head.	<b>PMKN4196</b>





## Batteries and chargers

Description	Part Number	Description	Part Number	Description	Part Number
<b>IMPRES™ 2 Li-ion 3600mah hicap battery</b> compatible with TPG2200 only.	<b>PMNN4586</b>	<b>Replacement hicap battery cover</b> Compatible with TPG2200 hicap battery (PMNN4586)  This kit includes the home station spacer	<b>PMHN4463</b>	<b>IMPRES™ 2 Li-Ion 2300 mAh slim battery</b> Compatible with ST7000, ST7500 and TPG2200.	<b>PMNN4510</b>
					
Description	Part Number	Description	Part Number	Description	Part Number
<b>Replacement battery cover</b>	<b>PMHN4371</b>	<b>USB-C wall charger</b> Operating voltage:100-240VAC. Compatible with ST7000 and TPG2200.	<b>PS000150A23 - UK PLUG (1m)</b> <b>PS000150A21 - US PLUG (1m)</b> <b>PS000150A22 - EURO PLUG (1m)</b> <b>PS000150A52 - EURO PLUG (1.8m)</b>	<b>Vehicular power adapter with USB connector</b> In-vehicle charging with 12/24V input - 1.5A.	<b>PMLN7745</b>
					



# Chargers, IMPRES™ battery fleet

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>IMPRES™ 2 six-way multi-unit desktop charger</b> Six-pocket charger with USB ports enabling iTM (Integrated Terminal Management). Requires one USB-A to USB Micro-B cable (CB000521A01). Operating voltage: 100-240 VAC.</p> 	<p><b>PMPN4305</b> - UK PLUG</p> <p><b>PMPN4287</b> - EURO PLUG</p>	<p><b>Wall mount bracket for 6-way multi-unit charger</b> For six-way multi-unit charger. Design allows an audio accessory to remain attached to the radio while charging (e.g. RSM). The bracket can also hold and secure the external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable).</p> 	<b>BR000272A01</b>	<p><b>Battery only single unit charger</b> Kit includes charger base and power supply with USB-C connector. Charges on single battery. Operating voltage: 100-240 VAC. Compatible with battery for ST7000, ST7500 and TPG2200.</p> 	<p><b>PMPN4447</b> - UK KIT</p> <p><b>PMPN4445</b> - US Kit</p> <p><b>PMPN4446</b> - EURO Kit</p>

Description	Part Number	Description	Part Number
<p><b>IMPRES™ six-way battery only multi-unit charger</b> Allows you to charge six spare batteries. Operating voltage: 100-240 VAC. Compatible with battery for ST7000, ST7500 and TPG2200.</p> 	<b>HKVN4037</b>	<p><b>USB A to USB micro-b ITM cable for multi-unit charger</b> Cable for iTM (Integrated Terminal Management). Compatible with ST7000 and TPG2200.</p> 	<b>CB000521A01</b>

iTM (Integrated Terminal Management)



# MTP8000Ex Series

## TETRA ATEX Radios

MTP8550Ex TETRA portable radio designed for today. Ready for tomorrow. MTP8500Ex series, power and performance designed for extreme environments



# MTP8500Ex & MTP8550Ex

TETRA ATEX radios



MTP8550Ex  
UHF FKP ATEX PT951NPEEX  
Full Keypad

MTP8500Ex  
UHF LKP ATEX PT951NMEEX  
Limited keypad

## Antennas




Description	Part Number	Description	Part Number
Stubby antenna, 80mm (380-430MHZ)	PMAE4096	Whip antenna 120mm (350-470MHZ)	PMAE4097
			

## Battery

Description	Part Number
Li-Ion battery 1250mAH Lithium Ion IMPRES™ battery. Intrinsic Safety Standard: ATEX/IECEX. IP rating: IP67.	NNTN8570
	



# Chargers, IMPRES™ battery fleet

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>IMPRES™ single unit charger</b> For charging radio or spare battery. Includes switch mode power supply. UK and EURO kits - Operating voltage: 100-240VAC US kit - Operating voltage: 110-120VAC.</p>	<p><b>PMPN4572</b> - UK Kit</p> <p><b>PMPN4576</b> - US kit</p> <p><b>PMPN4577</b> - EURO kit</p>	<p><b>IMPRES™ multi-unit charger</b> With display (capability to charge up to six radios or six spare batteries simultaneously). Allows IMPRES™ battery fleet management via cable CB000458A07 - Operating Voltage: 100-240VAC.</p>	<p><b>PMPN4290</b> - UK Kit</p> <p><b>PMPN4284</b> - US kit</p> <p><b>PMPN4289</b> - EURO kit</p>	<p><b>Wall mount bracket for IMPRES™ six-way multi-unit charger</b> Bracket design allows an audio accessory to remain attached to the radio while charging – for example remote speaker microphone.</p>	<b>BR000272A01</b>
					


Description	Part Number	Description	Part Number	Description	Part Number
<p><b>IMPRES™ Fleet management software license key</b> This orders the licence key of fleet management software application. Our IMPRES Battery Fleet Management software collects critical data, it allows you to analyze key aspects of the battery, such as battery age, capacity, recondition history and manufacturing and service dates.</p>	<b>HKVN4037</b>	<p><b>IMPRES™ Vehicular Charger</b> For radio or stand alone battery. Hard wired to the car battery. 12V compatible.</p>	<b>NNTN7616</b>	<p><b>In-vehicle charger adapter</b> For radio or stand alone battery. Connects via vehicular power adapter. 12V-24V compatible.</p>	<b>NNTN8525</b>
					





## Miscellaneous

Description	Part Number	Description	Part Number
Side connector dust cover	0104063J98	USB data cable for fleet management Use with IMPRES™ six-way multi-unit chargers.	CB000458A07





## Carry solutions

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Hard leather case with 2.5" belt loop</b> Can also be used with shoulder strap NTN5243A. Kit comes complete with case and belt loop.</p> 	<b>PMLN7195</b>	<p><b>Hard leather case with 3" belt loop</b> Can also be used with shoulder strap NTN5243A. Kit comes complete with case and belt loop.</p> 	<b>PMLN7268</b>	<p><b>2.5 INCH replacement swivel belt loop</b> Made of hard leather.</p> 	<b>PMLN5610</b>
<p><b>3.0 Inch replacement swivel belt loop</b> Made of hard leather. Compatible with MTP6550/MTP8500Ex/8550Ex.</p> 	<b>PMLN5611</b>	<p><b>Shoulder wearing device with Klick Fast stud.</b> Compatible with all Klick Fast solutions. Compatible with MTP8500Ex/MTP8550Ex ATEX radios.</p> 	<b>PMLN5004B</b>	<p><b>ATEX 2.5 inch belt clip</b></p> 	<b>PMLN6086</b>







# Programming/data cables

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Atex USB data cable</b>                      In order to comply with the ATEX/iecx compliance, the following cables must be used to program or configure your MTP8000ex series radios. No other cables can be used to interface to this product, doing so may invalidate the ATEX compliance.</p> <p>iTM (Integrated Terminal Management)</p> 	<p><b>PMKN4160</b></p>	<p><b>Atex KVL cable</b>                      Keyfill cable for E2E keys for use with the MTP8000Ex series.</p>	<p><b>PMKN4161</b></p>	<p><b>Atex serial data cable</b></p> 	<p><b>PMKN4159</b></p>







## Remote speaker microphones and push-to-talks

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>ATEX active noise canceling large IMPRES™ remote speaker microphone</b>                      With nexus plug. IP rating: IP67. Compatible with Peltor and Savox secondary nexus audio accessories.</p> 	<b>PMMN4093</b>	<p><b>ATEX omni-directional large imprestm remote speaker microphone</b>                      With nexus plug. IP rating: IP67. Compatible with Peltor and Savox secondary nexus audio accessories.</p> 	<b>PMMN4109</b>	<p><b>Savox cc-440 ATEX com-control/ push-to-talk unit</b>                      To be used as a remote large PTT, in conjunction with Savox ATEX HC1 RMN5123 or savox ATEX HC2 headset GMMN4580.</p> 	<b>PMLN7257</b>
<p><b>ATEX IMPRES™ windporting remote speaker</b>                      Microphone with volume control and emergency button. (It has no 3.5mm jack).</p> 	<b>PMMN4067</b>	<p><b>ATEX small PTT adapter</b>                      This PTT adapter with nexus jack is required to be used with certified peltor headsets. It has a 0-360 degree rotating clothing clip.</p> 	<b>PMLN6803</b>		



# Secondary audio accessories

Description	Part Number	Description	Part Number	
<p>Voice tube with 3.5mm jack only compatible with nexus RSM twist and lock 3.5m socket.</p> 	<p><b>PMLN7188</b></p>	<p>Peltor ATEX twin cup headset with helmet attachment and noise cancelling boom microphone. Twin-cup for best ear cup noise attenuation.</p> 	<p><b>PMLN6333</b></p>	
		<p>Savox ATEX HC-2 helmet-com® headset, bone-conductive microphone with dual speaker. Uses nexus 4-pole quick release plug connection.</p> 	<p><b>GMMN4580</b></p>	
			<p>Savox ATEX HC-1 Helmet-com® headset, bone-mic/single speaker. Uses nexus 4-pole quick release plug connection.</p> 	<p><b>RMN5123</b></p>







# MXP7000

Portable radio



## Audio accessories

Description	Part Number	Description	Part Number
<p><b>IMPRES™ RM780 large remote speaker microphone.</b> Equipped with a loud and clear speaker, windporting microphone, and low profile swivel clip.</p> 	<b>PMMN4128</b>	<p><b>IMPRES™ RX-only, loud audio translucent tube.</b> For use with RSM, 3.5mm jack, black. Compatible with PMMN4128, PMMN4131, and PMMN4140.</p> 	<b>PMLN8120</b>
Description	Part Number	Description	Part Number
<p><b>Replacement quick disconnect translucent tube with clear rubber eartip</b> Compatible with PMLN8120.</p> 	<b>PMLN8092</b>	<p><b>1-wire IMPRES™ earpiece</b> Compatible with MXP7000. Requires the radio to use MR2025.3 software release and above only</p> 	<b>PMLN8082A</b>



# Antennas

# Batteries

Description	Part Number	Description	Part Number
-------------	-------------	-------------	-------------

Stubby antenna, 60mm (380-430 MHz)






AN000354B01

IMPRES 2 Li-Ion 5600mAh battery, IP68 rugged

PMNN4877



# Charging solutions

Description	Part Number	Description	Part Number	Description	Part Number	
<p><b>Multi-unit charger kit</b> Charges multiple units for more efficiency (up to 12 units). Kit includes MUC, power cord, USB-C cable (pack of 6).</p> 	<b>PMPN4644</b>	<p><b>Multi-unit charger (MUC)</b> Base only.</p> 	<b>PMPN4633</b>	<p><b>Power cord cable, 250VAC, 3A</b> Europe power cord.</p> 	<b>3087791G04</b>	
<p><b>IMPRES dual unit desktop charger kit</b> Kit includes charger, and European power cord.</p> 	<b>PMPN4643</b>	<p><b>IMPRES dual unit desktop charger kit</b> Kit includes charger and Brazil power cord.</p> 	<b>PMPN502832</b>	<p><b>Replacement power supply adaptor</b> 100-240VAC, 5.25A/3A L6 USB-C, Euro plug</p> <p><b>Replacement power supply adaptor</b> 100-240VAC 5.25/3A L6 USB-C, Brazil Plug</p>	<b>PS000555A2</b>	<b>PS000555A08</b>



# Charging Solutions (continued)

Description	Part Number	Description	Part Number
-------------	-------------	-------------	-------------

**LEX L11 wall adapter**  
 USB-A wall charger, 5V/1.5A, 240VAC

**PS000150A31**  
 US/Japan plug

**LEX L11 wall plug**  
 USB-A wall plug, 5V/1.5A, 240VAC

**PS000150A32**  
 Euro plug



Description	Part Number	Description	Part Number
-------------	-------------	-------------	-------------

**LEX L11 wall plug**  
 USB-A wall plug, 5V/1.5A, 240VAC

**PS000150A33**  
 UK/HK plug

**LEX L11 USB wall adapter**  
 USB-A wall adapter, 5V/1.5A, 240VAC

**PS000150A38**  
 UK/HK



# In-vehicle solutions

Description	Part Number	Description	Part Number
-------------	-------------	-------------	-------------


Vehicle cradle with mount

PMPN4638



Vehicle adaptor charger

PMLN7779





# Carry solutions

Description	Part Number	Description	Part Number
<p>Carry holster</p> 	<p><b>PMLN8400</b></p>	<p>2.5" belt clip Consectetur adipiscing elit phasellus ut est. Phasellus ullamcorper odio id suscipit.</p> 	<p><b>PMLN8181</b></p>

Description	Part Number
<p><b>Low profile swivel clip</b> For use with Remote Speaker Mic PMMN4128, PMMN4131, and PMMN4140.</p>	<p><b>PMLN8121</b></p>



# Cables



Description	Part Number	Description	Part Number	Description	Part Number
<b>USB-A to USB-C cable</b> Pack of 6.	<b>CB001130A01</b>	<b>USB-A to USB-C cable</b> 1m cable.	<b>CB000756A01</b>	<b>USB-C to USB-C cable</b> 1m cable.	<b>CB000754A01</b>
					

Description	Part Number	Description	Part Number
<b>KVL4000 programming cable</b> Serial to GCAI cable.	<b>PMKN4159</b>	<b>KVL4000 programming cable</b> GCAI to mini GCAI adaptor.	<b>PMLN8334</b>
			

\*only for AIE key loading



# KVL6K Cables

Description	Part Number	Description	Part Number
<p><b>AIE key loading cable</b>                      Hirose to serial adapter. To be used with PMKN4158 and PMLN8334.</p>	<p><b>CB001118A01</b></p>	<p><b>E2EE key loading cable</b>                      Hirose to GCAI adapter. To be used with PMKN4161 and PMLN8334.</p>	<p><b>CB001204A01</b></p>
 <p>The image shows a thin, black, flexible cable with a Hirose connector at the top. The cable is shown in a vertical orientation.</p>		 <p>The image shows a thicker, multi-colored (rainbow stripes) cable with a Hirose connector at the top. The cable is shown in a vertical orientation.</p>	



# Miscellaneous

Description	Part Number
-------------	-------------

Mini GCAI dust cover

PMHN4429



# MXM600 TETRA mobile radio

## MXM600 Mission-Critical TETRA mobile radio

Frontline safety, today and tomorrow.

The MXM600 TETRA mobile radio supports various installation options including: control room, vehicle, and custom installation. The radio includes noise suppression technology, trained through AI machine learning. It has Wi-Fi over-the-air Programming, Bluetooth® 5.3, and automated configuration to ease installation.



# MXM600

## TETRA mobile radio



MXM600 dash / desk mount



MXM600 single remote



MXM600 dual remote









MXM600 databox



M6 handheld control head

## Mobile microphones

Description	Part Number	Description	Part Number
<b>Desktop microphone with push-to-talk</b> Compatible with desk mount installation. Transmit only.	<b>RMN5106</b>	<b>Heavy duty fist microphone with push-to-talk</b> Compatible with dash/desk, single remote, dual remote mounts. Transmit only.	<b>RMN5111</b>
			
Description	Part Number	Description	Part Number
<b>Remote Speaker Microphone with 3.5mm jack</b> Volume control and emergency button. Compatible with dash/desk, single remote, dual remote mounts.	<b>PMMN4086</b>	<b>Compact mobile fist microphone with push-to-talk</b> Compatible with dash/desk, single remote, dual remote mounts. Transmit only.	<b>RMN5107</b>
			
Description	Part Number	Description	Part Number
<b>IMPRES™ visor microphone</b> Requires external PTT. Compatible with dash mount/remote mount.	<b>RMN5054</b>	<b>Visor mounted microphone</b> Requires external PTT. Compatible with dash mount/remote mount.	<b>PMMN4087</b>
			



# Mobile handset

Description	Part Number
-------------	-------------

**IMPRES™ telephone style handset kit**  
Compatible with dash/desk, single remote, dual remote mounts

**MDHLN7016**



# Wireless remote speaker microphone



Description	Part Number
-------------	-------------



**WM500 bluetooth remote speaker microphone**  
Equipped with a windporting microphone, emergency button, 4 front programmable buttons, volume control, 3.5mm audio jack,USB-C charging. The WM500 also works with PTT-over-cellular applications.

**PMMN4127**








# Speakers

Description	Part Number	Description	Part Number
<p><b>13W external speaker</b> Compatible with dash/desk, single remote, dual remote mounts.</p> 	<p><b>RSN4002</b></p>	<p><b>7.5W external speaker</b> Compatible with dash/desk, single remote, dual remote mounts.</p> 	<p><b>RSN4003</b></p>

Description	Part Number	Description	Part Number
<p><b>Speaker extension cable</b> Compatible with external speakers RSN4002/RSN4003.</p> 	<p><b>PMKN4119</b></p>	<p><b>15.6W Speaker</b> Supports narrowband and wideband audio. Compatible with MXM600 dash/desk, single remote, dual remote mounts</p> 	<p><b>AC000240A02</b></p>



## Push-to-talk and specific kits

Description	Part Number	Description	Part Number
<p><b>Push button push-to-talk</b> Can be held in the hand or mounted to vehicles. Compatible with dash mount/ remote mount.</p> 	<b>RLN5926</b>	<p><b>Gooseneck push-to-talk</b> Placed in the steering wheel column, it remotely activates the PTT in the microphone. Compatible dash, single remote, dual remote mounts.</p> 	<b>RLN4858</b>
<p><b>Emergency foot switch</b> Easily and secretly triggers an emergency signal that is sent to the base station. Compatible with dash, single remote, dual remote mounts.</p> 	<b>RLN4836</b>	<p><b>External alarm relay</b> Compatible with dash, single remote, dual remote mounts.</p> 	<b>GMLN5091</b>
<p><b>Cable with 26-pin rear connector</b> 26-pin rear connector with pre-crimped, open-ended cable, compatible with all mobile models</p> 	<b>PMKN4303A</b>		







## Junction box and cables





Description	Part Number	Description	Part Number
<p><b>Data junction box with accessory connector</b>                      Compatible accessories:                      RMN5106, RMN5111,                      PMMN4086, RMN5107,                      MDHLN7016, RMN5054,                      PMMN4087, RSN4002,                      RSN4003, RLN5926,                      RLN4858, RLN4836,                      PMKN4120, PMKN4119                      Compatible with all                      MXM600 models.</p>	<b>GMLN7825</b>	<p><b>5m junction box to transceiver cable</b>                      Compatible with all MXM600 models.</p>	<b>PMKN4302</b>
			
Description	Part Number	Description	Part Number
<p><b>4m junction box to transceiver cable</b>                      Compatible with all MXM600 models.</p>	<b>PMKN4301</b>	<p><b>2m junction box to transceiver cable</b>                      Compatible with all MXM600 models.</p>	<b>PMKN4300</b>
			
Description	Part Number	Description	Part Number
<p><b>Expanded accessory terminal kit</b>                      Hardware kit for use with the expanded                      accessory connector (includes 16 connector                      pins, (9) 8" wires with pins attached and an                      extra housing).                      Compatible with                      dash mount/remote                      mount.</p>	<b>HLN9457</b>	<p><b>M6 accessory hub</b>                      Compatible with M6 handheld control head                      only. Requires PMKN4504 M6 accessory                      hub cable. Compatible accessories include:                      RSN4002, RSN4003, RSN4004,                      AC000240A02, RMN5054, PMMN4087,                      RLN5926, RLN4858, PMKN4120,                      PMKN4119.</p>	<b>PMLN8767</b>
			



## Mounting solutions for control heads



Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
<b>Standard remote mount trunnion kit</b> Compatible with remote mount.	PMLN4912	<b>Enhanced control head din trunnion</b> Compatible with remote mount.	PMLN5093	<b>Motorcycle enhanced control head trunnion</b> Compatible with remote mount.	PMLN5092	<b>Slim mounting bracket for control head</b> Compatible with TSCH only.	PMLN6346
							

## Mounting solutions for transceivers

Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
<b>M6 Dock</b> Compatible with M6 handheld control head only.  Dimensions (HxDxW) (mm): 79x51x72mm Weight: 85g	PMLN8768	<b>High profile mounting trunnion</b> Compatible with all MXM600 transceivers.	PMLN8620A	<b>DIN mounting kit</b> Compatible with all mobile transceivers.	PMLN5094	<b>Key lock mounting bracket</b> Compatible with all mobile transceivers.	RLN4779
							



## Desktop mounting solutions




Description	Part Number	Description	Part Number
<b>Base tray without speaker</b> Compatible with desk mount.	<b>GLN7318</b>	<b>Desktop tray with 5W speaker</b> Compatible with desk mount.	<b>RSN4005</b>
			



## Power solutions

Description	Part Number	Description	Part Number	Description	Part Number
<b>Wedge power supply</b> AC-DC power adapter. Small compact design and true desktop styling. 6 Amp continuous usage. Requires DC cable PMKN4305A and line cord. Compatible with desk mount.	<b>PMPN4076</b>	<b>Dc power cable</b> For use with PMPN4076 AC-DC power adapter.	<b>PMKN4305A</b>	<b>Power cable</b> Right-angled connector. Compatible with desk mount	<b>NTN7375</b> - UK plug  <b>NTN7373</b> - US plug  <b>NTN7374</b> - EURO plug
					






# Cables




Description	Part Number	Description	Part Number	Description	Part Number
<b>RJ50 Ethernet control head cable</b> Compatible with IP54 RECH & TSCH and M6 handheld control head	<b>PMKN4280</b> 0.5m	<b>Multi radio control cross over ethernet cable</b>	<b>PMKN4176</b> 0.5m	<b>IP67 RJ50 Ethernet control head cable</b> Compatible with IP67 RECH	<b>PMKN4320</b> 3m
	<b>PMKN4141</b> 3m		<b>PMKN4177</b> 3m		<b>PMKN4321</b> 5m
	<b>PMKN4140</b> 5m		<b>PMKN4178</b> 7m		<b>PMKN4322</b> 7m
	<b>PMKN4139</b> 7m				<b>PMKN4323</b> 10m
	<b>PMKN4138</b> 10m				<b>PMKN4324</b> 15m
	<b>PMKN4136</b> 12m				<b>PMKN4325</b> 40m
	<b>PMKN4146</b> 15m				
	<b>PMKN4135</b> 40m				
					

Description	Part Number	Description	Part Number	Description	Part Number
<b>IP54 RECH accessory Y-cable</b>	<b>PMKN4133</b>	<b>Telephone style control head accessory Y-cable</b>	<b>PMKN4134</b>	<b>Accessory Y-cable connector kit</b> For extending external speaker's audio from M6 handheld control head via an M6 accessory hub, rear of IP54 RECH, IP67 RECH and TSCH	<b>PMLN6487</b>
					




## Cables (continued)

Description	Part Number	Description	Part Number	Description	Part Number
Y-cable for IP67 RECH	PMKN4333	IP67 expansion cables for IP67 RECH	PMKN4429 2.3m PMKN4456 4m	IP54 expansion cables for IP54 RECH	GMDN3836 2m
					




Description	Part Number	Description	Part Number	Description	Part Number
<b>M6 direct cable</b> Compatible with M6 handheld control head only. Connects to the M6 handheld control head and the RJ50 Ethernet cable that is connected to the MXM600's RJ50 port. Cable length: 705mm. Cable length (max stretch): 3m	PMKN4506	<b>M6 accessory hub cable</b> Compatible with M6 handheld control head only. Requires M6 accessory hub PMLN8767. Connect to the M6 handheld control head and M6 accessory hub Cable length: 940mm Cable length (max stretch): 3.6m	PMKN4504	<b>M6 Y-cable</b> Compatible with M6 handheld control head. Requires M6 accessory hub PMLN8767.	PMKN5134
					

## Miscellaneous




Description	Part Number	Description	Part Number
<b>Control head identification colour strip</b> Compatible with telephone style control head and M6 handheld control head only. Pack of 5.	PMLN6335 (White) PMLN6336 (Green) PMLN6337 (Red) PMLN6338 (Yellow) PMLN6339 (Blue)	<b>M6 screen protector</b> Compatible with M6 handheld control head only. Clear-single pack.	AY000980A01
			



## Programming and data cables






Description	Part Number	Description	Part Number	Description	Part Number
<b>Active data cable</b> RS232-to-26 pin rear accessory connector data cable Compatible with dash mount/remote mount/motorcycle mount/data mount.	<b>PMKN4104</b>	<b>Mobile programming cable</b> GCAI MMP-to-USB cable. Programming from the front of the radio control head connection. Compatible with dash/desk mount and remote mount with IP54 RECH and IP67 RECH.	<b>HKN6184</b>	<b>USB flash cable</b> USB-to-26-pin rear accessory connector cable. USB cable to connect to the rear of the transceiver.	<b>PMKN4110</b> iTM (Integrated Terminal Management)
					

## Battery power cables

Description	Part Number	Description	Part Number	Description	Part Number
<b>USB-C to USB-A radio programming cable</b> Compatible with ST7000, TPG2200, and M6 handheld control head.	<b>PMKN4196</b>	<b>Ignition sense cable</b> Compatible with all transceivers.	<b>PMKN4120</b>	<b>12v power cable to battery with fuse 15a (1m)</b> Compatible with all transceivers.	<b>PMKN4289</b> 1m <b>PMKN4243</b> 3m <b>PMKN4275</b> 6m
					











## Combined antennas

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Combined antenna TETRA/GPS 380 - 430mhz sma</b>                      Mounting Type: direct                      Dimension (HxWxL) (mm): 18 x 50 x 60                      Height: 154mm</p> 	<b>GMAE4507</b>	<p><b>GPS only antenna panel mount sma</b>                      mounting type: direct (panel/roof)                      Dimension (HxWxL) (mm): 18x50x60.</p> 	<b>GMAG4253</b>	<p><b>GPS only antenna magnetic mount sma</b>                      Mounting type: magnetic mount                      Dimension (HxWxL) (mm): 18x50x60.</p> 	<b>GMAG4254</b>
Description	Part Number	Description	Part Number	Description	Part Number
<p><b>TETRA 350-470 MHz/BT/WiFi/GNSS combined antenna direct mount</b></p> 	<b>PMAE4115</b>	<p><b>TETRA 350-470 MHz/BT/WiFi/GNSS magnetic antenna</b></p> 	<b>PMAE4116</b>	<p><b>TETRA 806 - 870 MHz/BT/WiFi/GNSS combined antenna panel mount</b></p>	<b>PMAF4415</b>
Description	Part Number				
<p><b>TETRA/GPS 806 - 870 mHz sma combined antenna</b></p>	<b>PMAF4408</b>				





## TETRA mobile antennas 380 - 430mHz

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Antenna panel mount 380 - 430 MHz.</b> Mounting Type: panel mount Height: 176mm</p> 	<b>GMAE4255</b>	<p><b>Antenna magnetic mount 380 - 430mhz</b> Mounting Type: magnetic mount. Height: 165mm.</p> 	<b>GMAE4256</b>	<p><b>Antenna covert strip 410 - 430mhz</b> Mounting type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 At cable entry) x19x217.</p> 	<b>GMAE4258</b>
<p><b>Antenna covert strip 410 - 430mhz</b> Mounting type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 At cable entry) x19x217.</p> 	<b>GMAE4259</b>	<p><b>Antenna tetra wall mount 380 - 400 mhz</b> Mounting type: 4 screws to a wall or other surface. Dimension (HxWxL) (mm): 252 x 32.7</p> 	<b>GMAE4262</b>	<p><b>Antenna wall mount 410-430mhz</b> Mounting type: 4 screws to a wall or other surface. Dimension (HxWxL) (mm): 252x32.7</p> 	<b>GMAE4263</b>
<p><b>Antenna motorcycle mount 380 - 400mhz</b> Mounting type: centre bolt with adhesive pad. Height: 420mm. Base diameter: 35mm.</p> 	<b>GMAE4266</b>	<p><b>Antenna motorcycle mount 410 - 430 mhz</b> Mounting type: centre bolt with adhesive pad. Height: 355mm. Base diameter: 35mm.</p> 	<b>GMAE4267</b>		



## TETRA mobile antennas 430 - 470mHz

Description	Part Number	Description	Part Number	Description	Part Number
<b>Antenna glass mount 450 - 470MHz</b> Mounting type: external glass mount Height: 176mm	<b>GMAE4270</b>	<b>Antenna panel mount 430 - 470mhz</b> Mounting type: panel mount. Height: 176mm	<b>GMAE4271</b>	<b>Antenna magnetic mount 430 - 470mhz</b> Mounting type: magnetic Height: 140mm	<b>GMAE4272</b>
					

Description	Part Number	Description	Part Number
<b>Antenna covert strip 430 - 465mhz</b> Mounting type: glass mountable strip. Dimension: (HxWxL)(mm): 2.5 (6.5 At cable entry) x 19 x 217	<b>GMAE4273</b>	<b>Antenna wall mount 450 - 470mhz</b> Mounting Type: 4 screws to a wall or other surface Dimensions: (HxWxL) (mm): 220 x 32.7 x 150	<b>GMAE4275</b>
			



# TETRA mobile antennas 806 - 870mHz

Description	Part Number	Description	Part Number	Description	Part Number
Antenna panel mount 806 - 870 mHz	<b>GMAF4411</b>	Antenna magnetic mount 0dB 806 - 870 mHz	<b>GMAF4412</b>	Antenna magnetic mount 3dB 806 - 870 mHz	<b>GMAF4413</b>

Description	Part Number	Description	Part Number	Description	Part Number
Antenna covert 806 - 870 MHz	<b>GMAF4414</b>	Antenna wall mount 806 - 870 mHz	<b>GMAF4416</b>	Antenna motorcycle mount 806 - 870 mHz	<b>GMAF4417</b>





### GPS only antenna

Description	Part Number
-------------	-------------

**Combined antenna TETRA/GPS**  
380 - 430mhz sma  
Mounting Type: direct  
Dimension (HxWxL) (mm): 18 x 50 x 60  
Height: 154mm

**GMAE4507**



### Bluetooth/Wifi only antenna

Description	Part Number
-------------	-------------

**BT/Wifi magnetic antenna**

**AN000459A01**



# Legacy Items

Accessories for discontinued radios

MTP6650, ST7000, ST7500, and MTM5000



# MTP6650

Portable radio



## Antennas

Description	Part Number	Description	Part Number
Whip antenna 120MM (350 - 470MHz)	PMAE4105	Stubby antenna 60MM (380 - 430MHz)	PMAE4106
			
Description	Part Number	Description	Part Number
Stubby antenna 90MM (380 - 430MHz)	PMAE4107	Stubby antenna 60MM (410 - 470MHz)	PMAE4103
			



## Batteries

Description	Part Number
LI-ION BATTERY 2200mAh IP55*. Compatible with MTP3500/3550/MTP6650.	NNTN8023



Description	Part Number
LI-ION BATTERY 1950mAh IP55*. Compatible with MTP3500/3550/MTP6650.	NNTN8020



Description	Part Number
IMPRES™ 2 LI-ION BATTERY 3400 mAh IP68*. Compatible with MTP3500/3550/6650.	PMNN4522



\* Meets rating of IP67 for MTP3500/3550, IP68 for MTP6650

## Dual chargers

Description	Part Number	Description	Part Number
Desktop SEQUENTIAL Dual-Unit charger Desktop dual-unit charger for charging radio and spare battery sequentially. Operating voltage: 100-240VAC. Compatible with MXP600/MTP3500/MTP3550/MTP6650.	NNTN8246 - UK PLUG  NNTN8244 - US PLUG  NNTN8245 - EURO PLUG	DESKTOP SIMULTANEOUS DUAL-UNIT CHARGER or charging radio and spare battery. Operating voltage:100-240VAC. Compatible with MXP600/MTP3500/ MTP3550/MTP6650.	PMLN6495 - UK PLUG  PMLN6493 - US PLUG  PMLN6494 - EURO PLUG



iTM (Integrated  
Terminal Management)





iTM (Integrated  
Terminal Management)



## IMPRES™ 2 multi-unit chargers and integrated terminal management (iTM) support

Description	Part Number	Description	Part Number
IMPRES™ 2 multi-unit charger, 6 pockets, iTM Includes 6 pockets for radio or battery charging and a single display. Operating voltage: 100-240VAC. iTM capability via integrated hub and single USB connection to charger. IMPRES™ Fleet management: integrated (does not require separate Charging Interface Unit CIU). Requires one USB A to USB micro-B cable (CB000458A07) to connect to PC. (see multi-unit charger accessories section)	PMPN4403 - UK PLUG  PMPN4401 - US PLUG  PMPN4402 - EURO PLUG	IMPRES™ 2 12-WAY MULTI-UNIT CHARGER Allows for charging of 12 radios OR 6 radios and 6 batteries at once. Includes iTM capability via integrated hub and single USB connection to charger. IMPRES™ Fleet management: integrated (does not require separate Charging Interface Unit CIU). Compatible with MTP6000, MTP3000, and MXP600 Series radios but the IMPRES™ functionality is supported on MTP6650 only equipped with IMPRES™ battery (PMNN4522A). Requires one USB A to USB micro-B cable (CB000458A07) to connect to PC. (see multi-unit charger accessories section)	PMPN4218 - UK PLUG  PMPN4216 - US PLUG  PMPN4217 - EURO PLUG



# Charging solutions tetra modular chargers

Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
<p><b>SINGLE CHARGER</b> 90W Power Supply Unit included. Mounting Bracket not included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.</p> 	<p><b>PMPN4534-EU PLUG</b> <b>PMPN4535-UK PLUG</b> <b>PMPN4536-ANZ PLUG</b> <b>PMPN4538-KOREA PLUG</b> <b>PMPN4542-TAIWAN PLUG</b> <b>PMPN4533-US/LA PLUG</b> <b>PMPN4541-CHINA PLUG</b> <b>PMPN4539-JAPAN PLUG</b></p>	<p><b>DUAL CHARGER</b> 90W Power Supply Unit included. Mounting Bracket included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.</p> 	<p><b>PMPN4544-EU PLUG</b> <b>PMPN4545-UK PLUG</b> <b>PMPN4546-ANZ PLUG</b> <b>PMPN4548-KOREA PLUG</b> <b>PMPN4543-US/LA PLUG</b> <b>PMPN4536-ANZ PLUG</b> <b>PMPN4551-CHINA PLUG</b> <b>PMPN4549-JAPAN PLUG</b></p>	<p><b>QUAD CHARGER</b> 201W Power Supply Unit Included. (2) Mounting Brackets included. Compatible with MXP600, MTP3500, MTP3550, and MTP6650 batteries.</p> 	<p><b>PMPN4554 - EU PLUG</b> <b>PMPN4555 - UK PLUG</b> <b>PMPN4556 - ANZ PLUG</b> <b>PMPN4558 - KOREA PLUG</b> <b>PMPN4562 - TAIWAN PLUG</b> <b>PMPN4553 - US/LA PLUG</b> <b>PMPN4561 - CHINA PLUG</b> <b>PMPN4559 - JAPAN PLUG</b></p>	<p><b>MOUNTING BRACKET</b> 1 Bracket holds up to 2 chargers. (1) Included in DUAL CHARGER. (2) Mounting Brackets included in QUAD CHARGER.</p> 	<p><b>BR000-482A01</b></p>

Description	Part Number	Description	Part Number
<p>90W POWER SUPPLY, Included in SINGLE and DUAL CHARGERS.</p> 	<p><b>PS000242A04</b></p>	<p>201W POWER SUPPLY, Included in QUAD CHARGER.</p> 	<p><b>PS000212A02</b></p>




## Personal chargers

Description	Part Number
<b>Wall charger</b> Conveniently and quickly charge your radio. Operating voltage:100-240VAC.	<b>PS000042A33</b> - UK PLUG  <b>PS000042A31</b> - US PLUG  <b>PS000042A32</b> - EURO PLUG



## Multi-unit charger accessories

Description	Part Number
<b>Wall mount bracket</b> For six-way multi-unit charger. Design allows an audio accessory to be attached to the radio while charging (e.g. RSM). The bracket can also hold and secure external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable). Compatible with MTP3500/3550/MTP6650.	<b>BR000272A01</b>



Description	Part Number
<b>USB A TO USB MICRO-B CABLE</b> 1300mm. iTM and fleet management programming cable for chargers.	<b>CB000458A07</b>



## Programming/data cables

Description	Part Number	Description	Part Number
<b>USB DATA CABLE</b> Compatible with MTP3500/3550/MTP6650.	<b>PMKN4129</b>	<b>BOTTOM CONNECTOR SERIAL DATA CABLE</b> Compatible with MTP3500/3550/MTP6650	<b>PMKN4127</b>



iTM (Integrated Terminal Management)



Description	Part Number
<b>KEYFILL CABLE FOR E2E KEYS</b> Compatible with MTP3500/3550/MTP6650	<b>PMKN4124</b>




# Carry solutions

Description	Part Number	Description	Part Number	Description	Part Number
Hard leather case with 3" swivel belt loop	PMLN6249	Soft leather case with 3" swivel belt loop	PMLN6250	Hard leather case with 2.5" Swivel belt loop	PMLN6253
					
Description	Part Number	Description	Part Number	Description	Part Number
Soft leather case with 2.5" Swivel belt loop	PMLN6252	2.5" Replacement leather swivel belt loop For carry cases.	PMLN5580	3" Replacement leather swivel belt loop For carry cases.	PMLN5611
					
Description	Part Number	Description	Part Number	Description	Part Number
Universal chest pack With radio holder, pen holder and velcro secured pocket. Compatible with mtp3500/3550/mtp6650.	HLN6602	Black wrist strap Attaches directly to the radio. Compatible with mtp3500/3550/mtp6650.	HLN9767	Nylon shoulder strap Attaches to d-rings on carry cases. Compatible with all portable radios.	NTN5243
					



## Carry solutions (continued)










Description	Part Number	Description	Part Number
<p><b>2" BELT CLIP</b> Spring belt clip 2 inches long. Compatible with MTP3500/3550/MTP6650 Portable radios.</p> 	<b>PMLN5616</b>	<p><b>2.5" BELT CLIP</b> Spring belt clip 2.5 inches long. Compatible with MTP3500/3550/MTP6650 Portable radios.</p> 	<b>HLN9714</b>

Description	Part Number
<p>Coloured bands easily slip on antennas and enable you to quickly visually identify custom radio user groups. Each ID band kit is sold in packs of 5.</p> 	<p><b>PMLN6285</b> Pack of 5 blue colour rings for antenna</p> <p><b>PMLN6286</b> Pack of 5 pearl white colour rings for antenna.</p> <p><b>PMLN6287</b> Pack of 5 green colour rings for antenna.</p> <p><b>PMLN6288</b> Pack of 5 yellow colour rings for antenna</p> <p><b>PMLN6289</b> Pack of 5 red colour rings for antenna</p>

▶ For BT accessory portfolio compatibility with MTP6650 SERIES, please refer to the BLUETOOTH accessories section



## Remote speaker microphones (RSM)

Description	Part Number	Description	Part Number	Description	Part Number
<p>IMPRES™ LARGE SUBMERSIBLE, WINDPORTING REMOTE SPEAKER MICROPHONE (RSM) High/low volume toggle switch, emergency button and programmable button. IP57 rated.</p> 	PMMN4082	<p>IMPRES™ LARGE NOISE-CANCELLING REMOTE SPEAKER MICROPHONE (RSM) With 3.5mm audio jack and emergency button. IP54 rated.</p> 	PMMN4081	<p>IMPRES™ SMALL, WINDPORTING REMOTE SPEAKER MICROPHONE (RSM) With 3.5mm audio jack and emergency button. IP54 rated.</p> 	PMMN4080
<p>LARGE RSM WITH EMERGENCY BUTTON PTT. One programmable button and volume control.</p> 	PMMN4085	<p>SMALL WINDPORTING REMOTE SPEAKER MICROPHONE With 3.5mm audio jack, IP54. No emergency button.</p> 	PMMN4024	<p>3RECEIVE ONLY COVERED EARBUD With coiled cord for use with personal RSM, 3.5mm jack. Compatible with all TETRA RSMs.</p> 	MDRLN4885
<p>RECEIVE ONLY EARPIECE WITH TRANSLUCENT TUBE And rubber eartip, for use with personal RSM 3.5mm jack. Compatible with all TETRA RSMs.</p> 	PMLN7560	<p>RECEIVE-ONLY FLEXIBLE EARPIECE (Over the ear) for use with RSM, 3.5mm jack. Compatible with all TETRA RSMs.</p> 	WADN4190	<p>ADJUSTABLE D-STYLE RECEIVE ONLY EARPIECE FOR RSM 3.5mm jack. Compatible with MTP3500/3550/MTP6650.</p> 	PMLN7396



## Remote speaker microphones (RSM) continued

Description	Part Number	Description	Part Number	Description	Part Number
<p>Impres™ large submersible windporting RSM</p> <p>With high/low volume toggle switch, emergency button and programmable buttons, 3.5mm audio jack, ip68.</p>	PMMN4099	<p>Impres™ ultra-large windporting rsm</p> <p>With 4-pole nexus jack, emergency button and one programmable button. This rsm includes a front and side push-to-talk. Compatible with savox.</p>	PMMN4113	<p>SAVOX HC-1 HELMET-COM® Bone-mic/single speaker headset with Nexus 4-pole quick release connection. For use with MTP3000 series CC-400 Com-Control PTT, MTP6000 series large Nexus RSM, MXP600 Nexus RSM (NS750) (order separately).</p>	GMMN4585
<p>Savox hc-2 helmet-com® bone-mic/dual speaker headset with nexus 4-pole quick release connection. For use with mtp3000 series cc-400 com-control ptt, mtp6000 series large nexus RSM, mxp600 nexus RSM (ns750) (order separately).</p>	GMMN4584	<p>Receive-only earpiece</p> <p>With translucent tube and rubber eartip. Compatible with all rsms with nexus plug.</p>	PMLN7188		

## Radio earpieces (short cord)




Description	Part Number	Description	Part Number	Description	Part Number
<p>Earpiece receive only</p> <p>Over the ear earpiece. Swivel design. Black, short cord</p>	PMLN7164	<p>Receive only earpiece with voice tube</p> <p>Black. Compatible replacement voice tube and eartip: RIN6242.</p>	PMLN7397	<p>Adjustable D-style receive only earpiece</p> <p>Ear hanger size adjustable as per user's need. Black, short cord.</p>	PMLN7512



## Radio earpieces (long cord)






Description	Part Number	Description	Part Number	Description	Part Number
<p>D-style earset With boom microphone and in-line push-to-talk.</p> 	PMLN5096	<p>Mag one earbud With in-line microphone and Push-to-talk button.</p> 	PMLN6069	<p>Mag one flexible over-the-ear receiver With in-line microphone/PTT.</p> 	PMLN5973
Description	Part Number	Description	Part Number		
<p>Mag one over-the-ear swivel earpiece With in-line microphone and PTT switch.</p> 	PMLN5975	<p>Mag one lightweight earset With boom microphone and in-line push-to-talk.</p> 	PMLN5976		

## Surveillance kits




Description	Part Number	Description	Part Number	Description	Part Number
<p>IMPRES™ 3-wire surveillance kit Separate mic &amp; PTT, with translucent voice tube, one programmable button, long cord, black.</p> 	PMLN6123	<p>IMPRES™ 3-wire surveillance kit Separate mic &amp; PTT, with translucent voice tube, one programmable button, long cord, beige.</p> 	PMLN6124	<p>IMPRES™ 2-wire surveillance kit Combined mic &amp; PTT, with translucent voice tube, one programmable button, long cord, black.</p> 	PMLN6129



## Surveillance kits (continued)






Description	Part Number	Description	Part Number	Description	Part Number
<b>IMPRES™ 2-wire surveillance kit</b> Combined mic & PTT, with translucent tube, one programmable button, long cord, beige.	<b>PMLN6130</b>	<b>2-Wire surveillance kit</b> Combined mic & PTT, with translucent tube, long cord, black.	<b>PMLN6225</b>	<b>1-Wire surveillance kit</b> Receive and transmit, with translucent tube, long cord, black. Features an In-line push-to-talk and microphone combined on a single wire.	<b>NNTN8459</b>
					
Description	Part Number	Description	Part Number		
<b>1-Wire Surveillance Kit Receive only</b> With standard ear loop, long cord, black.	<b>PMLN6125</b>	<b>1-Wire Surveillance Kit Receive only</b> With standard ear loop, long cord, beige.	<b>PMLN6126</b>		
					

## Surveillance kit replacement parts

Description	Part Number	Description	Part Number	Description	Part Number
<b>Quick disconnect acoustic tube</b> Low Noise Kit with translucent tube and 1 clear rubber eartip.	<b>RLN6242</b>	<b>Replacement standard clear rubber eartip (Pack of 50)</b> For RLN6242. Noise reduction is 24 dB. Pack of 50 pairs.	<b>RLN6282</b>	<b>FOAM EARPLUGS (PACK OF 50)</b> For high noise kit solution combine RLN6242 Low noise kit with 5080384F72 replacement foam plugs. Noise reduction is 24 dB. Pack of 50 pairs.	<b>5080384F72</b>
Compatible with 1- 2- and 3-wire kits PMLN6123, PMLN6124, PMLN6129, PMLN6130, NNTN8459, PMLN7397, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece PMLN7560		Compatible with 1, 2- and 3-wire kits: PMLN7397, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6129, PMLN6130, NNTN8459, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece: PMLN7560. Pack of 50.		Compatible with 1, 2- and 3-wire kits: PMLN7397, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6129, PMLN6130, NNTN8459, PMLN6758, PMLN7269, PMLN7270, PMLN6754, PMLN6755 and RSM earpiece: PMLN7560. Pack of 50.	





# Headsets

Description	Part Number	Description	Part Number	Description	Part Number
<p>Behind-the-head heavy duty headset With noise-cancelling boom microphone and push-to-talk earcup. Noise reduction: 24db.</p> 	<p><b>PMLN6852</b></p>	<p>Over the head heavy duty headset With noise-cancelling boom microphone and push-to-talk. Noise reduction: 24db.</p> 	<p><b>PMLN7466</b></p>	<p>Behind-the-head ultra lightweight headset With boom microphone and in-line push-to-talk.</p> 	<p><b>PMLN5102</b></p>
<p>Mag one over-the-head-style headset Lightweight headset with boom microphone and in-line ptt.</p> 	<p><b>PMLN5974</b></p>	<p>Mag one behind-the-head headset With boom microphone and in-line ptt.</p> 	<p><b>PMLN5979</b></p>		













# Radio earpieces (high noise environment)

Description	Part Number	Description	Part Number
<p><b>IMPRES™ bone conductive in-ear microphone system</b> With bone conduction, large rugged in-line push-to-talk with protective ring and one programmable button.</p>	<p><b>PMLN5653</b></p> 	<p><b>IMPRES™ temple transducer bone conduction headset with boom microphone and in-line push-to-talk.</b></p> 	<p><b>PMLN6624</b></p>



# Tactical solutions

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Tactical ptt only interface module</b> Requires secondary audio accessories and optional ptt's.</p> 	<b>PMLN6827</b>	<p><b>Tactical vox ptt interface module</b> Requires secondary audio accessories And optional ptt's.</p> 	<b>PMLN6765</b>	<p><b>Receive transmit tactical boomless</b> Temple transducer headset, noise canceling. For use with ptt only. Module pmln6827 or vox ptt module Pmln6765.</p> 	<b>PMLN6766</b>
<p><b>Tactical ear microphone</b> Built-in bone conduction mic and receiver earpiece. For use with ptt only module pmln6827 or vox ptt module pmln6765.</p> 	<b>PMLN6829</b>	<p><b>Tactical heavy duty temple transducer with boom microphone</b> For use with ptt only module pmln6827 or vox ptt module pmln6765.</p> 	<b>PMLN6833</b>	<p><b>Tactical throat microphone</b> For use with ptt only module pmln6827 or vox ptt module pmln6765.</p> 	<b>PMLN6828</b>
<p><b>Optional remote large tactical PTT body switch</b> For use with PTT only module PMLN6827 or VOX PTT module PMLN6765.</p> 	<b>PMLN6767</b>	<p><b>Optional remote tactical PTT ring switch</b> For use with PTT only module PMLN6827 or VOX PTT module PMLN6765.</p> 	<b>PMLN6830</b>		




# In-vehicle solutions

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Standard digital car kit</b>            Kit includes: junction box, cradle to junction box Cable, power cable, Mounting bracket for Cradle, cradle with rf Connection, smart visor Microphone, 7.5w loudspeaker, push button ptt, Installation manual And user guide.</p>	<p><b>GM0301</b></p>	<p><b>Customised car kit</b>            Pick and choose at point of order various options of cradles, speakers, microphones and ptt's to suit your operational needs. In-vehicle accessories are included in this section.</p>	<p><b>GM0302</b></p>	<p><b>Non-rf cradle radio holder</b>            Non-charging. No external RF connection.</p>	<p><b>PMLN6521</b></p>
<p><b>RF cradle radio holder</b>            Non-charging. Includes external RF connection.</p>	<p><b>PMLN6522</b></p>	<p><b>Vehicular cradle with power adapter holder</b>            Kit includes cradle mounting accessories. For radio charging. Requires vehicular power adapter NNTN8040. No RF connection.</p>	<p><b>PMLN6432</b></p>	<p><b>Vehicular cradle with RF connection and power adapter holder</b>            Kit includes cradle mounting accessories. For radio charging. Requires vehicular power adapter NNTN8040.</p>	<p><b>PMLN6433</b></p>
<p><b>Vehicular charging cradle</b>            With power module and cables for radio charging - hardwired installation. Kit includes cradle mounting accessories. No rf connection.</p>	<p><b>PMLN6434</b></p>	<p><b>Vehicular charging cradle with rf connection</b>            With power module and cables for radio charging - hardwired installation. Kit includes cradle mounting accessories.</p>	<p><b>PMLN6431</b></p>	<p><b>Replacement Three axis rotating mounting bracket</b>            For car kit cradle.</p>	<p><b>FTN6376</b></p>





## In-vehicle solutions (continued)

Description	Part Number	Description	Part Number	Description	Part Number
<p>MTP6650 junction box only excludes connecting cables.</p> 	<b>PMLN6662</b>	<p>Power cable for vehicular power module Required to connect junction box pmln6662a to car battery</p> 	<b>3001204002</b>	<p>Standard cradle to junction box cable allows direct single connection between cradle and junction box.</p> 	<b>PMKN4169</b>
<p>Cradle to junction box y cable Includes additional usb connector for data connection.</p> 	<b>PMKN4170</b>	<p>Dc dc converter 24/12v 6 to 10a isolated Connects to junction box pmln6662.</p> 	<b>WAPN4004</b>	<p>Mobile microphone port (mmp) extension cable Required for connecting fist microphone rmn5107 / rmn5111 or telephone style handset mdhln7016 to junction box pmln6662.</p> 	<b>PMKN4171</b>
<p>IMPRES™ telephone style handset kit Requires mmp* extension cable pmkn4171 to connect to junction box pmln6662.</p> 	<b>MDHLN7016</b>	<p>Compact mobile microphone Requires mmp* extension cable pmkn4171 to connect to junction box pmln6662.</p> 	<b>RMN5107</b>	<p>Heavy duty microphone Requires mmp* extension cable pmkn4171 to connect to junction box pmln6662.</p> 	<b>RMN5111</b>





## In-vehicle solutions (continued)



Description	Part Number	Description	Part Number	Description	Part Number
<b>Visor mounted microphone</b> Connects to junction box PMLN6662. Requires external PTT RLN5926.	<b>PMMN4087</b>	<b>Smart visor microphone</b> Connects to junction box PMLN6662. Requires external PTT RLN5926.	<b>RMN5054</b>	<b>Push button PTT</b> Connects to junction box PMLN6662.	<b>RLN5926</b>
					
Description	Part Number	Description	Part Number	Description	Part Number
<b>Gooseneck PTT</b> Connects to junction box PMLN6662.	<b>RLN4858</b>	<b>Emergency foot switch</b> Connects to junction box PMLN6662.	<b>RLN4836A</b>	<b>External alarm relay &amp; cable</b> Connects to junction box PMLN6662.	<b>GKN6272</b>
					
Description	Part Number	Description	Part Number		
<b>13w external speaker</b> Connects to junction box PMLN6662.	<b>RSN4002</b>	<b>7.5w external speaker</b> Connects to junction box PMLN6662.	<b>RSN4003</b>		
					




## In-vehicle solutions (continued)

Description	Part Number	Description	Part Number
<p><b>Speaker extension cable</b> Allows you to use the speaker with a longer distance to the radio. Compatible with speakers: RSN4002 and RSN4003. To be assembled together with the accessory connector kit PMLN5072.</p> 	<b>PMKN4119</b>	<p><b>Vehicular power adapter 12 - 24v plug</b> Allows radio to charge in vehicle. Compatible with MTP3500/3550/MTP6650.</p> 	<b>NNTN8040</b>

## In-vehicle antennas

Description	Part Number	Description	Part Number
<p><b>Combined TETRA/GPS antenna 380 - 430MHz</b> Antenna kit includes combined GPS and TETRA Antenna, all required cables, FTN6790 DC 5V adapter and GMAE4264 Duplexer Box.</p> 	<b>GMAE4290</b>	<p><b>Combined TETRA/GPS antenna 430 - 470MHz</b> Antenna Kit includes combined GPS and TETRA Antenna, all required cables, FTN6790 DC 5V adapter and GMAE4264 Duplexer Box.</p> 	<b>GMAE4293</b>

## Dust covers

Description	Part Number	Description	Part Number
<p><b>Bottom connector dust cover</b> Protects the radio accessory connector when Motorola Original accessories are not being used. Compatible with MTP3500/3550/MTP6650.</p>	<b>PMHN4210</b>	<p><b>Side connector dust cover</b> Protects the radio accessory connector when original Motorola accessories are not being used.</p> 	<b>15012157001</b>

▶ For BT accessory portfolio compatibility with MTP6650 SERIES or MTP600, please refer to the BLUETOOTH accessories section.



# ST7500

Compact TETRA radio



## Chargers

Description	Part Number	Description	Part Number
<b>IMPRES™ 2 dual-unit charger</b> Kit includes charger base and power supply with USB-C connector. Front pocket charges one device and rear pocket charges one spare battery. Operating voltage: 100-240VAC.	<b>PMPN4502</b> UK kit	<b>Battery only single-unit charger</b> Charges one single battery only. Kit includes charger base and power supply with USB-C connector. Compatible with ST7000, ST7500 and TPG2200.	<b>PMPN4447</b> UK kit
	<b>PMPN4509</b> US kit		<b>PMPN4445</b> US kit
	<b>PMPN4501</b> Euro kit		<b>PMPN4446</b> Euro kit

Description	Part Number	Description	Part Number
<b>IMPRES™ 2 six-way battery-only multi-unit charger</b> Allows you to charge six spare batteries. Operating voltage: 100-240VAC. Compatible with battery for ST7000, ST7500 and TPG2200.	<b>PMPN4373</b> UK kit	<b>IMPRES™ 2 six-way multi-unit charger</b> Operating voltage:100-240VAC. Accommodates radio or battery. iTM enabled with integrated hub. Requires cable CB000458A07 (USB A to USB micro-B cable, 1300mm).	<b>PMPN4393</b> UK kit
	<b>PMPN4371</b> US kit		<b>PMPN4461</b> US kit
	<b>PMPN4372</b> Euro kit		<b>PMPN4392</b> Euro kit



## Battery and Mounts

Description	Part Number	Description	Part Number
<b>IMPRES™ 2 Li-Ion mAh slim battery</b> Compatible with ST7000, ST7500 and TPG2200.	<b>PMNN4510</b>	<b>Wall mount bracket for six-way multi-unit charger</b> For six-way multi-unit charger. Design allows an audio accessory to remain attached to the radio while charging (e.g. RSM). The bracket can also hold and secure the external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable).	<b>BR000272A01</b>



## Antennas



Description	Part Number	Description	Part Number
<b>Stubby antenna 380-430 MHz</b> Length: 28mm	<b>AN000169A01</b>	<b>Stubby antenna 380-430 MHz</b> Length: 57mm	<b>AN000262A01</b>




Description	Part Number
<b>Antenna bands</b> Coloured bands easily slip on antennas and enable you to quickly visually identify custom radio user groups. Each ID band kit is sold in packs of 10.	<b>PMLN7636</b> Grey  <b>PMLN7638</b> Red  <b>PMLN7640</b> Purple  <b>PMLN7637</b> Yellow  <b>PMLN7639</b> Blue






## Misc.

Description	Part Number	Description	Part Number	Description	Part Number
Carry holster with swivel clip 	PMLN7841	Replacement battery cover	PMHN4389	USB-A to USB micro-B iTM cable for multi-unit charger Length: 1300mm. Compatible with IMPRES™ 2 six-way multi-unit chargers. 	CB000458A07

Description	Part Number	Description	Part Number	Description	Part Number
Programming cable USB programming and AIE keyloading with KVL4000. 	PMKN4203	Dust cover	HN0001402A01	Cosmetic label Pack of 50.	PMLN7951

## Audio

Description	Part Number	Description	Part Number	Description	Part Number
IMPRES™ small remote speaker microphone Compact and powerful, the IMPRES™ Small Remote Speaker Microphone is built with the same minimal design of the ST7500 but features a 3.5mm audio jack and emergency button for more control on the job. 	PMMN4550	1-wire RX only earpiece with translucent tube This 1-wire receive-only earpiece connects directly to the ST7500 with MAC13 connection and is designed for discreet communication with all-day comfort. 	PMLN6900	3.5mm RX only earpiece with translucent tube Receive communication discreetly with this receive-only earpiece. The translucent acoustic tube has been designed for all-day comfort and the earpiece features a 3.5 mm connector for use with remote speaker microphone PMMN4550. 	PMLN7844



# ST7000

Small TETRA radio




## Batteries and Chargers


Description	Part Number	Description	Part Number
<b>IMPRES™ 2 Li-Ion 2300 mAh slim battery</b> Compatible with ST7000, ST7500 and TPG2200.	<b>PMNN4510</b>	<b>IMPRES™ 2 multi-unit charger</b> iTM enabled 12-way charger. Operating voltage:100-240VAC. Requires USB A to USB micro-B cable CB000521A01 per each pocket (length 1.5m).	<b>PMPN4122</b> UK plug <b>PMPN4121</b> Euro plug





Description	Part Number	Description	Part Number
<b>Wall-mount bracket for 12-way multi-unit charger</b>	<b>BR000270A01</b>	<b>USB-C wall charger</b> Operating voltage:100-240VAC. Compatible with ST7000 and TPG2200.	<b>PS000150A23</b> UK plug (1M) <b>PS000150A21</b> US plug (1M) <b>PS000150A22</b> Euro plug (1M) <b>PS000150A52</b> Euro plug (1.8M)





## Batteries and Chargers (continued)

Description	Part Number	Description	Part Number	Description	Part Number
<b>Battery only single-unit charger</b> Kit includes charger base and power supply with USB-C connector. Charges one single battery. Operating voltage: 100-240VAC. Compatible with ST7000, ST7500 and TPG2200.	<b>PMPN4447</b> UK kit  <b>PMPN4445</b> US kit  <b>PMPN4446</b> Euro kit	<b>IMPRES™ six-way battery only multi-unit charger</b> Charges up to six spare batteries. Operating voltage: 100-240VAC. Compatible with battery for ST7000, ST7500 and TPG2200	<b>PMPN4373</b> UK plug  <b>PMPN4371</b> US plug  <b>PMPN4372</b> Euro plug	<b>Vehicular power adapter with USB connector</b> In-vehicle charging with 12/24V input - 1.5A. Compatible with ST7000, TPG2200 and BT Wireless Pod NNTN8191.	<b>PMLN7745</b>
					




Description	Part Number	Description	Part Number
<b>Wall mount bracket for six-way multi-unit charger</b> For six-way multi-unit charger. Design allows an audio accessory to remain attached to the radio while charging (e.g. RSM). The bracket can also hold and secure the external power supply behind the installed charger hence concealing it and providing a neat installation (no dangling cable).	<b>BR000272A01</b>	<b>USB-A to USB micro-B iTM cable for multi-unit charger</b> Length: 1.5m. Compatible with ST7000, ST7500, TPG2200 and BT Wireless Pod NNTN8191.	<b>CB000521A01</b>
			



# Audio

Description	Part Number	Description	Part Number
<b>3.5mm audio jack mono earbud</b> With Inline Microphone and Push-to-Talk.	<b>PMLN7540</b>	<b>3.5mm audio jack two-wire earpiece</b> With combined Microphone/ Push-to-Talk and Translucent Tube.	<b>PMLN7541</b>
			

# Carry Solutions

Description	Part Number	Description	Part Number	Description	Part Number
<b>Carry holster</b> Includes belt clip attachment.	<b>PMLN7510</b>	<b>Carry sling</b> Colour: black/grey. Includes break-away adjustable shoulder strap.	<b>PMLN7511</b>	<b>Wrist strap</b> Colour: black	<b>HLN9767</b>
					



# Antennas

Description	Part Number	Description	Part Number
Stubby antenna 380-430 mHz, 25mm	<b>AN000168A01</b>	<b>Antenna bands</b> Coloured bands easily slip on antennas and enable you to quickly visually identify custom radio user groups. Each ID band kit is sold in packs of 10.	<b>PMLN7636</b> Grey  <b>PMLN7638</b> Red  <b>PMLN7640</b> Purple  <b>PMLN7637</b> Yellow  <b>PMLN7639</b> Blue



# Misc.

Description	Part Number	Description	Part Number	Description	Part Number
Replacement battery cover	<b>PMHN4359</b>	Battery door removal tool	<b>HW001104A01</b>	USB-C to USB-A radio programming cable Compatible with ST7000 and TPG2200.	<b>PMKN4196</b>



# MTM5000 Series

MTM5400 &

MTM5500 TETRA mobile radios









MTM5500



MTM5400

## Mobile Microphones


Description	Part Number	Description	Part Number
<b>Desktop microphone with Push-to-Talk</b> Compatible with desk mount installation. Transmit only.	<b>RMN5106</b>	<b>Heavy duty microphone with Push-to-Talk</b> Compatible with desk mount/dash mount/remote mount/motorcycle mount. Transmit only.	<b>RMN5111</b>
			
Description	Part Number	Description	Part Number
<b>Hearer speaker microphone with 3.5mm jack</b> Volume control and emergency button. Compatible with desk mount/dash mount/remote mount/motorcycle mount.	<b>PMMN4086</b>	<b>Compact mobile microphone with Push-to-Talk</b> Compatible with desk mount/dash mount/remote mount/motorcycle mount. Transmit only.	<b>RMN5107</b>
			
Description	Part Number	Description	Part Number
<b>IMPRES™ visor microphone</b> Requires external PTT. Compatible with dash mount/remote mount.	<b>RMN5054</b>	<b>Visor mounted microphone</b> Requires external PTT. Compatible with dash mount/remote mount.	<b>PMMN4087</b>
			



## Speakers




Description	Part Number	Description	Part Number	Description	Part Number
<p><b>13W external speaker</b> For receiving in high noise working environments. Compatible with desk mount/dash mount/remote mount/motorcycle mount.</p> 	<b>RSN4002</b>	<p><b>7.5W external speaker</b> Compatible with desk mount/dash mount/remote mount/motorcycle mount.</p> 	<b>RSN4003</b>	<p><b>Speaker extension cable</b> Compatible with external speakers RSN4002/RSN4003.</p>	<b>PMNKN4119</b>


## Mobile handset

Description	Part Number
<p><b>IMPRES™ telephone style handset kit</b> Compatible with desk mount/dash mount/remote mount. Kit includes hangup cup.</p> 	<b>MDHLN7016</b>





## Push-to-Talk and Specific Kits


Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Push button Push-to-Talk</b> Can be held in the hand or mounted to vehicles. Compatible with dash mount/remote mount.</p> 	<b>RLN5926</b>	<p><b>Gooseneck Push-to-Talk</b> Placed in the steering wheel column, it remotely activates the PTT in the microphone. Compatible with dash mount/remote mount.</p> 	<b>RLN4858</b>	<p><b>Emergency foot switch</b> Easily and secretly triggers an emergency signal that is sent to the base station. Compatible with dash mount/remote mount.</p> 	<b>RLN4836</b>

Description	Part Number	Description	Part Number
<p><b>External alarm relay</b> Compatible with dash mount/remote mount.</p>	<b>GMLN5091</b>	<p><b>Rear mobile accessory connector kit</b></p> 	<b>PMLN5072</b>






## Junction Box and Cables



Description	Part Number	Description	Part Number	Description	Part Number
<b>Data junction box with accessory connector</b> Compatible with dash mount/ remote mount.	<b>GMLN5089</b>	<b>6M junction box to transceiver cable</b> Compatible with dash mount/ remote mount.	<b>PMKN4101</b>	<b>4M junction box to transceiver cable</b> Compatible with dash mount/remote mount.	<b>PMKN4102</b>
					

Description	Part Number	Description	Part Number
<b>2M junction box to transceiver cable</b> Compatible with dash mount/remote mount.	<b>PMKN4103</b>	<b>Expanded accessory terminal kit</b> Hardware Kit for use with the expanded accessory connector (includes 16 connector pins, (9) 8" wires with pins attached and an extra housing). Compatible with dash mount/remote mount.	<b>HLN9457</b>
			





## Legacy Accessories (connected to the MTM5400 through junction box only)


Description	Part Number	Description	Part Number	Description	Part Number
<b>Fist microphone with Push-to-Talk</b> Transmit only. Compatible with dash mount/remote mount.	<b>GMMN4063</b>	<b>Large external speaker 13 watts</b> For receiving in high noise working environments. Compatible with dash mount/remote mount.	<b>GMSN4066</b>	<b>Small external speaker 5 watts</b> Compatible with dash mount/remote mount.	<b>GMSN4078</b>
					

Description	Part Number	Description	Part Number
<b>Speaker extension cable</b> Compatible with external speakers GMSN4066/GMSN4078.	<b>GMKN4084</b>	<b>Push button Push-to-Talk</b> Can be held in the hand or mounted to vehicles.	<b>RLN4857</b>
			





# Mounting Solutions for Control Heads

Description	Part Number	Description	Part Number
<b>Standard remote mount trunnion kit</b> Compatible with remote mount.	<b>PMLN4912</b>	<b>Enhanced control head din trunnion</b> Compatible with remote mount.	<b>PMLN5093</b>
			

Description	Part Number	Description	Part Number
<b>Motorcycle enhanced control head trunnion</b> Compatible with remote mount.	<b>PMLN5092</b>	<b>Slim mounting bracket for control head</b> Compatible with MTM5500 only.	<b>PMLN6346</b>
			



# Mounting Solutions for Transceivers

Description	Part Number	Description	Part Number
<b>High profiling mounting bracket</b> Compatible with all mobile transceivers.	<b>GLN7317</b>	<b>Low profile mounting bracket</b> Compatible with all mobile transceivers.	<b>GLN7324</b>
			

Description	Part Number	Description	Part Number
<b>Key lock mounting bracket</b> Compatible with all mobile transceivers.	<b>RLN4779</b>	<b>Din mounting kit</b> Compatible with all mobile transceivers.	<b>PMLN5094</b>
			



# Desktop Mounting Solutions

Description	Part Number	Description	Part Number
-------------	-------------	-------------	-------------

**Base tray without speaker**  
Compatible with desk mount.

**GLN7318**





**Desktop tray with speaker**  
Compatible with desk mount.

**RSN4005**








# Power Solutions

Description	Part Number	Description	Part Number	Description	Part Number
<p><b>Wedge power supply</b> Small compact design and true desktop styling. 6 Amp continuous usage. Requires DC cable PMKN4165A and line cord. Compatible with desk mount.</p>	<b>PMPN4076</b>	<p><b>High current power supply</b> Integrated DC cable with ignition sense output. AC input voltage range: 90 to 275 VAC. DC Output Voltages: 0 to +14.1V. 8 Amp Continuous usage. Kit includes US power cord - requires line cord for EU or UK.</p>	<b>HPN4007</b>	<p><b>Small power supply</b> Includes wall bracket. 6 Amp continuous usage. Requires DC cable PMKN4165 and line cord. Compatible with desk mount.</p>	<b>PMPN4055</b>
					

Description	Part Number	Description	Part Number
<p><b>DC power cable</b> For use with PMPN4076 and PMPN4055 power supplies.</p>	<b>PMKN4165</b>	<p><b>Power cable</b> Right-angled connector. Compatible with desk mount.</p>	<p><b>NTN7375</b> UK plug</p> <p><b>NTN7373</b> US plug</p> <p><b>NTN7374</b> Euro plug</p>
			






## Installation Cables for MTM5400



Description	Part Number	Description	Part Number	Description	Part Number
<b>Remote mount cable 3M</b> Compatible with remote mount/motorcycle mount.	<b>RKN4077</b>	<b>Remote mount cable 5M</b> Compatible with remote mount/motorcycle mount.	<b>RKN4078</b>	<b>Remote mount cable 7M</b> Compatible with remote mount/motorcycle mount.	<b>RKN4079</b>
					
Description	Part Number	Description	Part Number	Description	Part Number
<b>Remote mount cable 10M</b> Compatible with remote mount/motorcycle mount.	<b>PMKN4020</b>	<b>Remote mount cable 2.3M</b> Compatible with motorcycle mount only.	<b>PMKN4030</b>	<b>Accessory expansion cable 2.3M</b> Connects at the rear of the remote control head and provides connectivity for GPIOs and for a second microphone port. Compatible with remote mount/motorcycle mount.	<b>PMKN4029</b>
					
Description	Part Number				
<b>Accessory expansion cable 4M</b> Connects at the rear of the remote control head and provides connectivity for GPIOs and for a second microphone port. Compatible with remote mount/motorcycle mount.	<b>PMKN4056</b>				



## Programming and Data Cables








Description	Part Number	Description	Part Number	Description	Part Number
<b>Active data cable</b> Compatible with dash mount/remote mount/motorcycle mount/data mount.	<b>PMKN4104</b>	<b>Mobile programming cable</b> Programming from the front of the radio. Control Head connection. Compatible with dash mount/desk mount/remote mount/motorcycle mount/data mount.	<b>HKN6184</b>	<b>USB flash cable</b> USB cable to connect to the rear of the transceiver.	<b>PMKN4110</b>
					

## Battery Power Cables

Description	Part Number	Description	Part Number	Description	Part Number
<b>12V power cable to battery with fuse 10A (3M)</b> Compatible with all transceivers.	<b>GKN6270</b>	<b>12V power cable to battery with fuse 10A (6M)</b> Compatible with all transceivers.	<b>GKN6274</b>	<b>Ignition sense cable</b> Compatible with all transceivers.	<b>PMKN4120</b>
					



## Cables Unique to MTM5000

Description	Part Number	Description	Part Number	Description	Part Number
<b>Ethernet cable 3M</b> Compatible with MTM5500.	<b>PMKN4141</b>	<b>Ethernet cable 5M</b> Compatible with MTM5500.	<b>PMKN4140</b>	<b>Ethernet cable 7M</b> Compatible with MTM5500.	<b>PMKN4139</b>
					
Description	Part Number	Description	Part Number	Description	Part Number
<b>Ethernet cable 10M</b> Compatible with MTM5500.	<b>PMKN4138</b>	<b>Ethernet cable 12M</b> Compatible with MTM5500.	<b>PMKN4136</b>	<b>Ethernet cable 15M</b> Compatible with MTM5500.	<b>PMKN4146</b>
					
Description	Part Number	Description	Part Number	Description	Part Number
<b>Ethernet cable 40M</b> Compatible with MTM5500.	<b>PMKN4135</b>	<b>Multiple radio control crossover ethernet cable 0.5M</b>	<b>PMKN4176</b>	<b>Multiple radio control crossover ethernet cable 3M</b>	<b>PMKN4177</b>
					



# Cables Unique to MTM5000 (continued)

Description	Part Number	Description	Part Number
Multiple radio control crossover ethernet cable 7M	PMKN4178	Ethernet control head accessory Y-cable	PMKN4133



Description	Part Number	Description	Part Number
Telephone style control head accessory Y-cable	PMKN4134	Accessory Y cable connector kit For extending audio from rear of Ethernet Control Head and Telephone Style Control Head.	PMLN6487



## GPS Antennas









Description	Part Number	Description	Part Number	Description	Part Number
<b>Combined antenna TETRA/GPS 380-430 mHz SMA</b> Mounting Type: direct Dimension (HxWxL) (mm): 18 x 50 x 60 Height: 154mm	<b>GMAE4507</b>	<b>Combined antenna TETRA/GPS 430-472 mHz SMA</b> Mounting Type: direct Dimension (HxWxL)(mm): 18x50x60 Height: 154mm.	<b>PMAE4269</b>	<b>GPS only antenna panel mount SMA</b> Mounting Type: direct (panel/roof) Dimension (HxWxL) (mm): 18x50x60.	<b>GMAG4253</b>

## Telephone Style Control Head Identification

Description	Part Number	Description	Part Number	Description	Part Number
<b>GPS only antenna magnetic mount SMA</b> Mounting Type: magnetic mount Dimension (HxWxL) (mm): 18x50x60.	<b>GMAG4254</b>	<b>GPS adaptor</b> To enable reuse of MTM800 Enhanced FME GPS Antennas.	<b>PMKN4114</b>	<b>Colour strips</b> Pack of five.	<b>PMLN6335</b> White  <b>PMLN6337</b> Red  <b>PMLN6339</b> Blue  <b>PMLN6336</b> Green  <b>PMLN6338</b> Yellow





## TETRA Mobile Antennas 380-430 mHz

Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
<b>Antenna glass mount 380-400 mHz</b> Mounting Type: external glass mount Height: 259mm.	<b>GMAE4253</b>	<b>Antenna glass mount 410-430 mHz</b> Mounting Type: external glass mount Height: 259mm.	<b>GMAE4254</b>	<b>Antenna panel mount 380-430 mHz</b> Mounting Type: panel mount Height: 176mm.	<b>GMAE4255</b>	<b>Antenna magnetic mount 380-430 mHz</b> Mounting Type: magnetic mount. Height: 165mm.	<b>GMAE4256</b>
							
Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
<b>Antenna low profile 380-400 mHz</b> Mounting Type: centre bolt with adhesive pad. Height: 45mm. Base diameter: 160mm.	<b>GMAE4260</b>	<b>Antenna low profile 410-430 mHz</b> Mounting Type: centre bolt with adhesive pad. Height: 45mm. Base diameter: 160mm.	<b>GMAE4261</b>	<b>Antenna TETRA wall mount 380-400 mHz</b> Mounting Type: 4 screws to a wall or other surface. Dimension (HxW) (mm): 252 x 32.7.	<b>GMAE4262</b>	<b>Antenna wall mount 410-430 mHz</b> Mounting Type: 4 screws to a wall or other surface. Dimension (HxW)(mm): 252x32.7.	<b>GMAE4263</b>
							
Description	Part Number	Description	Part Number	Description	Part Number	Description	Part Number
<b>Antenna motorcycle mount 380-400 mHz</b> Mounting Type: centre bolt with adhesive pad. Height: 420mm. Base diameter: 35mm.	<b>GMAE4266</b>	<b>Antenna motorcycle mount 410-430 mHz</b> Mounting Type: centre bolt with adhesive pad. Height: 355mm. Base diameter: 35mm.	<b>GMAE4267</b>	<b>Antenna covert strip 380-400 mHz</b> Mounting Type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 at cable entry) x19x217.	<b>GMAE4258</b>	<b>Antenna covert strip 410-430 mHz</b> Mounting Type: glass mountable strip. Dimension (HxWxL) (mm): 2.5 (6.5 at cable entry) x19x217.	<b>GMAE4259</b>
							



## TETRA Mobile Antennas 380-430 mHz (continued)

Description	Part Number	Description	Part Number	Description	Part Number
<b>Antenna whip flexible 380-430 mHz</b> Requires antenna mount GMLN4276, GMLN4277 or GMLN4278.	<b>GMAE4281</b>	<b>Antenna whip flexible 380-400 mHz</b> Requires base GMLN4276, GMLN4277 or GMLN4278.	<b>GMAE4279</b>	<b>Antenna whip 380-430 mHz</b> Requires antenna mount GMLN4276, GMLN4277 or GMLN4278.	<b>GMAE4284</b>
					

Description	Part Number	Description	Part Number	Description	Part Number
<b>Antenna panel mount base</b> Thickness up to 4mm. Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284.	<b>GMLN4276</b>	<b>Antenna panel mount base</b> Thickness up to 6mm. Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284.	<b>GMLN4277</b>	<b>Antenna magnetic mount base</b> Requires whip GMAE4279, GMAE4280, GMAE4281, GMAE4282, GMAE4283 or GMAE4284.	<b>GMLN4278</b>
					



## TETRA Mobile Antennas 430-470 mHz

Description	Part Number	Description	Part Number	Description	Part Number
<b>Antenna glass mount 450-470 mHz</b> Mounting Type: external glass mount. Height: 176mm.	<b>GMAE4270</b>	<b>Antenna panel mount 430-470 mHz</b> Mounting Type: panel mount. Height 176mm.	<b>GMAE4271</b>	<b>Antenna magnetic mount 430-470 mHz</b> Mounting Type: magnetic. Height 140mm.	<b>GMAE4272</b>
Description	Part Number	Description	Part Number	Description	Part Number
<b>Antenna low profile 430-470 mHz</b> Mounting Type: centre bolt with adhesive pad. Height: 45mm. Base diameter: 160mm.	<b>GMAE4274</b>	<b>Antenna covert strip 430-465 mHz</b> Mounting Type: Glass mountable strip. Dimension (HXWXL)(mm): 2.5 (6.5 at cable entry) x 19 x 217.	<b>GMAE4273</b>	<b>Antenna wall mount 450-470 mHz</b> Mounting Type: 4 screws to a wall or other surface. Dimensions (HxWxL)(mm): 220 x 32.7 x 150.	<b>GMAE4275</b>
Description	Part Number				
<b>Antenna whip hinged 450 mHz</b> Requires antenna mount GMLN4276, GMLN4277 or GMLN4278.	<b>GMAE4285</b>				



For more information on Motorola accessories,  
visit: [motorolasolutions.com/TETRA](https://motorolasolutions.com/TETRA)  
or contact your Motorola Solutions  
Sales Representative.



**MOTOROLA SOLUTIONS**