VB400 BODY-WORN CAMERA

The VB400 body-worn camera is designed for 21st century public safety and security.



GENERAL INFORMATION

The VB400 is suited to applications where shift-long battery life and high-quality video evidence capture is required.

Typical Usage

The VB400 represents the next generation of body-worn camera technology. Rugged build quality. High performance. Multiple ways to connect. Delivering the features you need to take control of every situation.

Management Software

- VideoManager 12.1 or later
- Requires VideoManager Licence or Cloud Service

SIZE AND WEIGHT

Dimensions 68mm x 89mm x 26.6mm

Weight 162g, plus mounting

BATTERY

| Battery | Integral, not user serviceable |
|--------------------------|--|
| Battery Type | Lithium-Polymer |
| Battery Recharging Times | Typically recharges in less than 8 hours |
| Run Time | Up to 12-hrs when used with optimum camera settings* |

AUDIO

| Audio Capture | Dual Microphone | |
|---------------------------|---|--|
| | Enable audio recording for: • All footage | |
| Configurable Audio Policy | All footage except footage captured during pre-record | |

No footage

CAMERA

| Switches | Five software-configurable switches (top switch, two small front switches, large central switch and side-mounted slide switch) |
|-----------------------|--|
| Lens Capture Angle | 120° horizontal, 65° vertical, 140° diagonal |
| Day / Night Operation | Supports low light conditions to 0.2 lux |
| Notification | Configurable LEDs, audible and vibration alerts and notifications |

CAMERA FEATURES

| Peer-assisted Recording | Triggers the camera to start recording when other VB400s are within a configurable radius | | |
|---------------------------------------|--|--|--|
| Holster Sensor Option | Triggers the camera to start recording when a firearm is unholstered | | |
| Pre / Post-Record Facility | Full-shift pre / post-record, with up to 2 minute pre / post-recording buffer | | |
| RFID Assignment | Use RFID to allocate cameras to users | | |
| | This enables efficient pooled issue of cameras, or RFID controlled personal allocation | | |
| Bookmark Footage | Instantly mark important video footage by pressing a configured switch or button | | |
| Recording Status User Notification | Vibration, visual and audible notification | | |
| GPS | Integral GPS receiver. Mark video streams and recordings with location, and provide location data to management software | | |
| Bluetooth® | BT 2.1 + EDR, BLE 4.2 | | |





| VIDEO AND RECORDING | |
|----------------------------|---|
| Video Recording Format | H.264 format with H.265 in future release |
| Resolution | 1920 x 1080 p, 1280 x 720 p and 640 x 360 p |
| Frame Rate | 25 or 30 frames per second |
| Recording Storage Capacity | 64 GB |

| APPROVALS AND ENVIRONMENTAL | | |
|---|---|--|
| Ingress Protection | IP67 | |
| Environmental Temperature Operational Rating | Operating: -20°C to +50°C Charging: 0°C to +25°C | |
| Drop Tested | Tested to MIL STD 810G | |

| WI-FI® FEATURES | |
|----------------------|--------------------------------|
| Wi-Fi Specifications | 802.11 a/b/g/n (2.4GHz & 5GHz) |
| Wi-Fi Security | WPA2-PSK |
| Wi-Fi Streaming | 640 x 360 25 or 30 fps |

| SECURITY | |
|---|---|
| Network Data Security on USB Storage Media | VB400 does not appear as a USB storage device, and cannot receive files whilst connected to a Wi-Fi network |
| Digital Evidence Integrity Chain | Full audit trail with generated check-sums and watermarked evidential outputs |
| Audit Trail | Usage, operations and recording details all audit-logged and indexed |
| Video Downloading Protected by Encryption | AES, encrypted keys specific to base station |
| Recordings View, Copy and Deletion Ability | The VB400 wearer cannot access, view or delete any recordings directly from the device |
| Storage Media Access | Sealed unit with no user access to storage media |







VB400 MODELS

VB440-64-KF-N & ACCESSORIES

VB400 (VB-440-64-KF-N) - SUITABLE FOR DIRECTLY ATTACHING TO THE KLICK FAST FIXING OPTIONS



Features include:

Wi-Fi streaming, Built-in GPS functionality, Bluetooth sensor monitoring, Ruggedised exterior, 64GB storage, Slimline battery (up to 12hrs recording time), please speak to your account manager for warranty options.

PLEASE NOTE: Requires VideoManager Enterprise Licence or VideoManager Cloud Service. Please speak to your account manager for further details.

PART NUMBER: VB-440-64-KF-N

















VB-400-DOCK-14/UK etc.

DC-200/UK etc.

VB-400-EXT-CHARGE

RF-CARD-10

VB-400-ID-CUS-ART

VB-400-ID-CUS-100 etc.

CHARGERS, DOCKCONTROLLERS, RFIDS & CUSTOM DISPLAY STICKERS

| VB-400-DOCK-SOLO | VB400 1-Port Dock | RF-STICKER-10 | RFID Sticker-Style Tag (x10) |
|---|---|--|--|
| VB-400-DOCK-14/UK, VB-400-DOCK-14/EU, VB-400-DOCK-14-US, VB-400-DOCK-14/AUS, VB-400-DOCK-14/ROW | VB400 14-Port Dock | RF-CARD-10 | RFID-Card (x10) |
| DC-200/UK, DC-200/EU, DC-200-US, DC-200/AUS, DC-200/ROW | DockController DC-200 | VB-400-ID-CUS-ART | Custom VB400 Front-button Sticker (Design) |
| VB-400-EXT-CHARGE | USB Type A to VB400 Adaptor and Charging Cable | VB-400-ID-CUS-250, VB-400-ID-CUS-1000, VB-400-ID-CUS-5000 | Custom VB400 Front-button Sticker (Print). Can be ordered in the following amounts: 250, 1000, 5000 |
| RF-220 | RFID RF-220 | | |

VB440-64-KF-APAC & ACCESSORIES (CONTINUED)

























KF-SCREW

KF-DOCKCLAMP

KF-MAGMOUNT2

KF-MOLLEVEST

KF-DOCKBUTTONM KF-DOCKBUTTONF KF-DOCK05BVELCRO KF-DOCKRUCKSACK KF-DOCKCROCCLIP KF-DOCKCROCCLAT

| KLICK FAST FIXINGS** | | | |
|----------------------|--|--|--|
| KF-SCREW | Klick Fast Uniform Screw-on Dock | | |
| KF-LOOP | Klick Fast Radio Loop Dock | | |
| KF-DOCKCLAMP | Klick Fast Dock Clamp (Pocket Klick Fast Dock) | | |
| KF-DOCKEP | Klick Fast Dock Epaulette | | |
| KF-MAGMOUNT2 | Klick Fast Magnetic Mounting Set (w/ Magnets) | | |
| KF-MOLLEVEST | Klick Fast Dock for MOLLE Vests | | |

| KF-DOCKBUTTONM | Klick Fast Button Dock (Male) |
|------------------|---|
| KF-DOCKBUTTONF | Klick Fast Button Dock (Female) |
| KF-DOCK05BVELCRO | Klick Fast Belt Loop |
| KF-DOCKRUCKSACK | Klick Fast Rucksack Dock |
| KF-DOCKCROCCLIP | Klick Fast Crocodile Clip |
| KF-DOCKCROCCLAT | Klick Fast Crocodile Clip (w/ Anti-tilt Attachment) |
| | |







| Kr-HANINS | Kr-HAHN4 | Kr-HARIN5 | y | |
|----------------------|----------------------------|-----------|---|--|
| KLICK FAST HARNESSES | | | | |
| KF-HARN3 | Klick Fast 3-Point Chest I | Harness | | |
| KF-HARN4 | Klick Fast 4-Point Chest I | Harness | | |
| KF-HARN5 | Klick Fast Shoulder Harn | ess | | |



VB440-64-QR-N & ACCESSORIES

VB400 (VB-440-64-QR-N) - SUITABLE FOR ATTACHING TO THE QUICK RELEASE FIXING OPTIONS



Features include:

Wi-Fi streaming, Built-in GPS functionality, Bluetooth sensor monitoring, Ruggedised exterior, 64GB storage, Slimline battery (up to 12hrs recording time), please speak to your account manager for warranty options.

PLEASE NOTE: Requires VideoManager Enterprise Licence or VideoManager Cloud Service. Please speak to your account manager for further details.

PART NUMBER: VB-440-64-QR-N



CHARGERS, DOCKCONTROLLERS, RFIDS & CUSTOM DISPLAY STICKERS

| VB-400-DOCK-SOLO | VB400 1-Port Dock | RF-STICKER-10 | RFID Sticker-Style Tag (x10) |
|--|---|--|--|
| VB-400-DOCK-14/UK, VB-400-DOCK-14/EU, DOCK-14-US, VB-400-DOCK-14/AUS, VB-400-DOCK-14/ROW | VB400 14-Port Dock | RF-CARD-10 | RFID-Card (x10) |
| DC-200/UK, DC-200/EU, DC-200-US, DC-200/AUS, DC-200/ROW | DockController DC-200 | VB-400-ID-CUS-ART | Custom VB400 Front-button Sticker (Design) |
| VB-400-EXT-CHARGE | USB Type A to VB400 Adaptor and Charging Cable | VB-400-ID-CUS-250, VB-400-ID-CUS-1000, VB-400-ID-CUS-5000 | Custom VB400 Front-button Sticker (Print). Can be ordered in the following amounts: 250, 1000, 5000 |
| RF-220 | RFID RF-220 | | |



| QUICK RELEASE FIXINGS | |
|-----------------------|--|
| VB-400-QR-KFSTUD | Klick Fast Quick Release Stud |
| VB-400-QR-KFTILT | Klick Fast Quick Release Tilt Mount |
| VB-400-QR-KFTILT2 | Klick Fast Quick Release Wide Tilt Mount |
| VB-400-QR-SPORT | Quick Release Sports Camera Pillar |
| | |



| KLICK FAST HARNESSES*** | | | |
|-------------------------|----------------------------------|--|--|
| KF-HARN3 | Klick Fast 3-Point Chest Harness | | |
| KF-HARN4 | Klick Fast 4-Point Chest Harness | | |
| KF-HARN5 | Klick Fast Shoulder Harness | | |
| | | | |

VB440-64-VF-N & ACCESSORIES

VB400 (VB-440-64-VF-N) - SUITABLE FOR ATTACHING TO THE CLOSE FIT MOUNT OPTIONS



Features include:

Wi-Fi streaming, Built-in GPS functionality, Bluetooth sensor monitoring, Ruggedised exterior, 64GB storage, Slimline battery (up to 12hrs recording time), please speak to your account manager for warranty options.

PLEASE NOTE: Requires VideoManager Enterprise Licence or VideoManager Cloud Service. Please speak to your account manager for further details.

PART NUMBER: VB-440-64-VF-N



CHARGERS, DOCKCONTROLLERS, RFIDS & CUSTOM DISPLAY STICKERS

| VB-400-DOCK-SOLO | VB400 1-Port Dock | RF-STICKER-10 | RFID Sticker-Style Tag (x10) |
|--|---|--|--|
| VB-400-DOCK-14/UK, VB-400-DOCK-14/EU, DOCK-14-US, VB-400-DOCK-14/AUS, VB-400-DOCK-14/ROW | VB400 14-Port Dock | RF-CARD-10 | RFID-Card (x10) |
| DC-200/UK, DC-200/EU, DC-200-US, DC-200/AUS, DC-200/ROW | DockController DC-200 | VB-400-ID-CUS-ART | Custom VB400 Front-button Sticker (Design) |
| VB-400-EXT-CHARGE | USB Type A to VB400 Adaptor and Charging Cable | VB-400-ID-CUS-250, VB-400-ID-CUS-1000, VB-400-ID-CUS-5000 | Custom VB400 Front-button Sticker (Print). Can be ordered in the following amounts: 250, 1000, 5000 |
| RF-220 | RFID RF-220 | | |



CLOSE-FIT MOUNTS VB-400-VF-MAG Close-Fit Magnetic Mount VB-400-VF-MOL2 Close-Fit Double MOLLE Mount VB-400-VF-MOL1-HR Close-Fit Single MOLLE Mount VB-400-VF-HARN4 Close-Fit 4-Point Chest Harness

VB440-64-ALIG-N & ACCESSORIES

VB400 (VB-440-64-ALIG-N) - COMES WITH A FACTORY FITTED ALLIGATOR CLIP



Features include:

Wi-Fi streaming, Built-in GPS functionality, Bluetooth sensor monitoring, Ruggedised exterior, 64GB storage, Slimline battery (up to 12hrs recording time), please speak to your account manager for warranty options.

PLEASE NOTE: Requires VideoManager Enterprise Licence or VideoManager Cloud Service. Please speak to your account manager for further details.

PART NUMBER: VB-440-64-ALIG-N



CHARGERS, DOCKCONTROLLERS, RFIDS & CUSTOM DISPLAY STICKERS

| VB-400-DOCK-SOLO | VB400 1-Port Dock | RF-STICKER-10 | RFID Sticker-Style Tag (x10) |
|---|---|--|--|
| VB-400-DOCK-14/UK, VB-400-DOCK-14/EU, VB-400-DOCK-14-US, VB-400-DOCK-14/AUS, VB-400-DOCK-14/ROW | VB400 14-Port Dock | RF-CARD-10 | RFID-Card (x10) |
| DC-200/UK, DC-200/EU, DC-200-US, DC-200/AUS, DC-200/ROW | DockController DC-200 | VB-400-ID-CUS-ART | Custom VB400 Front-button Sticker (Design) |
| VB-400-EXT-CHARGE | USB Type A to VB400 Adaptor and Charging Cable | VB-400-ID-CUS-250, VB-400-ID-CUS-1000, VB-400-ID-CUS-5000 | Custom VB400 Front-button Sticker (Print). Can be ordered in the following amounts: 250, 1000, 5000 |
| RF-220 | RFID RF-220 | | |





For more information, please visit: www.motorolasolutions.com/bwc



MOTOROLA SOLUTIONS

- Model and accessory availability varies by region.

 * Features such as Wi-Fi impact battery life.

 ** Also available for the VB-440-64-QR-N when used in conjunction with Klick Fast Quick Release Fixings.

 *** Klick Fast Harnesses are compatible with the VB-440-64-QR-N when used in conjunction with Klick Fast Quick Release Fixings.

 Also available for the VB-440-64-KF-N camera.

Motorola Solutions Ltd. Nova South, 160 Victoria Street, London, SW1E 5LB, United Kingdom

Availability is subject to individual country law and regulations. All specifications shown are typical unless otherwise stated and are subject to change without notice. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners.

© 2023 Motorola Solutions, Inc. All rights reserved. 07-2023 [JP33]