

## **MOTOROLA CEP400**


Portable TETRA Radio and Accessories



## Heavyweight capabilities. Lightweight portability.

In demanding environments, an effective and reliable communications infrastructure is vital to ensuring the safety of the workforce and achieving service continuity. That's why business-critical users value the advanced features and capabilities offered by Motorola's CEP400 portable radio.

The CEP400 leverages advanced capabilities to deliver the reliable and robust communications platform required by oil and gas, utilities, hospitality, transportation and other commercial businesses.











## Setting a new standard in performance

The CEP400 TETRA portable enables the high performance required for critical communications. This rugged yet lightweight radio delivers easy-to-use advanced features to ensure that employees in demanding workplaces stay safe, informed and productive.

### **Enhanced Personnel Safety**

With its high quality audio, large emergency 'panic' button and built-in GPS, the CEP400 supports a wide range of sophisticated safety features:

- Hot 'Mic' activates the microphone so that surrounding audio is captured without having to press the PTT button. At the same time, the dispatcher is notified of the user's location.
- Ambience listening allows the microphone to be remotely activated so that audio is captured and the dispatcher's situational awareness increased.

### **Built to Last**

The CEP400 provides uncompromising durability and has been made to the highest quality levels, exceeding all 11 categories in the stringent MII-810 standard

### Superior Audio Quality

The CEP400 incorporates advanced noise reduction digital technology. This helps to accurately filter out background noise from the caller's voice. By virtually eliminating background noise, the need to repeat messages is minimised, increasing operational efficiency.

### Longer battery life

Leveraging advanced power management technology, the CEP400's standard Li Ion battery provides more than 23 hours operational use (5/5/90 duty cycle) to meet the demands of a high performance workforce.

### A customised solution for you

A full line of Motorola Original accessories including headsets, carry cases, antennas, batteries, charging systems and vehicular car kits are available to meet your specific business needs. For enhanced investment security, all accessories are shared with the market proven MTP850 product.



### **D-Shell Earpiece**

Ultra lightweight and stylish earpiece designed to ensure comfort needed when working long shifts. In-line push-to-talk and microphone enhance ease of use



### Leather Carry Cases

Constructed of top-grain leather to protect the radio from harsh working environments. Keeps the radio secure in high activity applications while allowing the radio to swing freely with body movements.



### **Instant Familiarity**

To minimise training costs, the CEP400 incorporates a familiar cellular phone style user interface. It also includes a large colour display option that supports 65, 536 vivid colours and large scalable fonts. For fast and intuitive device interaction, the radio includes a customisable menu and programmable One Touch buttons.

### **Operational Resilience**

The CEP400 allows users to leverage reliable TETRA networks for internal and external workgroup communications through its support for private, group, PABX and PSTN calls. This enables independence from public networks and improved operational resilience.



# CEP400 Portable Radio Features

- 1 Programmable rotary knob for volume control and scrolling through to talkgroups
- 2 Easy to locate emergency button situated next to the base of the antenna
- (3) Loud speaker
- 4 Large, textured PTT button and programmable side keys
- (5) Patented helical GPS antenna integrated into TETRA antenna
- 6 130x130 pixels display with 65, 536 vivid colours.
- 1 Loudspeaker button
- 8 Lower microphone activated during phone calls
- Programmable arrow keys for fast access to key functions
- 10 Upper microphone used during group calls

### Performance matched accessories with the quality you expect

Motorola accessories are performance matched to guarantee the same high standards of quality that you enjoy with your Motorola Tetra terminal. When you buy a Motorola accessory, you know the accessories are built and tested to meet the highest standards that you expect.



### **Dual Unit Charger**

Rapid charging solution that allows you to quickly charge your radio along with a spare battery at the same time to ensure your radio is charged and ready to go when you are.



### Digital Car Kit

For a seamless communications experience, Motorola's vehicle kits provide convenience and easy access to key portable functions while in a vehicle.

"We are confident that Motorola's TETRA system will enhance our operational effectiveness and enable us, in turn, to provide high standards of service and safety for our passengers"

Mr Siddharth D Patel, Construction Manager Rail Systems, West Rail, Kowloon-Canton Railway Corporation.



# Ensuring Maximum Performance

Motorola has sold and supports more TETRA terminals in the field than any other manufacturer. With over 75 years experience of delivering mission critical and business critical solutions, Motorola has the expertise to ensure the optimal performance of your TETRA terminals.

To get the maximum benefit from your investment, Motorola provides a comprehensive suite of applications and terminal services.

### Service Centre Excellence

With our proven same day repair capability, you can be sure your equipment is expertly repaired and back in your end users' hands quickly.

### Technical Expertise

Get answers to your technical questions, reduce downtime and improve issue resolution times. Experienced technical support engineers work with you to diagnose and resolve hardware and software problems resulting in swift resolution of issues for your end users.

#### **Customer Service**


A single source for support delivered through our new state of the art call centre, available 24x7 to track customer issues and 8x5 for technical support. Ready to assist by telephone, e-mail or fax.

#### **Certified solutions**

All our services are fully certified to comply with ISO, ATEX / FM and CENELEC thereby providing the peace of mind that can only come from an experienced and trusted supplier.

### **Customised applications**

To deliver highly tailored solutions for customers, we work with technology partners that are leaders in their field of expertise. Our solutions include personnel and vehicle tracking, video surveillance and a variety of tools for enhanced situational awareness.



### Specifications

GENERAL		
Dimensions HxWxD mm	125 x 50 x 37.5	(with standard battery)
Weight g	170	(radio only
rroight g	240	(with standard battery)
Battery Performance		Standard Li Ion
mAh		1850
Duty Cycle (5/5/90) hours		> 23 hours
Duty Cycle (5/35/60) hours		> 17 hours
Talk time hours		3.5 hours
RF SPECIFICATIONS		
Frequency Bands MHz		380-430
Transmitter RF Power		Closes 4 (1) A /
RF Power Level Accuracy dB		2
Danai in Class		A and B A and B
Danah da Castia Casaisi da		112 dBm (-115 dBm typical
Receiver Dynamic Sensitivity		103 dBm (-107 dBm typical
ENVIRONMENTAL SPECIFIC	CATIONS	
Operating Temperature °C		
Storage Temperature °C		-40 to +85
Storage Temperature °C Humidity	trion IP54 per IFC 60529	-40 to +85 ETS 300 019-1-7 class 7.3E
Storage Temperature °C	ction IP54 per IEC 60529	-40 to +85 ETS 300 019-1-7 class 7.3E
Storage Temperature °C Humidity Dust and Water Ingress Protec	ction IP54 per IEC 60529	-30 to +60 -40 to +88 ETS 300 019-1-7 class 7.3E ETS 300-019 1-7 class 5M3
Storage Temperature °C Humidity Dust and Water Ingress Protec Shock, drop and vibration OPTIONS	ction IP54 per IEC 60529	-40 to +85 ETS 300 019-1-7 class 7.35
Storage Temperature °C Humidity Dust and Water Ingress Protec Shock, drop and vibration	ction IP54 per IEC 60529	-40 to +85 ETS 300 019-1-7 class 7.35
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options		-40 to +85 ETS 300 019-1-7 class 7.35
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display (	Option	-40 to +85 ETS 300 019-1-7 class 7.35
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License	Option SORIES Earpieces, headset	-40 to +85 ETS 300 019-1-7 class 7.35
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of PERIPHERALS AND ACCESS Audio	Option SORIES Earpieces, headset microphones	-40 to +88 ETS 300 019-1-7 class 7.3E ETS 300-019 1-7 class 5M3
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of  PERIPHERALS AND ACCESS Audio  Batteries	Option  SORIES  Earpieces, headset microphones 1850 mAh battery	40 to +85 ETS 300 019-1-7 class 5/35 ETS 300-019 1-7 class 5/M3
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of PERIPHERALS AND ACCESS Audio  Batteries Carrying & In-Vehicle Solutions	Option  SORIES  Earpieces, headset microphones 1850 mAh battery Various carrying solu	40 to +85 ETS 300 019-1-7 class 5.M3 ETS 300-019 1-7 class 5.M3 s and remote speaker
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display (  PERIPHERALS AND ACCESS Audio  Batteries Carrying & In-Vehicle Solutions Antenna	Option  SORIES  Earpieces, headset microphones 1850 mAh battery s Various carrying solu Includes stub, whije	40 to +85 ETS 300 019-1-7 class 5.MS ETS 300-019 1-7 class 5.MS s and remote speaker tions and vehicle adapters
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of PERIPHERALS AND ACCESS Audio  Batteries Carrying & In-Vehicle Solutions	Option  SORIES  Earpieces, headset microphones 1850 mAh battery s Various carrying solu Includes stub, whije	40 to +8E ETS 300 019-1-7 class 5.MS ETS 300-019 1-7 class 5.MS s and remote speaker
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of PERIPHERALS AND ACCESS Audio Batteries Carrying & In-Vehicle Solutions Antenna Remote Programming  SECURITY SERVICES	Option  SORIES  Earpieces, headset microphones 1850 mAh battery Various carrying solu Includes stub, whip Via Intelligent termin	40 to +85 ETS 300 019-1-7 class 5.MS ETS 300-019 1-7 class 5.MS s and remote speaker tions and vehicle adapters
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of  PERIPHERALS AND ACCESS Audio  Batteries Carrying & In-Vehicle Solutions Antenna Remote Programming  SECURITY SERVICES	Option  SORIES  Earpieces, headset microphones 1850 mAh battery s Various carrying solu Includes stub, whije	40 to +85 ETS 300 019-1-7 class 5.MS ETS 300-019 1-7 class 5.MS s and remote speaker tions and vehicle adapters
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of PERIPHERALS AND ACCESS Audio  Batteries Carrying & In-Vehicle Solutions Antenna Remote Programming  SECURITY SERVICES Authentication	Option  SORIES  Earpieces, headset microphones 1850 mAh battery Various carrying solu Includes stub, whip Via Intelligent termin	40 to +85 ETS 300 019-1-7 class 5.MS ETS 300-019 1-7 class 5.MS s and remote speaker tions and vehicle adapters
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of PERIPHERALS AND ACCESS Audio Batteries Carrying & In-Vehicle Solutions Antenna Remote Programming  SECURITY SERVICES Authentication  DATA SERVICES	Option  SORIES  Earpieces, headset microphones 1850 mAh battery Various carrying solu Includes stub, whip Via Intelligent termin  Mutual  STATUS messaging	40 to +85 ETS 300 019-1-7 class 5/MS ETS 300-019 1-7 class 5/MS s and remote speaker tions and vehicle adapters options nal management solution
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of PERIPHERALS AND ACCESS Audio Batteries Carrying & In-Vehicle Solutions Antenna Remote Programming  SECURITY SERVICES Authentication  DATA SERVICES	Option  SORIES  Earpieces, headset microphones 1850 mAh battery 5 Various carrying solu Includes stub, whip Via Intelligent termin  Mutual  STATUS messaging Short Data Service	40 to +85 ETS 300 019-1-7 class 5.35 ETS 300-019 1-7 class 5.M3 s and remote speaker tions and vehicle adapters options all management solution g in TMO & DMO messaging in TMO & DMC
Storage Temperature °C Humidity Dust and Water Ingress Protect Shock, drop and vibration  OPTIONS GPS License Local Language Options Colour and Greyscale Display of  PERIPHERALS AND ACCESS Audio  Batteries Carrying & In-Vehicle Solutions Antenna Remote Programming	Option  SORIES  Earpieces, headset microphones 1850 mAh battery Various carrying solu Includes stub, whip Via Intelligent termin  Mutual  STATUS messaging	40 to +88 ETS 300 019-1-7 class 5.38 ETS 300-019 1-7 class 5.M3 s and remote speaker tions and vehicle adapters options all management solution g in TMO & DMO messaging in TMO & DMO ons

LOCATION SERVICE Simultaneous Satellite	95	12	
GPS Antenna		Helical integrated into TETRA antenna	
Sensitivity		-152 dBm / -182 dBW	
Accuracy		5 meter (50% probable); 10 meter (95% probab	
Protocols		ETSI LIP & Motorola LRRP	
USER INTERFACE			
Display		Colour (or Gray Scale) 130x130 pixels with	
-17		65, 536 vivid colours	
		Backlight I Flip screen and scalable text font option	
Screen Saver		Gif image & text (user define	
Universal Time Displa	У		
Multiple Languages			
Keypad Lock			
Talkgroup Manageme	nt	User friendly, flexible, fast and efficient interface	
Talkgroups – TMO		2048 1024	
Talkgroups – DMO Talkgroup Folders		Dual layer folder structure (folder/sub-folder)	
raikgroup Folders		256 folders	
Favourite Folders		Up to 3 (to store favourite talk groups)	
Menu		Customisable to user needs	
IVICIIG		Menu Shortcuts	
		Menu Configuration	
Contacts Manageme	nt	Cellular phone style	
Contacts List		Up to 1000 contacts	
		Up to 6 numbers per contact, max. 2000 entrie	
Multiple Dialling Meth	nods	User defined	
Fast/Flexible Call Response		Private Call Response to a Group Call via	
		One Touch button	
Alerting Modes		Vibrator and Multiple ringtones	
Message Manager		Cellular phone style	
Text Message Inbox		20 messages	
Intelligent Keypad Tex	t input		
Status List	la I fas	100 alias messages 100	
Country/Network Cod Scan lists	ie List	40 lists of 20 talkgroups	
User Controls		40 lists of 20 talkgroups	
Multi-function Rotary	Knoh	Volume, Talkgroup scroll and/or selection	
One Touch Buttons	KIIOD	Single button activation for multiple functions	
Adaptive Audio Contr	ol	Selects best audio profile for a given environme	
Authentication		Mutual	
VOIDE GERVIDEO			
VOICE SERVICES	Th 40	Director DADY DOTAL E	
Full Duplex Half Duplex	TMO	Private, PABX, PSTN, Emergeno Private, Group, Emergeno	
пан Биріех	DMO	Private, Group, Emergend	
	DIVIO	Inter-MNI, Gateway, Repeat	
Dialling		Direct, Scroll, Speed, One Touch button/ke Call History Red	
Emergency and Safet	v Tactica	al Emergency Group Call to ATTACHED talkgrou	
(User-defined)	Non-Ta	actical Emergency Group Call to DEDICATED talkgrou	
	Individ		
	HOT N		
		(user enable	
	Status	Message sent to dispatch consol	
	DMO 1	(user enable to TMO Enter DMO emergency (with/withou	
		gateway) or enter TMO emergence	



MOTOROLA and the Stylised M Logo are registered in the US Patent & Trademark Office. All other product or service names are the property of their respective owners. @ Motorola, inc. 2009. All rights reserved. Specifications are subject to change without notice. All specifications shown are typical. Radio meets applicable regulatory requirements.