



MISSION CRITICAL COMMUNICATION SOLUTIONS

MTP6000 SERIES TETRA PORTABLES

When the stakes are high, front line officers need to be ready. This means providing access to critical information anytime and anywhere, to enhance their safety and to increase their effectiveness. It also means that officers focus more time on critical activities, and less time on administrative tasks.

The MTP6000 series of TETRA portables lets your front line officers respond to incidents equipped with the collective intelligence of the entire team and the community. With integrated multimedia capabilities, MTP6000 radios provide you with a platform for capturing and sharing critical intelligence across the force. Designed for operation in high stress environments, MTP6000 radios offer unmatched usability and performance, ensuring that front line officers can focus on the job, not the technology.

DIGITAL MEDIA INTELLIGENCE GATHERING

From enhanced intelligence gathering to efficient reporting, the multimedia capabilities of the MTP6000 radios create many possibilities for public safety.

With an integrated high-resolution camera, the first of its kind in a TETRA radio, the MTP6750 makes it easy for law enforcement officers to capture critical crime scene information. Building a case for prosecution will typically involve bring together digital media evidence from a wide range of sources such as agency radio traffic and digital video footage. The MTP6750 attaches meta-data to each image, enhancing investigative capabilities and enabling investigators to reconstruct the events that took place during a critical incident.

FROM INTELLIGENCE TO ADMISSIBLE PHOTOGRAPHIC EVIDENCE

To be admitted in court, photographs must be verified as authentic. The MTP6750 attaches a digital signature to every captured image to verify its authenticity. For added security, we've ensured that the digital signature uses a government-grade cryptographic algorithm.

Capturing images is just the beginning. To simplify the discovery process, photographic evidence needs to be stored and catalogued in a logical and structured manner. Motorola provides software tools and services that help streamline the process of storing images and make them easily accessible to back office intelligence databases.

PROTECT YOUR INVESTMENT FROM THE UNEXPECTED

Service from the Start* provides complete peace of mind with mission-critical support for your TETRA radios. It offers multiyear coverage against normal wear and tear, fast repair turnaround times and expert telephone technical support; all backed by Motorola's globally integrated services infrastructure, highly qualified support technicians and certified repair facilities. Service from the Start with Comprehensive Coverage provides even greater support with the additional benefit of coverage for internal and external components damaged through accidental breakage. With Service from the Start you're covered - keeping your devices running and in the hands of the user.

*A disponibilidade pode variar segundo o país. Para mais detalhes, entre em contato com seu representante Motorola local.

EFFICIENT DATA SHARING

If you are a paramedic, a fire incident commander or a law enforcement officer, you need access to critical information in the field. For efficient information sharing, MTP6000 radios offer unmatched TETRA data connectivity in a handheld device. As your use of data applications increases, you will also have the assurance of a radio that is hardware-ready to support much faster data transfer speeds using the TETRA Enhanced Data Service (TEDS) - delivering up to 20x faster data connectivity.

A large, vibrant colour display makes the MTP6000 an ideal solution for consuming rich content and viewing multiple lines of text. The high-resolution display also makes it easy to view detailed images and elevates the user experience for mobile applications with visual content.

STREAMLINED DISPATCH AND TASKING OPERATIONS

In an emergency, every second counts. Reaching a successful outcome is about mobilising the most appropriate resources, nearest to the incident. The

optional built-in GPS ensures that dispatchers receive accurate personnel location data, helping to optimise response times.

A suite of information "push" services allows dispatchers to send messages directly to the radio's screen. With the Call Out feature, messages requiring a mandatory acknowledgement can be pushed to the radio's screen, helping to ensure that critical messages get out to selected users.

REDEFINING SAFETY FOR THE EMERGENCY RESPONDER

From intuitive mission critical design and industry-leading audio to unmatched coverage performance, MTP6000 radios have been engineered to deliver uncompromising performance. Rugged and reliable, you can be sure that these radios will stand up to the harshest conditions - and even continue to operate after submersion in water. By enabling emergency responders to stay connected with their team members at all times, these capabilities are vital to keeping them safe.



MTP6000 RADIO MODELS		
	MTP6750	MTP6550
Camera	5MP Auto Focus	None
	Built-in LED Flash	
	Automatic keypad backlight 4 direction navigation key	
Keypad	3 selection keys	
One Touch Buttons	4 x 3 keypad Single button activation for multiple functions	
One loadif Battons	Large PTT button with enhanced tactility	
Controls	Emergency Button Programmable multi-function rotary switch	
	2 programmable side keys	
Additional Storage	Micro SD card *	
Battery Options	Standard battery: 1650 mAh High capacity battery: 2150 mAh	
SIZE AND WEIGHT	riigii sapasity battory. 2100 iliviii	
	100	
Height Width	132mm 59mm	
Depth	34mm (with standard battery)	
Weight (Weights refer to MTP6550 model)	287g (with 55mm stubby antenna)	
with standard battery	2079 (With 33mm stubby antenna)	
RF SPECIFICATIONS		
Frequency Bands	350-470 MHz	
Transmitter RF Power	Class 3L (1.8W) & Class 4 (1W)	
RF Power Level Accuracy Adaptive Power Control	+/- 2 dB Per EN 300 392-2	
Receiver Class	A and B	
Receiver Static Sensitivity	-114dBm (min); -116dBm (typical)	
Receiver Dynamic Sensitivity	-105 dBm (min); -107 dBm (typical)	
DMO REPEATER SERVICES		
ETSI type 1A DMO Repeater for channel efficient operation		
Repeats DMO voice and tone signalling on selected talkgroup		
Repeats SDS and Status messaging on selected talkgroup		
Transmission of Repeater Presence Signal		
Emergency Call (Pre-emptive Priority Call)		
Monitoring of and participation in calls whilst in Repeater mode		
LOCATION SERVICES		
GPS Tracking Sensitivity	-159 dBm (guaranteed) - 160 dBm (typical)	
GPS Accuracy	<5m (probable at -130dBm)	
Protocols	ETSI LIP	
	Motorola LRRP	
LICENSED OPTIONS		
	TETRA Enhanced Data Service (TEDS) Multi-Slot Packet Data (MSPD)	
	WAP Browser	
	WAP Push Service Bluetooth Support	
	GPS Call Out	
0.6	Enhanced Security: OTAR/DMO SCK	
Software upgrade optional features	Air interface encryption End to End Encryption Options	
	Permanent disable Temporary disable	
	RUA/RUI [*]	
	Man-Down feature Class 3L (1.8W) transmit power	
	RF Repeater Language options	
4 00 T 00 D T 0	Language options	
ACCESSORIES		
Antennas (short stubby, long stubby, whip)		
Coloured rubber antenna ring labels		
Batteries (Li Ion 1650 mAh and 2150 mAh)		
Battery chargers and vehicle adapters		
Various carry options Audio headsets		
Audio neadsets Remote speaker microphones		
Earpieces		
In-Vehicle Solutions		

^{*} Micro SD card slot not available on models that support hardware-based End to End Encryption.

		Infrastructure initiated and made mutual	
Authentication		by radio terminal	
Air Interface Encryption	Algorithms	TEA1, TEA2, TEA3	
Protocols	Security Classes	Class 1 (Clear), Class 2 (SCK), Class 3 (GCK)	
End to End Encryption		Enhanced End to End Encryption with OTAI supported through AES128 or AES256 Hardware or SIM based	
DATA SERVICES			
Short Data	STATUS messaging in TMO & DMO SDS messaging in TMO & DMO Short Data applications		
TNP1		Simultaneous operation of Packet Data and Short Data Services over a common Peripheral Equipment Interface (PEI)	
AT Commands	Full Set of AT Commands (including	Voice Control)	
Radio Fleet Management	Compatible with Motorola Integrate	d Terminal Management (iTM) solution	
USER INTERFACE			
Display	Backlight Flip screen, large icons a	Large 2" OVGA with 262K vivid colours Backlight Flip screen, large icons and scalable text font options Screen saver gif image & text (user defined) Universal time display	
Multiple languages			
Keypad lock	Handriandly 0 21 CC 1 CC		
Talkgroup Management		User friendly, flexible, efficient, fast and efficient interface	
Favourite Folders	Up to 3 (to store any favourite talkgi	тоир)	
Menu	Menu shortcuts Menu configuration		
Contacts management	Cellular feature phone style (rapid s	Cellular feature phone style (rapid search)	
Multiple dialling methods	User selects how to dial	User selects how to dial	
Fast, flexible call response	Private call response to a group call	via One Touch Button	
Vibrator and multiple ring tones			
Message manager	Cellular feature phone style (flexible	9)	
Text message list	20		
Intelligent keypad text input			
Status list	400 alias messages		
Country/Network Code List	100		
Scan lists	40 lists of 20 groups		
Covert Mode	20		
MAIN VOICE SERVICES			
Full Duplex	TM0	Private, PABX, PSTN, Emergency	
	TM0 DM0	Private, Group, Emergency Private, Group, Emergency	
Half Duplex			
		Inter-MNI, Gateway, Repeater	
Half Duplex Dialling	Direct, Scroll, Speed, One touch butto	Inter-MNI, Gateway, Repeater on/key, Alpha Search, Call History Redial	
		Inter-MNI, Gateway, Repéater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED	
	Direct, Scroll, Speed, One touch butte Tactical Non-Tactical	Inter-MNI, Gateway, Repéater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party	
Dialling Emergency call	Direct, Scroll, Speed, One touch butto Tactical	Inter-MNI, Gateway, Repeater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres	
Dialling Emergency call (user customised)	Direct, Scroll, Speed, One touch butter Tactical Non-Tactical Individual HOT MIC	Inter-MNI, Gateway, Repéater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres PTT (user enabled) Sent to dispatch console (user enabled)	
Dialling Emergency call (user customised) Status Message	Direct, Scroll, Speed, One touch butter Tactical Non-Tactical Individual	Inter-MNI, Gateway, Repéater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres PTT (user enabled)	
Dialling Emergency call (user customised) Status Message Preemptive Priority Calls	Direct, Scroll, Speed, One touch butter Tactical Non-Tactical Individual HOT MIC	Inter-MNI, Gateway, Repeater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres PTT (user enabled) Sent to dispatch console (user enabled) Enter DMO emergency (with/without	
Dialling Emergency call (user customised) Status Message Preemptive Priority Calls PTT Double Push	Direct, Scroll, Speed, One touch butter Tactical Non-Tactical Individual HOT MIC	Inter-MNI, Gateway, Repéater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres PTT (user enabled) Sent to dispatch console (user enabled) Enter DMO emergency (with/without	
Dialling Emergency call (user customised) Status Message Preemptive Priority Calls PTT Double Push ENVIRONMENTAL SPECIFICATIONS	Direct, Scroll, Speed, One touch butter Tactical Non-Tactical Individual HOT MIC DMO to TMO	Inter-MNI, Gateway, Repéater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres PTT (user enabled) Sent to dispatch console (user enabled) Enter DMO emergency (with/without	
Dialling Emergency call (user customised) Status Message Preemptive Priority Calls PTT Double Push ENVIRONMENTAL SPECIFICATIONS Operating Temperature °C	Direct, Scroll, Speed, One touch butter Tactical Non-Tactical Individual HOT MIC DMO to TMO	Inter-MNI, Gateway, Repeater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgru Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres PTT (user enabled) Sent to dispatch console (user enabled) Enter DMO emergency (with/without	
Dialling Emergency call (user customised) Status Message Preemptive Priority Calls PTT Double Push ENVIRONMENTAL SPECIFICATIONS Operating Temperature °C Storage Temperature °C	Direct, Scroll, Speed, One touch butter Tactical Non-Tactical Individual HOT MIC DMO to TMO -30 to +60* -40 to +85	Inter-MNI, Gateway, Repéater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres PTT (user enabled) Sent to dispatch console (user enabled) Enter DMO emergency (with/without	
Dialling Emergency call (user customised) Status Message Preemptive Priority Calls PTT Double Push ENVIRONMENTAL SPECIFICATIONS Operating Temperature °C Storage Temperature °C Humidity	Direct, Scroll, Speed, One touch butter Tactical Non-Tactical Individual HOT MIC DMO to TMO -30 to +60* -40 to +85 ETSI 300 019-1-7 class 7.3E	Inter-MNI, Gateway, Repéater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres PTT (user enabled) Sent to dispatch console (user enabled) Enter DMO emergency (with/without	
Dialling Emergency call (user customised) Status Message Preemptive Priority Calls PTT Double Push ENVIRONMENTAL SPECIFICATIONS Operating Temperature °C Storage Temperature °C	Direct, Scroll, Speed, One touch butter Tactical Non-Tactical Individual HOT MIC DMO to TMO -30 to +60* -40 to +85	Inter-MNI, Gateway, Repéater on/key, Alpha Search, Call History Redial Emergency Group Call to ATTACHED talkgro Emergency Group Call to DEDICATED talkgroup Emergency Call to PREDEFINED party (half/full duplex) Allows user to talk without needing to pres PTT (user enabled) Sent to dispatch console (user enabled) Enter DMO emergency (with/without	

www.motorolasolutions.com/caribbean/tetra

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license.

All other trademarks are the property of their respective owners. © 2012 Motorola Solutions, Inc. All rights reserved. Specifications are subject to change without notice. All specifications shown are typical.



^{*} Operating temperature range for camera functionality to be confirmed.

** Availability may vary by country. For more details, please contact your local Motorola representative.