

MOTOROLA SOLUTIONS

MOTOTRBO[™] PROFESSIONAL SERIES RADIO ACCESSORIES

THE POWER OF YOUR RADIO UNLEASHED



XiR P8200 SERIES	Remote Speaker Microphones	6-7
	Remote Speaker Microphones-Accessories with standard 3.5mm	8
	Remote Speaker Microphones-Accessories with threaded 3.5mm	9 – 10
	Public Safety Microphones	10 - 11
	Surveillance Accessories and earpieces	12 – 15
	Surveillance Accessories Replacement Kits	16, 18
	Earpieces	20 – 23
	Headsets	20 23 24 - 25
	Tactical	24 – 25 24 – 25
	Motorola Orginal® Two-way Radios Batteries	36 – 37
	Charger Solutions	42
	Vehicular and Travel Chargers	45
	Impres Battery Management Tools	45
	Carry Solutions	47 – 49
	Antennas	51 – 52
	Programming Cables	58
XiR P8600 / P8600i SERIES	Remote Speaker Microphones	6-7
	Remote Speaker Microphones-Accessories with standard 3.5mm	8
	Remote Speaker Microphones-Accessories with threaded 3.5mm	9-10
	Surveillance Accessories and earpieces	12 – 15
	Surveillance Accessories Replacement Kits	16, 18
	Earpieces	20 - 23
	Headsets	24 - 25
	Tactical	24 – 25
		24 - 25
	MagOne Accessories	24 – 25 28 – 35
	Operational Critical Wireless Bluetooth® Accessories	
	Wireless Replacements Kits	34
	Motorola Orginal® Two-way Radios Batteries	38 – 41
	Charger Solutions	42
	Vehicular and Travel Chargers	45
	Impres Battery Management Tools	45
	Carry Solutions	46, 48 – 50
	Screen Protector	50
	Antennas	53, 55 — 56
	Antennas Accessories	57
	Programming Cables	58
XIR P8600EX SERIES	Remote Speaker Microphones	8-9
	Remote Speaker Microphones-Accessories with standard 3.5mm	8
	3M Peltor Headsets	26 – 27
	Motorola Orginal [®] Two-way Radios Batteries	40 - 41
	Charger Solutions	42
	Carry Solutions	46, 49 - 50
	Antennas	40, 43 - 30 54
XiR P6600 / P6600i SERIES	Remote Speaker Microphones	8-9
	Remote Speaker Microphones-Accessories with standard 3.5mm	8
	Surveillance Accessories and earpieces	14 – 15
	Surveillance Accessories Replacement Kits	14 - 13
		20 – 21
		20 - 21
	MagOne Accessories	
	Headsets	22 - 23
	Motorola Orginal [®] Two-way Radios Batteries	36 - 39
	Charger Solutions	42
	Vehicular and Travel Chargers	45
	Impres Battery Management Tools	45
	Carry Solutions	47, 49 – 50
	Antennas	53, 55
	Antennas Accessories	57
	Programming Cables	58

XiR E8600 / E8600i SERIES	Remote Speaker Microphones Remote Speaker Microphones-Accessories with standard 3.5mm Surveillance Accessories and earpieces Surveillance Accessories Replacement Kits MagOne Accessories Headsets Motorola Orginal® Two-way Radios Batteries Charger Solutions Carry Solutions Antennas	$ \begin{array}{r} 8 - 9 \\ 8 \\ 14 - 15 \\ 16 \\ 20 - 21 \\ 22 - 23 \\ 40 - 41 \\ 44 - 45 \\ 46 \\ 55 \\ \end{array} $
SL1K/SL2K SERIES	Surveillance Accessories and earpieces Surveillance Accessories Replacement Kits Earpieces Operational Critical Wireless Bluetooth® Accessories Wireless Replacements Kits Charger Solutions Carry Solutions Screen Protector Antennas Antennas Antennas Accessories Programming Cables	14 - 15 $16, 18$ $20 - 21$ $28 - 35$ 34 44 49 50 56 57 58
XiR M8200 SERIES	Microphones Mobile Microphone Accessories External Push-To-Talk (PTT) Operational Critical Wireless Bluetooth® Accessories Replacement Parts and Secondary Audio Accessories Control Station Accessories Installation and Mounting Accessories External Speakers Cables Antennas	61 62 63 64 - 67 67 71 72 73 74 - 75 76 - 81
XiR M8660 / M8660i	Microphones Mobile Microphone Accessories External Push-To-Talk(PTT) Operational Critical Wireless Bluetooth® Accessories Replacement Parts and Secondary Audio Accessories Control Station Accessories Installation and Mounting Accessories External Speakers Cables Antennas	$\begin{array}{c} 60-61\\ 62\\ 63\\ 64-69\\ 66-67,70\\ 71\\ 72\\ 73\\ 74-75\\ 76-81\\ \end{array}$
XiR M6600 SERIES	Microphones Mobile Microphone Accessories External Push-To-Talk(PTT) Installation and Mounting Accessories External Speakers Cables Antennas	61 62 63 72 – 73 73 75 76 – 81

YOUR BATTERY, SAFER, SMARTER, POWERED FOR LONGER



MOTOTRBO radios are already best in class, but to help you work at your best, you need enhancements targeted to your specific workplace. We've developed a line of accessories with unique features designed to optimize the performance of your radio in your work environment, unleashing the full power of the industry's most advanced digital radio platform.

IMPRES[™] BATTERIES AND CHARGERS: YOUR BATTERY, SAFER, SMARTER, POWERED FOR LONGER

Get rid of the guesswork and get more from every battery.

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries – without spending maintenance or record keeping time and effort. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer.

IMPRES[™] AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Be clearly heard the first time and eliminate repeating yourself. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking.

Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES Audio promises a high quality communication experience.

> Experience IMPRES Audio

WINDPORTING

Communicate clearly in difficult weather. Wherever you work – in howling wind, driving rain, and severe weather – Windporting helps you communicate effectively and listeners hear clearly.

Windporting technology eliminates the whining and howling sounds of wind blowing across your lapel/remote speaker microphone. It also prevents water from clogging the microphone for clearer transmissions.

> <u>Hear the difference Windporting makes</u>

INTELLIGENT AUDIO


Focus on your job instead of your radio volume. Make adjusting your radio volume based on background noise a thing of the past. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear. If you're heading from a noisy area to a quiet place, you won't disturb others because you forgot to adjust the volume.

Intelligent Audio when complemented with IMPRES Audio takes your communications to a new level.

> See Intelligent Audio in action

OPERATIONS CRITICAL WIRELESS: YOUR RADIO, UNLEASHED

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 10m away from your radio. Put your wireless PTT where you want to – on a clipboard, steering wheel or coat pocket – without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours – up to 3 times the battery life of commercial Bluetooth[®] headsets.





XiR E8600 SERIES XiR E8600i SERIES



XiR P8600 Ex SERIES



XiR P6600 SERIES XiR P6600i SERIES



XiR P8200 SERIES



XIR P8600 SERIES XIR P8600i SERIES



SL1K SERIES SL2K SERIES

ONLY MOTOROLA OFFERS A WEALTH OF EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD EVEN IN THE MOST DEMANDING WORK CONDITIONS

IMPRES™AUDIO: I HEAR YOU, HOWEVER YOU SPEAK	DUAL MICROPHONE AUDIO: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF	WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND	NOISE-CANCELING AUDIO: I HEAR YOU, NOT THE NOISE	INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME	
Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.	Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.	Reduce the effect of wind and other outdoor noises so your messages are always heard clearly.	Reduce the effect of background crowd and machinery noise so your messages are always heard clearly.	Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.	

WHAT ARE THE BENEFITS OF THE INDUSTRIAL NOISE CANCELING (INC) REMOTE SPEAKER MICROPHONE?

SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY – The dual-microphone design suppresses background noise so your message gets through. The large 1-watt speaker delivers the loudest, clearest audio available – up to 25% more than other MOTOTRBO RSMs.

WEAR IT WHILE YOU WORK AND COMMUNICATE FREELY – Best practices is always to speak directly into your RSM. This is especially important in high noise environments. In moderate noise environments the INC RSM allows you to clip the RSM to your shoulder or lapel and talk freely with a touch of the prominent push-to-talk button.

EASY TO CLEAN DIRT, GRIT AND DEBRIS – Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go. > Experience Dual-Microphone Noise Suppression

COMPATIBILITY ACCESSORY FEATURES REMOTE SPEAKER MICROPHONES AND PUBLIC SAFETY MICROPHONES[^] Our robust portfolio includes Remote Speaker Microphones, Public Safety Microphones and secondary audio accessories engineered to give you clearer communications even in loud environments. ^AChannel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information. WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE REMOTE SPEAKER MICROPHONES INTELLIGENT AUDIO VOLUME CONTROL (HIGH/LOW) PORTABLE RADIOS Windporting Remote Speaker Microphone PMMN4024 Windporting with 3.5mm audio jack, small (IP54) IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack and PMMN4025 Windporting emergency button, small (IP54) Windporting Remote Speaker Microphone, PMMN4040 Windporting small, submersible (IP57) IMPRES Windporting Remote Speaker Microphone with volume control, PMMN4046 Windporting emergency button and programmable button, large, submersible (IP57) **IMPRES Noise-Canceling Remote Speaker** Microphone with 3.5mm audio jack, large PMMN4050 Noise-Canceling (IP54) IMPRES Industrial Noise Canceling (INC) Dual Mic. Noise Suppression Remote Dual Mic. Noise NNTN8382 Speaker Microphone, submersible Suppression (IP57) IMPRES Industrial Noise Canceling (INC) Dual Mic. Noise Suppression Remote Dual Mic. Noise NNTN8383 Speaker Microphone with 3.5 mm threaded Suppression audio jack (IP54)

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, and IP57 resists submersion in 1 meter of fresh water for 30 minutes.

WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING – for outdoor, demanding weather, high winds, rain (keep on the shoulder or in front of your mouth).

> Hear the Difference Windporting Makes

INDUSTRIAL NOISE CANCELING (DUAL MICROPHONE NOISE SUPPRESSION) – loud, industrial, outdoor, rain, dusty/dirty environments. To optimize its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

NOISE-CANCELING – noisy, indoor environments. To optimize its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).



VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed

All remote speaker microphones are built with top quality materials including durable Kevlar® cables that survive tough working conditions.

PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING**	SIZE (MM)	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	•	IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•
	J	IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•
		♦ IP57	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•	•			
		● IP57	FM TIA	Large 60 x 78 x 28 (without clip)	•	•	•	•			
		IP54	FM TIA	Large 60 x 78 x 28 (without clip)		•		•		•	•
		▲ IP57	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	•
	N.	IP54	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	•

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

****NOTE:** TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system. FM is mainly for P8200/P8600 series portables and selected accessories. TIA is mainly for P8600/P8600i/P6600i series portables and selected accessories.

COMPATIBILITY	ACCESSORY			FEATURES				
REMOTE SPEAK and secondary aud	ER MICROPHONES A o accessories engineer	AND PUBLIC SAFETY MICROPHONES Ou ed to give you clearer communications even in I	ır robust portfolio ir oud environments.	icludes Remo	te Speaker Mi	crophones, Public Sa	fety Microphones	
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL (HIGH/LOW)	
	9	IMPRES Windporting Remote Speaker Microphone (ATEX) with volume control and emergency button	PMMN4067	•	1	Windporting	•	
XIR P8600 Ex SERIES	2	IMPRES ATEX Active Noise Canceling Remote Speaker Microphone (ATEX) with Large front PTT and side PTT, volume control, emergency button, programmable button, Nexus jack, 3.5mm locking jack (IP67)	PMMN4094	•	•	Noise-Canceling	•	
	1 -	IMPRES ATEX Omni Directional Remote Speaker Microphone(ATEX) with Large front PTT and side PTT, volume control, emergency button, programmable button, Nexus jack, 3.5mm locking jack(IP67)	PMMN4110	•	•	Omni Directional microphone	•	
4		IMPRES Noise-Canceling Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4071	•		Noise-Canceling		
XiR E8600 Xir E8600i Series	A	IMPRES Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP55)	PMMN4073	•		Windporting		
		Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4075		•	Windporting		
XiR P6600 XiR P6600i XiR P6600i SERIES	2	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4076		٠	Windporting		

COMPATIBILITY	ACCESSORY			FEATURES	
		CESSORIES WITH STANDARD 3.5MM . eive radio communications more discreetly.	JACK		
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
-	0	Receive-Only Covered Earbud with coiled cord	AARLN4885	Foam Covered Earbud	FM TIA
AUDIO JACK (3.5 MM)	A	Receive-Only Earpiece with translucent tube and rubber eartip	RLN4941	Clear Rubber Eartip	FM TIA
XiR E8600 XiR E8600i SERIES	50	Receive-Only Earpiece with translucent tube and rubber eartip	nnslucent PMLN7560 Clear Rubber Eartig		
XiR P6600 XiR P6600i SERIES XiR P8200	0	Receive-Only Flexible Earpiece	WADN4190	Over-the-ear	FM TIA
SERIES Xir P8600 Xir P8600i SERIES		Receive-Only D-Shell Earpiece	PMLN4620	Over-the-ear	FM TIA
XiR P8200 SERIES	\square	Replacement Coil Cord Kit for PMMN4024 and PMMN4040	RLN6074		
XiR P8600 Xir P8600i Series	\mathbf{C}	Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050	RLN6075		
XIR P8600 Ex Series	-5	ATEX/IECEx 3.5 mm Earpiece with Translucent Tube (RX only) for PMMN4094/ PMMN4110 only	PMLN7188	Clear Rubber Eartip	ATEX

_

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

All remote sp	All remote speaker microphones are built with top quality materials including durable Kevlar® cables that survive tough working conditions.												
PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING	SIZE (MM)	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR Public Service	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)		
		▲ IP64	ATEX	Large 60 x 78 x 28 (without clip)	•	•	•	•	•	•	•		
	Nexus and 3.5mm locking	● IP67	ATEX	Large 68 x 94 x 29 (without clip)	•	•	•	•	•				
	Nexus and 3.5mm locking	♦ IP67	ATEX	Large 68 x 94 x 29 (without clip	•	•	•	•	•				
	•	IP54	TIA	Large 60 x 78 x 28 (without clip)		•				•	•		
	J	IP55	TIA	Small 55 x 60 x 27 (without clip)	•		•		•	•	•		
		● IP57	TIA	Small 55 x 60 x 27 (without clip)	•		•		•				
		IP54	TIA	Small 55 x 60 x 27 (without clip)	•		•		•	•	•		

COMPATIBILITY	ACCESSORY			FEATURES
REMOTE SPEAKE	R MICROPHONE ACC	CESSORIES WITH THREADED 3.5MN	I JACK	
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE
REMOTE SPEAKER MICROPHONE		One-wire Flexible Ear Receiver, black. Compatible with NNTN8383 only. TIA approved with P8600/P8600i	BDN6719	Over-the-ear
XIR P8200 SERIES	(de)	One-wire Earpiece, black. Compatible with NNTN8383 only. TIA approved with P8600/P8600i	BDN6726	Over-the-ear
XII PEGOO XII PEGOO XII PEGOO SERIES	6	Extra Loud One-wire Earpiece, black. Compatible with NNTN8383 only. TIA approved with P8600/P8600i	BDN6727	Over-the-ear

COMPATIBILITY	ACCESSORY			FEATURES
REMOTE SPEAKE	R MICROPHONE ACC	ESSORIES WITH THREADED 3.5MM J	ACK	
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE
		One-wire Earpiece with Clear Acoustic Tube, black. Compatible with NNTN8383 only. TIA approved with P8600/P8600i	RLN5313	Rubber Eartip
XIR P8200 SERIES	S.	Dual Muff Headband Style Headset. Compatible with NNTN8383 only.	RMN4056	Over-the-head
XiR P8600 XiR P8600i SERIES		Dual Muff Hard hat Mount Headset. Compatible with NNTN8383 only.	RMN4057	Helmet-Attached

	COMPATIBILITY	ACCESSORY			FEATURES			
			r the same advanced features as our Remote s arately) to improve reception.	Speaker Micropho	nes			
	PORTABLE RADIOS	PUBLIC SAFETY MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	CABLE LENGTH (INCH)	VOLUME CONTROL (HIGH/LOW)
IMPRES Windp with 3.5mm au IMPRES Windp with 3.5mm au IMPRES Windp	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4041	•	Windporting	30			
		A.	IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4042	•	Windporting	24	
XIR PB200 SERIES		IMPRES Windporting Public Safety Mic with 3.5mm audio jack, large (IP54)	PMMN4043	•	Windporting	18		
			IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4047	•	Windporting	30	
		N	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4048	•	Windporting	24	
		\bigcirc	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4049	•	Windporting	18	


COMPATIBILITY	ACCESSORY			FEATURES				
PUBLIC SAFETY	MICROPHONE ANT	TENNAS						
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
I	I	UHF Public Safety Microphone Antenna for the 403-433 MHz range	PMAE4046	UHF	403-433		9	Stubby
H		UHF Public Safety Microphone Antenna for the 430-470 MHz range	PMAE4047	UHF	430-470		9	Stubby
XiB P8200		VHF Public Safety Microphone Antenna for 136-153 MHz range	PMAD4087	VHF	136-153		11	Whip
SERIES		VHF Public Safety Microphone Antenna for 150-174 MHz range	PMAD4086	VHF	150-174		11	Whip



VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

All remote speaker microphones are built with top quality materials including durable **Kevlar®** cables that survive tough working conditions.

PROGRAMMABLE BUTTON	AUDIO JACK (3.5mm)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		IP54	FM			•		•		•
		IP54	FM			•		•		•
		IP54	FM			•		•		•
		♦ IP57	FM			•		•		
		♦ IP57	FM			•		•		
		▲ IP57	FM			•		٠		



SURVEILLANCE ACCESSORIES AND EARPIECES Transmit and receive discreetly with a variety of surveillance kits that feature a streamlined design and rugged cables that withstand tough conditions. A quick-disconnect, durable and comfortable translucent tube enables easy sharing between shifts.

PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE
	\square	1-Wire Receive-only earpiece, black	PMLN6125		•	Earpiece	
XiR P8200 SERIES		1-Wire Receive-only earpiece, beige	PMLN6126		•	Earpiece	
		IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127	•	•	Earpiece	ě
XIR P8600 XIR P8600i SERIES		IMPRES 2-Wire Surveillance Kit, programmable button, beige	PMLN6128	•	•	Earpiece	Y

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call. **MICROPHONE AND PTT:** Some accessories have a microphone on the same wire as push-to-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.



VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

Two-wire kits have one wire for receiving transmissions and one wire with a combined microphone and push-to-talk. Three-wire kits feature separate wires for receiving transmissions, push-to-talk and microphone.

PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR Public Service	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		FM TIA					•	•	•
		FM TIA					•	•	•
		FM TIA					•	•	•
7	Ĩ y	FM TIA					•	•	•

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used,

could result in equipment that is NOT approved or unsafe in a hazardous environment. FM is mainly for P8200/P8600 series portables and selected accessories. TIA is mainly for P8600/P8600i/P6600i series portables and selected

COMPATIBILITY	ACCESSORY			FEATURES			
	CCESSORIES AND EA new audio, energies and replacem I sales manager for clarification o	RPIECES [*] nent items require prior approval by Motorola Solutions. Pro r more information.	duction requirements suc	ch as stipulated q	uantity must be met	before order can be consid	dered.
PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE
1		1-Wire Surveillance Kit with translucent tube, in-line microphone and PTT, black	NNTN8459			Clear Rubber Eartip	
XIR P8200 SERIES		IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129	•	•	Clear Rubber Eartip	Ť
SERIES		IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130	•	•	Clear Rubber Eartip	Ţ
XIR P8600 XIR P8600 XIR P8600i SERIES	08	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123	•	٠	Clear Rubber Eartip	P
	\bigcirc	IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124	•	•	Clear Rubber Eartip	
XIR P6600 XIR P6600 XIR E8600 SERIES	9	2-Wire Surveillance Kit with translucent tube, beige	PMLN5726		•	Clear Rubber Eartip	
	J.	2-Wire Surveillance Kit with translucent tube, black	PMLN7269		•	Clear Rubber Eartip	
		2-Wire Surveillance Kit with translucent tube, beige	PMLN7270		•	Clear Rubber Eartip	
XIR P6600 XIR P6600i SERIES	-08	IMPRES 3-Wire Surveillance Kit with quick disconnect translucent tube, programmable button, black	PMLN6754	•	•	Clear Rubber Eartip	
	0	IMPRES 3-Wire Surveillance Kit with quick disconnect translucent tube, programmable button, beige	PMLN6755		•	Clear Rubber Eartip	
SL1K SL2K SERIES	S.	1-Wire Surveillance Kit with in-line mic and push-to-talk, black	PMLN7158			Clear Rubber Eartip	

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
-		TIA					•	•	•
<u>م</u>		FM TIA					•	•	•
7		FM TIA					•	•	•
		FM TIA					•	•	•
1		FM TIA					•	•	•
							•	•	•
		TIA					•	•	•
		TIA					•	•	•
	4.0	TIA					•	٠	•
P	P	TIA					•	•	•
					•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES		
SURVEILLANCE A	ACCESSORY REPLACE	MENT KITS				
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS	
		Low Noise Kit with translucent tube and 1 clear rubber eartip	RLN6242	Clear Rubber Eartip	PMLN6123, PMLN6124 PMLN6129, PMLN6130 NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560	
XiR E8600 XiR E8600i SERIES XiR P6600 XiR P6600i SERIES XiR P8200		Note: for High noise kit solution combine RLN Kit and 5080384F72 Replacement Foam Plugs	6242 Low Noise	Foam Eartip	PMLN6123, PMLN6124 PMLN6129, PMLN6130 NNTN8459, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560	
SERIES Xir P8600 Xir P8600i SERIES	B	Replacement standard clear rubber eartip. Pack of 50	Clear Rubber Eartip	PMLN6123, PMLN6124 PLMN6127, PMLN6128 PMLN6129, PMLN6130 NNTN8459, RLN5882 RLN5883, PMLN5111		
		Replacement Foam Plugs for RLN6242. Noise reduction = 24 dB. Pack of 50 pairs	5080384F72	Foam Eartip	PMLN5112, PMLN6125 PMLN6126, RLN4941, PMLN7269, PMLN7270, PMLN6754, PMLN6755, PMLN7560	
XIR P8200 Series	Some -	Low Noise Kit with 1 clear rubber eartip	RLN5886	Clear Rubber Eartip	RLN5882 RLN5883 PMLN5111	
XiR P8600 Xir P8600i SERIES	25	High Noise Kit with 2 foam earplugs	RLN5887	Foam Eartip	PMLN5112 PMLN6125 PMLN6126	
XiR E8600 XiR E8600i SERIES XiR P6600 XiR P6600i SERIES SL1K SL2K SERIES	8	Replacement standard clear rubber eartip. Pack of 10 (replacement for PMLN5724/PMLN5726 and PMLN5957)	67009254001	Clear Rubber Eartip	PMLN5724 PMLN5726 PMLN5957	
XiR E8600 XiR E8600i SERIES XiR P6600 XiR P6600i SERIES		Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5724/26)	HKLN4608	Clear Rubber Eartip	PMLN5724 PMLN5726	
	S	Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5957)	PMLN6175	Clear Rubber Eartip	PMLN5957	
SLIK Sl2K SERIES		Low Noise Kit with translucent tube with 1 clear rubber eartip	RLN6242	Clear Rubber Eartip	PMLN7158	



OMPATIBILITY	ACCESSORY ACCESSORY REPLAC	EMENT KITS [*]		FEATURES	_
Channel orders for certair		ement items require prior approval by Motorola Solutions.	Production requirements su	ch as stipulated quantity must be r	net before order can be considered.
ORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Small Custom Earpiece - Right Ear	RLN4760	Custom Earpiece	
XIR E8600 XIR E8600 SERIES	Ð	Medium Custom Earpiece - Right Ear	RLN4761	Custom Earpiece	-
		Large Custom Earpiece - Right Ear	RLN4762	Custom Earpiece	_
XIR P6600 XIR P6600i SERIES		Small Custom Earpiece - Left Ear	RLN4763	Custom Earpiece	
XIR P8200 SERIES	C.	Medium Custom Earpiece - Left Ear	RLN4764	Custom Earpiece	-
XIR P8600 XIR P8600 XIR P8600 SERIES		Large Custom Earpiece - Left Ear	RLN4765	Custom Earpiece	1
	4.5	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6511	Comply [™] foam eartip	RLN5313, RLN4941, NNTN8459, RLN5882, - RLN5883, PMLN5111,
SL1K SL2K SERIES	8	Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB		Comply™ foam eartip	PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130, RLN4941, PMLN7269, PMLN7270,
		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6513	Comply [™] foam eartip	PMLN6754, PMLN6755, PMLN7560




OPTIMIZED FOR DIGITAL


Make sure to only use Motorola approved and certified MOTOTRBO audio accessories, as these accessories have been optimized for performance in both digital and analog modes. You may experience chopper noise if Motorola digital approved accessories are not used.

> See what Chopper Noise sounds like





COMPATIBILITY	ACCESSORY			FEATURES			
EARPIECES					_		
PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING
XIR E8600 XIR E8600i SERIES XIR P6600 XIR P6600i SERIES		Adjustable D-style earpiece with in-line microphone and push-to-talk, black	PMLN6757	Adjustable D-Style	In-Line	In-Line	TIA
XIR P8200 SERIES XIR P8600 XIR P8600 SERIES	KJ3	D-Style Earset with boom microphone and in-line push-to-talk	PMLN5096	D-Style	Boom	In-Line	FM TIA
	R.	Swivel Earpiece with in-line microphone and push-to-talk	PMLN7189	Over-the-ear	Over-the-ear	In-Line	
SLIK SL2K SERIES		Adjustable D-style earpiece with in-line microphone and push-to-talk, black	PMLN7159	D-Style	In-Line	In-Line	
MAG ONE [™] ACCES	SSORIES						
يل		Mag One Earbud with in-line microphone and push-to-talk TIA approved with P6600i	PMLN5733	Earbud	In-Line	In-Line	
E8600 E8600i SERIES		Mag One Swivel Earpiece with in-line microphone and push-to-talk TIA approved with P6600i	PMLN5727	Over-the-Ear	In-Line	In-Line	
Xih P6600 Xir P6600i Series		Mag One Earset with boom microphone and in-line push-to-talk TIA approved with P6600i	PMLN5732	Earset	In-Line	In-Line	



<image>

These headsets use transducers that rest on your temple to convert audio into sound vibration and transmit it to your inner ear. If you're using hearing protection or directing heavy traffic, you can hear the audio from your radio and the surrounding environment. Since the transducer sits in front of your ears, you can also wear earplugs and still hear the radio.

ACCESSORY		FEATURES				
EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING
× S	Mag One Earbud with in-line microphone and push-to-talk	PMLN6069	Earbud	In-Line	In-Line	
1 a	Mag One Flexible Earpiece with in-line microphone and push-to-talk	PMLN5973	Over-the-Ear	In-Line	In-Line	
0	Mag One Swivel Earpiece with in-line microphone and push-to-talk	PMLN5975	Over-the-Ear	In-Line	In-Line	
	Mag One Earset with boom microphone and in-line push-to-talk	PMLN5976	Earset	In-Line	In-Line	
		EARPIECES DESCRIPTION Image: Description of the second	EARPIECES DESCRIPTION PART NUMBER Image: Stress of the stres of the stress of the stress of the stress	EARPIECES DESCRIPTION PART NUMBER EARPIECE TYPE Image: State of the state of	EARPIECES DESCRIPTION PART NUMBER EARPIECE TYPE MICROPHONE Image: State S	EARPIECES DESCRIPTION PART NUMBER EARPIECE TYPE MICROPHONE PTT Image: State of the sta

COMPATIBILITY ACCESSORY

FEATURES

HEADSETS

^AChannel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO
<u></u>	R O	Heavy-Duty Headset with Noise-Canceling boom mic and in-line push-to-talk, noise reduction = 24 dB (See user guide for replacement parts)	PMLN5731	Over-the-Head	Dual-Ear		٠
E8600 E8600i SERIES	C	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	PMLN6635	Over-the-Head	Single-Ear		
	A	Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB (See user guide for replacement parts)	PMLN6760	Behind-the-Head	Dual-Ear		•
XIR P6600 XIR P6600i SERIES	6	Heavy Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction=24 dB (See user guide for replacement parts)	PMLN7464	Over-the-Head	Dual Muff		•
XiR P6600i	\$	Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB, UL TIA 4950	PMLN6763	Behind-the-Head	Dual Muff		•
SERIES	100	Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB, UL TIA 4950	PMLN7465	Behind-the-Head	Dual Muff		•
	P	Mag One Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to- talk and boom mic (Replacement parts: 6104000K01–Windscreen; 4204005K01– Clothing clip)	PMLN6761	Behind-the-Head	Single-Ear		•
XIR P6600 XIR P6600i XIR P6600i SERIES	-	IMPRES Temple Transducer with boom microphone and in-line push-to-talk	PMLN6759	Behind-the-Head	Bone Conductor	•	•
XiR P8200 XiR P8600 Xir P8600i Series	$\langle \mathbf{Q} \rangle$	Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		•

	ARKETS: Recommend each of verticals liste		ypical
PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
•		•	•
•		•	•
•		•	•
•		•	•



VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR Public service	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
Boom	In-Line	Heavy Duty	TIA	•	•	٠	•			
Boom	In-Line	Lightweight	TIA		٠	•		•	•	•
Boom	On Ear Cup	Heavy Duty		•	•	•	•			
Boom	On Ear Cup	Heavy Duty		•	•	•	•			
Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
Boom	In-Line	Ultra Lightweight	TIA		•	•		•	•	•
Boom	In-Line	Lightweight		•	•	٠		•	٠	•
Boom	In-Line	Ultra Lightweight	FM TIA		•	•		•	•	•

23

COMPATIBILITY	ACCESSORY	FEATURES
HEADSETS [^]		

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO
XiR P8600 XiR P8600i		Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB, UL TIA 4950	PMLN6853	Behind-the-Head	Dual Muff		•
SERIES	6	Heavy Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction=24 dB , UL TIA 4950 (See user guide for replacement parts)	PMLN7467	Over-the-Head	Dual-Ear		•
T	A	Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB	PMLN6852	Behind-the-Head	Dual Muff		•
Ë	6	Heavy Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction=24 dB (See user guide for replacement parts)	PMLN7466	Over-the-Head	Dual-Ear		•
XiR P8200 SERIES	9	Heavy Duty Behind-the-Head Headset with Noise-Canceling boom microphone, noise reduction = 24 dB (See user guide for replacement parts)	PMLN5275	Behind-the-Head	Dual-Ear		•
	()	IMPRES Temple Transducer with boom microphone and in-line push-to-talk	PMLN5101	Behind-the-Head	Bone Conductor	•	•
XiR P8600 XiR P8600i	Ċŝ	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	RMN5058	Over-the-Head	Single-Ear		•
SERIES		Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		•

TACTICAL[^]

^AChannel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

	9 - D	Tactical PTT Only Interface Module	PMLN6827		
Xir P8200 Series	6	Tactical Temple Transducer with noise cancelling boom microphone (requires interface module PMLN6827)	PMLN6833	Over-the-Head	Bone Conductor
	0	Tactical Remote Body PTT (for use with interface module PMLN6827)	PMLN6767		
XiR P8600 XiR P8600i XiR P8600i SERIES		Tactical Remote Ring PTT (for use with interface module PMLN6827)	PMLN6830		

MAG ONE[™] ACCESSORIES

XIR P8200 SERIES	S.	Mag One Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic	PMLN5974	Behind-the-Head	Single-Ear
XiR P8600 XiR P8600i SERIES	N.	Mag One Ultra-Lite Behind-the-Head Headset single muff with in-line push-to-talk and boom mic	PMLN5979	Behind-the-Head	Single-Ear

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
Boom	On Ear Cup	Heavy Duty		•	•	•	•			
Boom	On Ear Cup	Heavy Duty		•	•	•	•			
Boom	On Ear Cup	Heavy Duty		•	•	•	•			
Boom	In-Line	Heavy Duty	FM TIA	•	•	•	•			
Boom	In-Line	Lightweight	FM	•	•	•	•	•		•
Boom	In-Line	Lightweight	FM TIA		•	•		•	•	•
Boom	In-Line	Ultra Lightweight	FM TIA		•	•		•	•	•

			•	•	•	•		•
Boom	Interface module PMLN6827	Heavy Duty	•	•	•	•		•
			•	•	•	•		•
			•	•	•	•		•
Boom	In-Line	Lightweight		•	•	•	٠	•
Boom	In-Line	Ultra Lightweight		•	•	•	٠	•

COMPATIBILITY	ACCESSORY			FEATURES			
3M PELTOR HEAD	SETS						
PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	SINGLE NOISE RATING (SNR)
	ß	Heavy Duty Headset with over-the-head headband and boom microphone (ATEX)	PMLN6087	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=33 dB M=31 dB L=23 dB
	2,	Heavy Duty Headset with helmet attachment and boom microphone (ATEX)	PMLN6092	Helmet Attach	Nexus	Dual-Ear	SNR=32 dB H=33 dB M=32 dB L=24 dB
XiR P8600 Ex SERIES		Twin Cup Heavy Duty Headset with helmet attachment, boom microphone and extra high-attenuating twin shells (ATEX)	PMLN6333	Helmet Attach	Nexus	Dual-Ear	SNR=33 db H=33 db M=31 db L=24 db
	Ş,	Tactical Heavy Duty Headset with over- the-head headband and boom microphone, includes volume control (ATEX)	PMLN6090	Over-the-Head	Nexus	Dual-Ear	SNR=30 dB H=33 dB M=28 dB L=20 dB
		Tactical Heavy Duty Headset with helmet attachment and boom microphone, includes volume control (ATEX)	PMLN6089	Helmet Attach	Nexus	Dual-Ear	SNR=31 dB H=32 dB M=29 dB L=20 dB

COMPATIBILITY	ACCESSORY								
AUDIO ACCESSORY ADAPTER									
PORTABLE RADIOS	AUDIO ACCESSORY Adapter	DESCRIPTION	PART NUMBER						
XIR P8600 Ex SERIES		ATEX Push to Talk Adapter, must be ordered with any Peltor headset	PMLN6368						


SINGLE NOISE RATING: Signal-to-noise ratio (often abbreviated SNR or S/N) is a measure used in science and engineering that compares the level of a desired signal to the level of background noise. It is defined as the ratio of signal power to the noise power, often expressed in decibels.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as pushto-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

MICROPHONE	РТТ	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			
Boom	Requires RSM PMMN4094/ PMMN4110 or PTT Adapter PMLN6368	ATEX	•	•	•	•			





COMPATIBILITY

ACCESSORY

FEATURES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES[^] This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 10m. All blue tooth kits require in country type approvals. P8200 requires a BT adapter, PMLN5712 which has canceled. The blue tooth kits require to purchase the USB chargers separately.

A Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	Charge Time (Hours)	WEIGHT (GRAMS)
XIR E8600 XIR E8600i SERIES XIR P8200 SERIES XIR P8600 XIR P8600i SERIES		XBT Operations Critical Wireless Behind- the-Neck Headset. Charger is provided with the blue tooth headset	RLN6490	Dual-Ear	Boom	On Ear Cup	22	7	429
SL1K SL2K SERIES	Ø.	XBT Operations Critical Wireless Headband Style Headset. Charger is provided with the blue tooth headset	RLN6491	Dual-Ear	Boom	On Ear Cup	22	7	422

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort^M style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.

XBT HEAVY-DUTY WIRELESS HEADSET IN USE

It's the middle of a shift and with machinery running at full speed, your workplace is a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS[™] situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

> See the XBT Headset in action

VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

Note: SL SERIES and XiR P8600 / P8600i portable radios have Bluetooth embedded in the radio and do not require a separate external adapter.

SIZE (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	Operations Critical	Standard	30	IP54		•	•	•				
	Operations Critical	Standard	30	IP54		•	•	•				

OPERATIONS CRITICAL/ENHANCED OPERATIONS CRITICAL: This Bluetooth[®] solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all this, plus instant pairing with just a touch of the accessory to the radio's Bluetooth

adapter, and intrinsically safe certification for hazardous environments. This means multiple workers on shifts who need grab-and-go device can all pair at the same time without connecting to the wrong radio.



COMPATIBILITY

ACCESSORY

FEATURES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 10m. All blue tooth kits require in country type approvals. P8200 requires a BT adapter, PMLN5712 which has canceled. The blue tooth kits require to purchase the USB chargers separately. Please refer these chargers under Wireless Replacement Kits.

PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	Charge Time (Hours)	WEIGHT (GRAMS)
XiR EB600 XiR EB600 SERIES		Operations Critical Wireless Earpiece with 12 inch cable	NNTN8189	Over-the-ear (CommPort™)	Directional, above the Earpiece	On PTT Pod	10	3	43
XIR P8200 SERIES		Operations Critical Wireless push-to-talk pod (with no charger)	NNTN8191	N/A	N/A	On PTT Pod	10	3	43
XIR P8600 XIR P8600i XIR P8600i	(DC	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT)	PMLN6463	Over-the-ear (Swivel)	In-line	Radio only*	8		18
SIIK SL2K SERIES		Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT)	PMLN7181	Over-the-ear (Swivel)	In-line	Radio only*	8		18

HOW DO OPERATIONS CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio. This means a line worker can put the radio on a shelf and communicate. A receptionist can place her radio out of sight and confer unobtrusively with staff while welcoming guests. Or a sports trainer can leave the radio in a medical bag while he tends to injured athletes on the field.

> See Operations Critical Wireless Accessories in action


VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.

OPERATIONS CRITICAL / ENHANCED TRANSPORTATION AND LOGISTICS MANUFACTURING CONSTRUCTION TOUCH/ STANDARD PAIRING RANGE (FEET LINE OF SIGHT) INTRINSIC SAFETY RATING SIZE (MILLIMETERS) UTILITIES OR PRIVATE SECURITY HOSPITALITY AND RETAIL EDUCATION (CAMPUSES) IP RATING OIL AND GAS PUBLIC SERVICE ERATIONS Operations 70 x 41 x 25 Standard 30 IP54 FM Critical Operations 70 x 41 x 25 Standard 30 IP54 FM Critical Without Clip: 44 x 32 x 12 Operations Standard 30 With Clip: Critical 44 x 32 x 16 Without Clip Operations 44 x 32 x 12 Standard 30 With Clip: Critical 44 x 32 x 16

Note: SL SERIES, XiR E8600 / E8600i and XiR P8600 / P8600i portable radios have Bluetooth embedded in the radio and do not require a separate external adapter.

COMPATIBILITY	ACCESSORY			FEATURES	
OPERATIONS CRIT	ICAL WIRELESS BLU	ETOOTH® ACCESSORIES			
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE
P8200 requires a BT ac Please refer these cha ^Channel orders for certain ne	lapter, PMLN5712 which Irgers under Wireless Re	ent items require prior approval by Motorola Solutions. Pro	purchase the USB	chargers separately.	er can be considered.
XIR E8600 XIR E8600i SERIES		Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line
		Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line
XIR P8200 SERIES	55	Wireless Covert Kit (includes 2 sets of two-wire earbud (1 black and 1 white), a single-wire black earbud and a 3.5mm adapter to plug in any consumer off-the- shelf headphones)	NNTN8296	Earbud	In-line
XIR P8600 XIR P8600 XIR P8600i SERIES	~~~?	Swivel Earpiece with in-line microphone Multi-Pack for MOTOTRBO Bluetooth Accessory Kit	HKLN4513	Over-the-Ear (Swivel)	Boom
SLIK SLZK SERIES		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom

*Note: PTT on radio or with separate wireless PTT. All blue tooth kits require in country type approvals.



_	VERTICAL MAR	RKETS: Recommen	idations based on	typical use case	for each of ver	ticals listed.		
PTT	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•	•		•	•	•
On Pod (order separately)	Operations Critical and Enhanced Operations Critical	•	•	•		•	•	•
On Pod (order separately)	Operations Critical and Enhanced Operations Critical					•		
Radio Only*	Operations Critical	•	•	•		•	•	•
Radio Only*	Operations Critical	•	•	•		٠	•	•




COMPATIBILITY	ACCESSORY			FEATURES						
OPERATIONS CR	OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES									
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE					
	OPERATIONS CRITICAL WIRELESS COMPLETELY DISCREET KIT * P8200 requires a BT adapter, PMLN5712 which has canceled. The blue tooth kits requires to purchase the USB chargers separately. Please refer these chargers under Wireless Replacement Kits.									
XiR E8600 XiR E8600i SERIES XiR P8200	20	Completely Discreet Earpiece Kit (includes Phonak phonito intra earpiece and inductive neckloop)	RLN4922	Completely discreet	On Y-adapter (order separately)					
SERIES XIR P8600 XIR P8600i SERIES SL1K SL2K SERIES	2	Wireless Neckloop Y-adapter and retention hook	NNTN8385		Separate wire					
		Wireless Push-to-Talk Pod	NNTN8191		On Y-adapter (order separately)					

COMPATIBILITY	ACCESSORY			
WIRELESS REPLA	ACEMENT KITS			
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	
XIR E8600 XIR E8600 XIR E8600	5	Replacement Wireless Earpiece 12 inch cable for NNTN8125	NTN2572	217337
SERIES	(ca	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens for comport earpiece	NTN8821	
XIR P8200 SERIES	~	Eartube for comport earpiece (pack of 10)	RLN5037	BLEND IN PERFECTLY WITH YOUR ENVIRONMENT
XiR P8600 XiR P8600i SERIES	4	Swivel clip for Operations Critical and Enhanced Operations Critical Wireless pods	PMLN6246	
SLIK SLIK SERIES		Replacement or spare micro-USB plug-in charger (US plug) for wireless pod	PS000042A11(US) PS000042A12(EUR) PS000042A13(UK)	 Experience the Completely Discreet Wireless Kit

Note: SL series, XiR E8600 / E8600i and XiR P8600 / P8600i series portable radios have Bluetooth embedded in the radio and do not require a separate external adapter.

			VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.						
	PTT	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical					•		
	On Pod (order separately)	Operations Critical or Operations Critical and Enhanced Operations Critical					•		
	On PTT Pod	Operations Critical					•		



COMPATIBILITY	ACCESSORY			FEATURES					
MOTOROLA ORIGINAL [®] TWO-WAY RADIO BATTERIES The only batteries developed, tested and certified for optimal performance with your MOTOTRBO radio. MOTOTRBO batteries are Proven Tough, in lab test after lab test, to withstand shocks, knocks, drops and shakes and outperform the other brands.									
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIN (HOURS) 5/5/90 DL LEGACY		
		IMPRES Li-Ion 1600 mAh battery Submersible (IP57)	PMNN4066	•	Li-Ion	1600	Analog: 9 Digital: 13	N/A	
<i>i</i>		IMPRES Li-lon 1450 mAh battery Submersible (IP57), Intrinsically safe (FM)	PMNN4069	•	Li-Ion	1450	Analog: 8.5 Digital: 12	N/A	
Xir P8200 SERIES		IMPRES Li-lon 2250 mAh battery Submersible (IP57)	PMNN4077	•	Li-Ion	2250	Analog: 13 Digital: 18	N/A	
	1	NiMh 1400 mAh battery Submersible (IP57)	PMNN4065		NiMH	1400	Analog: 8 Digital: 11	N/A	
	IMPRES Li-lon 1600 mAh battery (IP56)	IMPRES Li-lon 1600 mAh battery (IP56)	PMNN4417	•	Li-lon	1600	Analog: 8 Digital: 11.5	11 14.5	
P6600 P6600i SERIES		Li-Ion 1600 mAh battery (IP56)	PMNN4416		Li-lon	1600	Analog: 8 Digital: 11.5	11 15	
	L	IMPRES Hi-Cap Li-Ion 2250 mAh battery (IP56)	PMNN4418	•	Li-lon	2250	Analog: 11 Digital: 16.5	16 20.5	

IMPRES BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

INTRINSIC SAFETY RATING: Motorola-approved batteries are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe.

Non-Motorola approved batteries may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

DIMENSIONS (MILLIMETERS)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
129 x 55 x 21	145		● IP57
129 x 55 x 23	155	FM	● IP57
129 x 55 x 23	160		● IP57
129 x 55 x 21	215		• IP57
113 x 52 x 18	125	N/A	IP56
113 x 52 x 18	125	N/A	IP56
113 x 52 x 23	150	N/A	IP56




KNOCKS. DROPS. SHOCKS. VIBRATION. STATIC.

If your radio gets banged on a ride, rattled by heavy equipment or shocked by static electricity, our batteries will stay true and stand tough. These rigorous lab tests prove that Motorola radio batteries perform robustly and reliably, despite the toughest conditions. What's more, we stand behind every battery we build.

See <u>www.motorolasolutions.com/proventough</u> for details.

PROVEN TOUGH BATTERY TESTING PASS RATE




HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?

They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery.

COMPATIBILITY	ACCESSORY			FEATURES				
MOTOROLA ORIG MOTOTRBO radio. M	INAL [®] TWO-WAY OTOTRBO batteries a	RADIO BATTERIES The only batteries develo re Proven Tough, in lab test after lab test, to with	ped, tested and cer stand shocks, knocl	tified for optim ks, drops and s	al performanc shakes and ou	ce with your tperform the	other brands.	
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIM (HOURS) 5/5/90 DUT LEGACY	
		Slim Li-Ion 1600 mAh battery Submersible (IP68)	PMNN4406		Li-Ion	1600	Analog: 8 Digital: 11.5	11 15
	•	IMPRES Slim Li-Ion 1600 mAh battery Submersible (IP67)	PMNN4407	•	Li-Ion	1600	Analog: 8 Digital: 11.5	11 15
XiR P6600 XiR P6600 XERIES		IMPRES Hi-Cap Li-Ion 2250 mAh battery Submersible (IP68)	PMNN4409	•	Li-Ion	2250	Analog: 11 Digital: 16.5	16 20.5
XiR P8600 XiR P8600i		IMPRES Li-Ion 2100 mAh, slim high density battery (IP68)	PMNN4491	•	Li-Ion	2100	Analog: 12 Digital: 16	14 19
SERIES		IMPRES Hi-Cap Li-Ion 3000 mAh battery, Iow voltage (IP68)	PMNN4493	•	Li-Ion	3000	Analog: 13.5 Digital: 18	21 28
		IMPRES 3000 mAh low voltage battery for use with Silent Alert Belt Clip (PMLN7296); battery only	PMNN4488 + PMLN7296	•	Li-Ion	3000	Analog: 13.5 Digital: 18	21 28
		IMPRES Hi-Cap Li-Ion 2350 mAh battery Submersible (IP57), Intrinsically safe (FM)	NNTN8129	•	Li-lon	2350	Analog: 12 Digital: 17.5	N/A
XiR P8600 SERIES		IMPRES Hi-Cap Li-Ion 2500 mAh battery Submersible (IP57), Intrinsically safe	NNTN8560	•	Li-Ion	2500	Analog: 12.5 Digital: 18.5	N/A

DIMENSIONS (MILLIMETERS)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
113 x 52 x 18	125		IP68
113 x 52 x 18	125		● IP67
113 x 52 x 23	150		♦ IP68
113 x 52 x 18	135		♦ IP68
113 x 52 x 23	155		♦ IP68
113 x 52 x 23	155		♦ IP68
113 x 52 x 23	150	FM	● IP67
113 x 52 x 23	195	TIA	♦ IP57




LOW VOLTAGE BATTERIES

When paired with the enhanced 'e' series radios Low Voltage Batteries (PMNN4488, PMNN4489, PMNN4490, PMNN4493) deliver up to 28 hours of battery talk time. Working up to 3 shifts, these new batteries are similar size and weight as current batteries.

COMPATIBILITY	ACCESSORY			FEATURES				
MOTOROLA ORIGI	NAL [®] TWO-WAY R	ADIO BATTERIES The only batteries develo Proven Tough, in lab test after lab test, to with	ped, tested and cer	tified for optim	al performance	ce with your	that brands	
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY LEGACY	
XiR P8600i SERIES		IMPRES Hi-Cap Li-Ion 2900 mAh Iow voltage battery, IP68 (TIA)	PMNN4489	•	Li-Ion	2900	N/A	Analog: 20.5 Digital: 27
XiR P6600i SERIES		IMPRES Hi-Cap Li-Ion 2900 mAh Iow voltage battery, IP68 (TIA)	PMNN4490	•	Li-lon	2900	N/A	Analog: 20 Digital: 26.5
	0 ====== 1 ⊈ << 8 €	Li-lon 2300 mAh Battery	PMNN4468		Li-Ion	2300	14	
		BT90 Li-Ion 1800 mAh Battery	HKNN4013		Li-Ion	1800	11.5	
SIJK SIZK SERIES		BT7X Li-Ion 1400 mAh Battery	PMNN4425		Li-Ion	1400	8.5	
	0	Replacement Battery Cover (BT100 - ultra high capacity battery)	PMLN6745					
		Replacement Battery Cover (BT90 - high capacity battery)	PMLN6001					
	-	Replacement Battery Cover (BT7X - standard battery)	PMLN6000					
		Li-Ion 1700 mAh IP68 Battery	PMNN4440		Li-Ion	1700	Analog: 8.5 Digital: 12.3	12 16
XiR E8600 XiR E8600i SERIES		IMPRES Li-Ion 3000 mAh Low Voltage Battery	PMNN4502	•	Li-Ion	3000	Analog: 18 Digital: 23.5	20 25
XiR P8600 Ex Series		IMPRES 2075 mAh submersible Li-Ion battery, IP67 Intrinsically Safe (ATEX)	NNTN8359	•	Li-Ion	2075	Analog: 16 Digital: 9	NA

DIMENSIONS (MILLIMETERS)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
113 x 52 x 23	210	TIA	♦ IP68
113 x 52 x 23	210	TIA	♦ IP68
12 x 36 x 54	50		
9 x 36 x 54	38		
7 x 36 x 54	30		

96 x 56 x 15	110		● IP68
96 x 56 x 23	155		▲ IP68
		ATEX	▲ IP67



COMPATIBILITY	ACCESSORY			FEATU	RES			
ready to go the mon ^Channel orders for certai	nent you need it.	ariety of solutions including single-unit, multi-u ment items require prior approval by Motorola Solutions. Pro or more information.						
PORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) H X L X D	NUMBER OF POCKETS
		Single-Unit Rapid Rate Charger, with Power Supply, 120 VAC US Plug	NNTN8226		Li-Ion, NiMh	120 VAC	61 x 97 x 163	1
XiR P6600 XiR P6600i SERIES	e . e	Single-Unit Rapid Rate Charger, with Power Supply, 220-240 VAC UK plug	NNTN8293		Li-Ion, NiMh	220-240 VAC	61 x 97 x 163	1
		Single-Unit Rapid Rate Charger, with Power Supply, 220-240 VAC EUR plug	NNTN8292		Li-Ion, NiMh	220-240 VAC	61 x 97 x 163	1
XiR 98600 XiR 98600i		MPRES Single-Unit Rapid Rate Charger, 120 VAC US Plug	AZWPLN4232	•	Li-Ion, NiMh	120 VAC	61 x 97 x 163	1
SERIES XiR P8600 Ex SERIES	R P8600 Ex	IMPRES Single-Unit Charger, 220-240 VAC UK Plug	AZWPLN4233	•	Li-Ion, NiMh	220-240 VAC	61 x 97 x 163	1
SERIES		IMPRES Single-Unit Charger, 220-240 VAC EUR Plug	AZWPLN4234	•	Li-lon, NiMh	220-240 VAC	61 x 97 x 163	1
		IMPRES Multi-Unit Rapid Rate Charger with 1 Display , 100-240 VAC US plug	WPLN4212	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
XIR P8600 Ex SERIES		IMPRES Multi-Unit Rapid Rate Charger with 1 Display , 100-240 VAC UK plug	WPLN4214	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 100-240 VAC EUR plug	WPLN4213	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
XiR P6600 XiR P6600i SERIES	~	IMPRES Multi-Unit Rapid Rate Charger with 6 Displays , 100-240 VAC US plug	WPLN4219	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 100-240 VAC UK plug	WPLN4221	•	Li-lon, NiMh	100-240 VAC	153 x 445 x 292	6
XIR P8200 SERIES	IR P8200 ERIES	IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 100-240 VAC EUR plug	WPLN4220	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	4Þ	Display Module for IMPRES Multi-Unit Charger	RLN5382	•				
XIR P8600 XIR P8600i SERIES	1111 mar	Wall Mount Bracket for IMPRES Multi-Unit Charger	NLN7967					

* Must be C revision or greater for compatibility with XiR P6600 / P6600i series and XiR P8600 / P8600i series radios.

IMPRES BATTERY MANAGEMENT TOOLS?

With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, efficiently manage your batteries with realtime data not available with other manufacturers' batteries. Our easy-touse software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

Now over-the-air capable with XiR E8600 / E8600i, P6600 / P6600i and XiR P8600 / P8600i with IMPRES batteries



IMPRES BATTERY FLEET MANAGEMENT SOFTWARE REPORTS

phy Personal Links		111-00									
8 0 1 -	*	a		0.000							
teart Advant . Person Part of	inference . Ind										
	And Designation	1.0		Contraction of the local division of the loc							
- Hitshiel											
· · · · · · · · · · · · · · · · · · ·	36 (6)	4.8.8.	9 35	TUS INC.	6 A.I						
In Desiration to App Classic	Sand Bartley	100	in a	Inches Prantes	10 1.000	Jones	-	Intel .	hards.	Des #	
Contraction of the second s	fearon stars	100	BAD'S 1	C's annotation from		ALC: NO	e	0	in.	81,728	-
# Fealth (%)	Distance of the local	the state	Sanda	and a second second second		<u>12</u>	6	100	100	1216-268	-
ai halo herdy	Charles allowed	- Color	Date: No.	Addre		<u></u>	÷	<u></u>	100	Citation .	-
Senate to favorise taxes	100000000000000000000000000000000000000	100		CQUNO later		10	12	10	12	54098	-
a second of the second second	manage and	244	Index(1)	KTS RESUMENTED	PROFILE IN			1.200	1045	ACCOUNT OF	-
di Denito	Sector Press	Teres .	Bulley 1	175-200, 275-75,75 (B-0)	A.C.Irm		10	10-	12-	134348	-
· · ·	Service and	lone .	Dista	lde		MI	14	1944	1411	Boline	-
	ALLSESSACTS	page 1	Balling 2	115-2010. 175-170.05.000	N. 7678346	arise.	10	100	440	1111 Date	-
Brainster, In: Apr Clevel.	WINDOCHURAL	line .	Burney L	101.000 VT0-009.000	10171-0044	arie .	14	228	141	10.04	-
In Charlos to real (%)	B11010-126	and a	Dises.	1da	PROBACION.	Dela .	14	1444	ana .	and a second sec	-
a constant of the Con-	COLUMN TWO IS NOT	line	advantation of the	POINT INTO LINE	WIRWICCH.	Juliu .	75	1444	10	100.90x	-
1 Radio Handly Bo Han Chiefd	2802024.167	PH	(halons I	175 #0003#00/2009	N.79-08	Adva.	14	2306	1.587	1276.388	_
To Read on Terration Star Hand Str. (Terrat	0.0004-008	244	Building 1	2 ¹ 2 800,080,000	HUARCELS.	2408	14	1808	141	10.000	_
	20120324818	34	and a	A44	WOWNER.	ale.	110	-28	911.	20,044	_
. glad felerer	9.000.900	Pat	Service .	ada .		APR .	15	110	141	1112209	_
In Description on Facility (Not	Channel C	Pive .	Building is	7"3 80102004042008	HERE'S CHEMICAL		144	1410	Case.	14.14.208	_
	Concession of the local division of the loca	84	THE REAL PROPERTY.	10777861	manuff4	100-	1	10-		104.000	_
Decision to Date of and feed	ALC: NO. OF	-	parter da	wininamo lantas	-		-	10		Palante .	
To Andre Fordy for Some of Last Send	RUDDOCHH,	_	Margine 1	API.	102426734	3474	14	110	141	10394	_
	Street options	Pire .	Daurky	Ars.		h:H-		Pull	DPLI .	L'ILIOP	-
Table for its to math (NC	PRINTER AND	14	CHARGE IN	-10.940 lates		10	1	100	128	35288	_
a and the	PERSONAL	No.	(MIH12	1/3-500,060,00M	prevention.		12	10.00		84200	_
TO THE WAY OF A DAMAGE AND A	8.1100804118			NOTING	And Address		1	40	1164	0.1204	-
er Sunnte to to hunter	Recordings	241	hang i	101		247	12	-	100	and the second s	_
	Statute Aures	- Pre-	Severy	NOTITE:		Arra .	÷-	28	100	10.000	-
1	Status Print	100	Duranana Durana 2	arts	Description of	Barrie .	-	100	10	anti anti	-
a Reports	ALC: NO.	100	Descr.	of the distance of the state of	N. W. M.	100	6.	- E	12	63.546	-
and the second se	STATUTE AND	100				Sec.	÷	110	100	But line	-
- Done Market	ALL CAPTOR	100	Belling 1	NOTIONAL CONTRACT	P-AA-MARA		6	140	100	and late	-

IMPRES BATTERY FLEET MANAGEMENT ACTIVE BATTERY REPORT

General V	Advant
Present Charg	pe 685 mAh (Present Charge)
	42 % of 1547 mAb (Potential Capacity)
	40 % of E700 with (Rated Capacity)
	2001 mAh (Initial Capacity)
May 11, 20	08 Manufacture Date (Month Day, Year)
3, 10, 20	
10	Dave since Last Reconditioning/Calibration
	Davis drice Removal from DMRES Charger
223	Total 2019/25 Charge Cycles
2	Total Extended Non-DMPES Charge Cycles
13	Total Reconditioning/Calibration Cycles
20	Estimated Davy Until Next Reconditioning/Calibration
Recommendat	
Teo frecomme	
no second	

GENERAL INFORMATION SCREEN

ACCESSORY

COMPATIBILITY

RTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS)	NUMBE OF
						SUURCE	HXLXD	POCKET
		Power Supply Adaptor,AC,DC,Switch Mode, 5W, 100 V - 240 V, Micro-USB, US	PS000042A11		Li-Ion	100-240 VAC		1
		POWER SUPPLY ADAPTOR,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, UK	PS000042A13		Li-Ion	100-240 VAC		1
		POWER SUPPLY ADAPTOR,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, EUR	PS000042A12		Li-lon	100-240 VAC		1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device) 100-240 VAC US plug	PMLN6701		Li-lon	100-240 VAC	52 x 93 x 113	2+*
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device) 100-240 VAC UK plug	PMLN6704		Li-Ion	100-240 VAC	52 x 93 x 113	2+
SL1K SL2K SERIES	-	Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device) 100-240 VAC EUR plug	PMLN6705		Li-Ion	100-240 VAC	52 x 93 x 113	2+
		Six-Pocket Multi-Unit Rapid Rate Charger, 100-240 VAC US plug	PMLN6694		Li-lon	100-240 VAC	65 x 424 x 110	6
	entres.	Six-Pocket Multi-Unit Rapid Rate Charger, 100-240 VAC UK plug	PMLN6686		Li-lon	100-240 VAC	65 x 424 x 110	6
		Six-Pocket Multi-Unit Rapid Rate Charger, 100-240 VAC EUR plug	PMLN6688		Li-Ion	100-240 VAC	65 x 424 x 110	6
		Single Unit Rapid Rate Charger 120 VAC US plug - 2 pin plug	PMTN4024		Li-Ion, NiMh	120 VAC	56 x 97 x 147	1
		Single Unit Rapid Rate Charger 220-240 VAC UK plug - 3 pin plug	PMTN4026		Li-Ion, NiMh	220-240 VAC	56 x 97 x 147	1
		Single Unit Rapid Rate Charger 220-240 VAC EUR plug - 2 pin plug	PMTN4025		Li-Ion, NiMh	220-240 VAC	56 x 97 x 147	1
XiR E8600 XiR E8600i SEDUCC		IMPRES Single Unit Rapid Rate Charger with US Power Supply 120 VAC	AZWPLN4182	•	Li-Ion, NiMh	120 VAC	56 x 97 x 147	1
SERIES		IMPRES Single Unit Rapid Rate Charger with UK Power Supply 220-240 VAC	AZWPLN4183	•	Li-Ion, NiMh	220-240 VAC	56 x 97 x 147	1
		IMPRES Single Unit Rapid Rate Charger with EUR Power Supply 220-240 VAC	AZWPLN4184	•	Li-Ion, NiMh	220-240 VAC	56 x 97 x 147	1

FEATURES



IPATIBILITY	ACCESSORY			FEATU	_			
		variety of solutions including single-unit, multi-u I ready to go the moment you need it.	nit, travel and in-ve	ehicle char	gers			
TABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) H X L X D	NUM OF POCK
		IMPRES Multi-Unit Rapid Rate Charger, non-Display 100-240 VAC US Plug Power Cord	WPLN4187	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
I	- Martin	IMPRES Multi-Unit Rapid Rate Charger (non-display) 100-240 VAC UK Plug Power Cord	WPLN4188	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
		IMPRES Multi-Unit Rapid Rate Charger (non-display) 100-240 VAC EUR Plug Power Cord	WPLN4189	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
Xir E8600 Xir E8600i SERIES		IMPRES Multi-Unit Rapid Rate Charger (6 display) 100-240 VAC US Plug Power Cord	WPLN4192	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	6
	PERMIT	IMPRES Multi-Unit Rapid Rate Charger (6 display) 100-240 VAC UK Plug Power Cord	WPLN4193	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	E
		IMPRES Multi-Unit Rapid Rate Charger (6 display) 100-240 VAC EUR Plug Power Cord	WPLN4194	•	Li-Ion, NiMh	100-240 VAC	153 x 445 x 292	E
	1	Charger Insert for standard Multi-Unit Charger	PMLN5010					
		Charger Insert for MOTOTRBO Multi- Unit chargers (WPLN4212, WPLN4213, WPLN4214, WPLN4219, WPLN4220, WPLN4221)	PMLN6669					
HICULAR AND	D TRAVEL CHARGER	IS						
XiR P6600 XiR P6600i SERIES XiR P8200		IMPRES Single-Unit Rapid Rate Vehicular Charger, heavy-duty permanent mount	NNTN7616*	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
SERIES XIR P8600 XIR P8600i SERIES		Travel Charger, Rapid Rate with voltage regulated adapter, custom charger base, mounting bracket and coil cord	NNTN8525		Li-Ion, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	
PRES BATTER	RY MANAGEMENT	TOOLS						
	1.2	IMPRES Battery Reader	NNTN7392		and elimir	nate the surpr	t out of every batter	
Only with IMPRES batteries XiR E8600		IMPRES Battery Fleet Management Multi-Unit Charger Interface Unit	NNTN7677		how much before you	n capacity is in a attach it to MPRES batte	ers tell you exactly n an IMPRES batter your radio and exact rry has reached the	ry :tly
XiR E8600i SERIES XiR P6600 XiR P6600i SERIES	G	IMPRES Battery Fleet Management Single-Unit Charger Interface Unit	NNTN8045		unit charg up to 6 rad	ers let you si dios and/or b	TS: MOTOTRBO mu multaneously charg atteries. The unique SL Series enables y	je e
XiR P8200 SERIES XiR P8600 XiR P8600i SERIES		IMPRES Battery Fleet Management License Key	HKVN4039		to charge device sin	a radio, spare nultaneously.	e battery and wirele	ess
		IMPRES Battery Fleet Management Software, downloadable from	NNTN7676	-	over the a / E8600 / radios (mu	ir capable wi E8600i and X	Management is nov th XiR P8600 / P860 iR P6600 / P6600i)TRBO software	

* Must be C revision or greater for compatibility with XiR P6600 / P6600i series and XiR P8600 / P8600i series radios.




COMPATIBILITY	ACCESSORY			FEATURES			
		ailable in sizes designed to fit your radio and l o you can concentrate on the task at hand.	battery and permit	audio to be heard c	learly.		
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON DISPLAY
	ġ	Hard leather case with 2.5 inch swivel belt loop for nondisplay ATEX model	PMLN6096	Hard Leather	2.5	Swivel	Non- Display
		Hard leather case with 2.5 inch swivel belt loop for display ATEX model	PMLN6097	Hard Leather	2.5	Swivel	Display
XiR P8600 Ex SERIES		Soft leather case with 2.5 inch swivel belt loop for nondisplay ATEX model	PMLN6098	Soft Leather	2.5	Swivel	Non- Display
	e e	Soft leather case with 2.5 inch swivel belt loop for display ATEX model	PMLN6099	Soft Leather	2.5	Swivel	Display
1		Carry Holster with Belt Clip	PMLN7559	Plastic	N/A	Fixed	N/A
XiR E8600 XiR E8600i		Synthetic Leather with 3 inch Fixed Belt Loop for standard battery	PMLN7536	Synthetic Leather	3	Fixed	Non- Display
SERIES		Synthetic Leather with 3 inch Fixed Belt Loop for high capacity battery	PMLN7537	Synthetic Leather	3	Fixed	Non- Display
	É	Nylon Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5869	Nylon	3	Fixed	Display
1	T.	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (limited keypad model)	PMLN5867	Hard Leather	2.5	Swivel	Display
XIR P6600	C C	Hard Leather Carry Case with 3 inch Swivel Belt Loop (limited keypad model)	PMLN5865	Hard Leather	3	Swivel	Display
XIR P6600i SERIES	É	Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5863	Hard Leather	3	Fixed	Display
		Soft Leather Carry Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5016	Soft Leather	2.5	Swivel	Display

COMPATIBILITY	ACCESSORY			FEATURES			
		wailable in sizes designed to fit your radio and b , so you can concentrate on the task at hand.	pattery and permit	audio to be heard o	clearly.		
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON DISPLAY
		Soft Leather Carry Case with 3 inch Swivel Belt Loop (display model)	PMLN5017	Soft Leather	3	Swivel	Display
		Soft Leather Carry Case with 3 inch fixed Belt Loop (display model)	PMLN5018	Soft Leather	3	Fixed	Display
	Í	Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5870	Nylon	3	Fixed	Non Display
	Ľ	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5868	Hard Leather	2.5	Swivel	Non Display
XiR P6600 XiR P6600i SERIES	T	Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5866	Hard Leather	3	Swivel	Non Display
	1	Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5864	Hard Leather	3	Fixed	Non Display
		Soft Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5025	Soft Leather	2.5	Swivel	Non Display
		Soft Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5026	Soft Leather	3	Swivel	Non Display
		Soft Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5027	Soft Leather	3	Fixed	Non Display
I	Ê	Nylon Carry Case with 3 inch Fixed Belt Loop (display model)	PMLN5015	Nylon	3	Fixed	Display
		Nylon Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5024	Nylon	3	Fixed	Non Display
XIR P8200 SERIES	Ú	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5019	Hard Leather	2.5	Swivel	Displa

MATERIAL: Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTIO all designed to keep	NS Choose from a wide r your radio protected, yet	ange of nylon cases, leather cases, straps, ho still easy to access.	lsters and clips,				
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON DISPLAY
	Ú	Hard Leather Carry Case with 3 inch Swivel Belt Loop (display model)	PMLN5020	Hard Leather	3	Swivel	Display
J	Ó	Hard Leather Carry Case with 3 inch Fixed Belt Loop (display model)	PMLN5021	Hard Leather	3	Fixed	Display
	V	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5028	Hard Leather	2.5	Swivel	Non Display
XiR P8200 SERIES		Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5029	Hard Leather	3	Swivel	Non Display
		Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5030	Hard Leather	3	Fixed	Non Display
	Ü	Nylon Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5844	Nylon	3	Fixed	Display
	Ű	Hard Leather Case with 2.5 inch Swivel Belt Loop (full keypad model)	PMLN5842	Hard Leather	2.5	Swivel	Display
	T	Hard Leather Case with 3 inch Swivel Belt Loop (full keypad model)	PMLN5840	Hard Leather	3	Swivel	Display
	ť	Hard Leather Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5838	Hard Leather	3	Fixed	Display
XIR P8600 XIR P8600i XIR P8600i SERIES		Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5845	Nylon	3	Fixed	Non Display
		Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5843	Hard Leather	2.5	Swivel	Non Display
		Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5846	Hard Leather	3	Swivel	Non Display
		Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5839	Hard Leather	3	Fixed	Non Display



COMPATIBILITY	ACCESSORY			FEATURES		
CARRY SOLUTION	IS					
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED
		2.5 inch Belt Clip for ATEX models	PMLN6086	Plastic	2.5	
XiR P8600 Ex SERIES		2.5 inch Replacement Leather Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel
		Silent Alert Belt Clip for use with IMPRES battery PMMN4488, clip only	PMLN7296	Plastic		
XiR P6600 XiR P6600i SERIES		Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2.5	
SERIES		Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5	
XiB P8600		Replacement 2.5 inch Swivel Belt Loop	PMLN5610	Hard Leather	2.5	Swivel
XiR P8600 Xir P8600i SERIES		Replacement 3 inch Leather Swivel Belt Loop	PMLN5611	Hard Leather	3	Swivel
		Replacement 2.5 inch Leather Swivel Belt Loop	PMLN5022	Hard Leather	2.5	Swivel
	2 - 2	Replacement 3 inch Leather Swivel Belt Loop	PMLN5023	Hard Leather	3	Swivel
XIR P8200 SERIES		Spring Action 2.5 inch Belt Clip	PMLN4652	Plastic	2	
	1	Carry Holder/Holster for SL series radio with Swivel Belt Loop	PMLN5956	Plastic		Swivel
SL1K SL2K SERIES	~	Nylon Wrist Strap for securely carrying Motorola two-way radios	PMLN6074	Nylon		
		Soft leather carry case with 1.5 inch quick release swivel belt clip	PMLN7040	Soft Leather	1.5	Swivel

COMPATIBILITY	ACCESSORY					
SCREEN PROTEC	TORS					
PORTABLE RADIOS	SCREEN PROTECTORS	DESCRIPTION	PART NUMBER			
XiR P8600 XiR P8600i SERIES	Li BHS Ch 1 City Parks Contact 2one	Screen Protector, clear (single pack - Qty 1)	AY000267A01			
SL1K SL2K SERIES	Li DHI Ch 1 City Parks Contact Zone 1	Screen Protector, clear (single pack - Qty 1)	AY000269A01			



COMPATIBILITY	ACCESSORY			FEATURES
CARRY SOLUTIO	NS			
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL
	1	Waterproof Bag with large strap for securely carrying Motorola two-way radios	HLN9985	
XIR E8600 XIR E8600i SERIES	R	1.75 inch Wide Leather Belt	4200865599	Leather
	H	Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	
XIR P6600 XIR P6600i SERIES	M	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	
é		Replacement Strap for HLN6602 and RLN4570	1505596Z02	
XIR P8200 SERIES		Radio Pack Radio Utility Case	RLN4815	
		Radio Pack Extension Belt for waists larger than 40 inches	4280384F89	
XIR P8600 XIR P8600i XIR P8600i SERIES	9	Adjustable Nylon Carrying Strap	NTN5243	Nylon
XiR P8600 Ex Series	8	Accessory Connector Dust Cover	15012157001	Plastic
XIR P8200 Series		Accessory Connector Dust Cover	1571477L01	Plastic
XiR P8600 XiR P8600i SERIES	0	Accessory Connector Dust Cover	15012157001	Plastic
XIR P6600 Series		Accessory Connector Dust Cover	PMLN6066	Plastic
XiR P6600i SERIES		Accessory Connector Dust Cover	0104058J40	Plastic



COMPATIBILITY	ACCESSORY				FEATURES				
ANTENNAS									
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	
		UHF/GPS Combination Folded Monopole Whip Antenna for the 403-433 MHz range	PMAE4018	UHF	403-433	•	14	Whip	
1	1	UHF/GPS Combination Folded Monopole Whip Antenna for the 430-470 MHz range	PMAE4024	UHF	430-470	•	14	Whip	
		UHF/GPS Combination Folded Monopole Whip Antenna for the 450-495 MHz range	PMAE4050	UHF	450-495	•	14	Whip	
XIE PROD		UHF/GPS Combination Folded Monopole Whip Antenna for the 495-527 MHz range	PMAE4051	UHF	495-527	•	14	Whip	
XIR P8200 SERIES		VHF/GPS Combination Helical Whip Antenna for the 136-147 MHz range	PMAD4067	VHF	136-147	•	16	Helica	
		VHF/GPS Combination Helical Whip Antenna for the 147-160 MHz range	PMAD4068	VHF	147-160	•	16	Helical	
	•	VHF/GPS Combination Helical Whip Antenna for the 160-174 MHz range	PMAD4069	VHF	160-174	•	16	Helical	
	/	GPS/800/900 MHz Combination Helical Antenna	PMAF4003	800/900 MHz	806-941	•	18	Helical	

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

INTEGRATED GPS: A GPS antenna is integrated into the RF antenna. (The XiR P6600 / P6600i series radios do not have GPS capability, but use these antennas.)

COMPATIBILITY	ACCESSORY	ntion wherever you operate. New stubby antenna	s for the XiR P8600	FEATURES / P8600i and X	ir P6600 / P6	600i series ra	adios	
offer superior perfoi	ANTENNAS	D Series stubby antennas.	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS		TYPE
		UHF Wideband Flexible Whip Antenna for the 403-470 MHz range	PMAE4022	UHF	403-470		16	Whip
	/	UHF Wideband Flexible Whip Antenna for the 450-512 MHz range	PMAE4049	UHF	450-512		16	Whip
		VHF Wideband Flexible Whip Antenna for the 136-174 MHz range	PMAD4124/ PMAD4088	VHF	136-174		21	Whip
		UHF/GPS Combination Stubby Antenna for the 403-433 MHz range	PMAE4021	UHF	403-433	•	9	Stubby
	1	UHF/GPS Combination stubby antenna for the 430-470 MHz range	PMAE4023	UHF	430-470	•	9	Stubby
XIR P8200 SERIES		UHF/GPS Combination Stubby Antenna for the 450-512 MHz range	PMAE4048	UHF	450-512	•	9	Stubby
		VHF Stubby Antenna for the 136-147 MHz range	PMAD4093	VHF	136-147		11	Stubby
	/	VHF Stubby Antenna for the 147-160 MHz range	PMAD4094	VHF	147-160		11	Stubby
		VHF Stubby Antenna for the 160-174 MHz range	PMAD4095	VHF	160-174		11	Stubby
		Whip 350-400 MHz + GPS Fld Mnp Antenna 16.5cm	PMAD4112	VHF	350-400	•	16.5	Whip


COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS Portable radios	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
		UHF/GPS Combination Wideband Slim Whip Antenna (403-527 MHz)	PMAE4079	UHF	403-527	•	15	Whip
		VHF/GPS Combination Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	•	15	Helical
		VHF/GPS Combination Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	•	15	Helical
	-	VHF/GPS Combination Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	•	15	Helical
XiB P6600	/	UHF/GPS Combination Stubby Antenna (403-450 MHz)	PMAE4069	UHF	403-450	•	11	Stubby
XIR P6600 XIR P6600i SERIES		UHF/GPS Combination Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	•	11	Stubby
XiR P8600 XiR P8600i SERIES		UHF/GPS Combination Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	•	11	Stubby
		VHF/GPS Combination Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	•	9	Stubby
		VHF/GPS Combination Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	•	9	Stubby
		VHF Stubby Antenna (320-360 MHz)	PMAD4135	VHF	320-360			Stubby
		VHF Stubby Antenna (300-337 MHz)	PMAD4137	VHF	300-337			Stubby
		UHF Whip Antenna (403-527 MHz)	PMAE4079	UHF	403-527			Whip

ANTENNAS PORTABLE RADIOS ANTENNAS DESCRIPTION PART NUMBER UHF / VHF / (800/900 MHz) (MHz) (MHz)		
(800/900 MHz) (MHz)	INTEGRATED LENGTH GPS (CM)	ТҮРЕ
UHF Folded Monopole Whip Antenna for ATEX radio (403-433 MHz) PMAE4081 UHF 403-433		Whip
UHF Folded Monopole Whip Antenna for PMAE4082 UHF 430-470 ATEX radio (430-470 MHz) PMAE4082		Whip
UHF Stubby Antenna for ATEX radio PMAE4083 UHF 403-433 (403-433 MHz)		Stubby
UHF Stubby Antenna for ATEX radio PMAE4084 UHF 430-470 (430-470 MHz)		Stubby
UHF Wideband Whip Antenna for ATEX radio (403-470 MHz) PMAE4085 UHF 403-470		Whip
VHF/GPS Helical Whip Antenna for ATEX radio (136-147 MHz) PMAD4126 VHF 136-147		Whip
XiR P8600 Ex SERIES VHF/GPS Helical Whip Antenna for ATEX radio (147-160 MHz) PMAD4127 VHF 147-160		Whip
VHF/GPS Helical Whip Antenna for ATEX PMAD4128 VHF 160-174 radio (160-174 MHz)		Whip
VHF Stubby Antenna for ATEX radio PMAD4129 VHF 136-147 (136-147 MHz) VHF 136-147	11	Stubby
VHF Stubby Antenna for ATEX radio PMAD4130 VHF 147-160 (147-160 MHz)	11	Stubby
VHF Stubby Antenna for ATEX radio PMAD4131 VHF 160-174 (160-174 MHz)	11	Stubby
VHF Wideband Antenna for ATEX radio (136-174 MHz) PMAD4132 VHF 136-174		Whip



COMPATIBILITY	ACCESSORY	ACCESSORY			FEATURES				
ANTENNAS									
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED LE GPS (C	NGTH M)	ТҮРЕ	
щ		VHF Stubby Antenna (160-174 MHz)	PMAD4121	VHF	160-174			Stubby	
XiR E8600 XiR E8600i SERIES		VHF Stubby Antenna (350-380 MHz)	PMAD4136	VHF	350-380			Stubby	
XIR P6600 XIR P6600 XIR P6600i SERIES		VHF Stubby Antenna (360-400 MHz)	PMAD4133	VHF	360-400			Stubby	
		VHF Whip Antenna (300-360 MHz)	PMAD4138	VHF	300-360			Whip	
XIR P8600 XIR P8600i XIR P8600i SERIES		VHF Whip Antenna (350-400 MHz)	PMAD4139	VHF	350-400			Whip	

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS Portable radios	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
	/	800 MHz Flexible Whip Antenna (806-870 MHz)	PMAF4011	800/ 900 MHz	806-870		14	Whip
XiR P8600 XiR P8600 SERIES		900 MHz Flexible Whip Antenna (896-941 MHz)	PMAF4012	800/ 900 MHz	896-941		16.4	Whip
		UHF Antenna Kit for the 403-425 MHz range	PMAE4078	UHF	403-425		1.9	Stubby
		UHF Antenna Kit for the 420-445 MHz range	PMAE4076	UHF	420-445		1.9	Stubby
SLIK.		UHF Antenna Kit for the 438-470 MHz range	PMAE4077	UHF	438-470		1.9	Stubby
SLIK SLZK SERIES		UHF Stubby Antenna Kit for the 450-490 MHz range	PMAE4091	UHF	450–490		1.9	Stubby
		UHF Stubby Antenna Kit for the 480-527 MHz range	PMAE4092	UHF	480–527		1.9	Stubby
		Antenna Kit for the 800 MHz range	PMAF4017	800/ 900 MHz	806-870		1.1	Stubby



COMPATIBILITY	ACCESSORY		
ANTENNA ACCES	SORIES		
PORTABLE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER
		Gray Antenna ID Bands (pack of 10pcs)	32012144001
XIR E8600 XIR E8600i SERIES		Yellow Antenna ID Bands (pack of 10pcs)	32012144002
XiR P6600 XiR P6600i SERIES		Green Antenna ID Bands (pack of 10pcs)	32012144003
		Blue Antenna ID Bands (pack of 10pcs)	32012144004
XiR P8600 Xir P8600i Series		Purple Antenna ID Bands (pack of 10pcs)	32012144005

COMPATIBILITY	ACCESSORY		
PROGRAMMING (CABLES		
PORTABLE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER
XIR EBGOD XIR EBGOD SERIES		Portable Programming Cable (USB) for XiR E8600 / E8600i series and XiR P6600 / P6600i series	PMKN4115
XIR P6600 XIR P6600 XIR P6600i SERIES		Programming, Test, and Alignment Cable for XiR E8600 / E8600i series and XiR P6600 / P6600i series	PMKN4117
		Portable Programming Cable (USB) for XiR P8200 / P8600 / P8600i series	PMKN4012
XIR P8200 SERIES		Programming, Test, and Alignment Cable for XiR P8200 / P8600 / P8600i series	PMKN4013
XIR P8600 XIR P8600i XIR P8600i SERIES	<i>.</i> Q	Portable Telemetry Cable	PMKN4040
		IMPRES Portable Non-PC Adapter	PMKN4071
XIR P8600 XIR P8600 XIR P8600 SERIES		IMPRES Mobile MMP Non-PC Adapter	PMKN4126
SL1K SL2K SERIES	\bigcirc	Portable Programming Cable (micro USB) for SL series	CB000262A01

MOTOTRBO MOBILE RADIOS





XiR M8600 SERIES XiR M8600i SERIES

UNRIVALED VOICE AND DATA ON THE GO XIR M8600 / XIR M8600i SERIES

The XiR M8600 series shares the same connector as the XiR M8200 series accessories enabling easy migration. This portfolio is enhanced with integrated Bluetooth[®], giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 10m of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.



XiR M8200 SERIES

INTEGRATED VOICE AND DATA ON THE GO XIR M8200 SERIES

Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. XiR M8200 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.




XiR M6600 SERIES

XiR M6600 SERIES

The XiR M6600 features a durable telco accessory connector that enables microphones, external speakers and vehicular solutions. Many of the XiR M6600 microphones feature Intelligent Audio. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear clearly. If you're driving an empty bus that quickly fills with chattering children – you will still be able to hear important communication without taking your hands off the wheel to adjust the radio volume.

MOTOTRBO MOBILE RADIOS



COMPATIBILITY	ACCESSORY			FEATURES				
MICROPHONES Keypad microphones let you easily navigate menus on your M8260 or M8660 series mobiles, dial phone numbers and send text messages. The heavy-duty microphone is easy to use while wearing gloves and the telephone-style handset enables more discreet communication.								
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES			
	De	IMPRES Keypad Microphone with 4-way navigation button	RMN5127	Keypad + Navigation	•			
XIR MB660 XIR MB660 XIR MB660i Series	Ţ	MOTOTRBO Mobile Handheld Control Head Upgrade Kit with 3M Straight Cable	PMLN7131					
	Q	MOTOTRBO Mobile Handheld Control Head 5 Meter Straight Extension Cable	PMKN4174					

COMPATIBILITY	ACCESSORY			FEATURES	
MICROPHONES Kee The heavy-duty micro	eypad microphones let you phone is easy to use while	u easily navigate menus on your M8260 or M e wearing gloves and the telephone-style ha	8660 series mobiles, d ndset enables more d	ial phone numbers and send text messag iscreet communication.	jes.
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE IMPRES	
XIR M8200 SERIES		IMPRES Keypad Microphone	RMN5065	Keypad	•
		Standard Compact Microphone	RMN5052	Compact	
<u> </u>	Ś	IMPRES Heavy-Duty Microphone	RMN5053	Heavy-Duty	•
XIR M8600 XIR M8600i SERIES	7	IMPRES Telephone Style Handset	HMN4098	Telephone Style Handset	•
XIR M8200 SERIES	10	IMPRES Visor Microphone	RMN5054	Visor	•
	J.	Desktop Microphone	RMN5050	Desktop	
	(Compact Microphone	PMMN4090	Compact	
	+	Heavy Duty Microphone	PMMN4091	Heavy-Duty	
XIR M6600 SERIES	Ŷ	Keypad Microphone	PMMN4089	Кеураd	
	~	Visor Microphone	GMMN4065	Visor	
		Desktop Microphone	PMMN4098	Desktop	

MOTOTRBO MOBILE RADIOS



COMPATIBILITY	ACCESSORY		
MOBILE MICROPH	IONE ACCESSORIES		
MOBILE RADIOS	MICROPHONE Accessories	DESCRIPTION	PART NUMBER
XiR M8600 Xir M8600i Series	Al al	Microphone Hang-Up Clip (Requires installation)	HLN9073
XIR M8200 SERIES XIR M6600 SERIES	0	Universal Microphone Hang-Up Clip (No installation required)	HLN9414
	k	10-Foot Mobile Microphone Extension Cable	PMKN4033
XiR M8600 XiR M8600i SERIES		20-Foot Mobile Microphone Extension Cable	PMKN4034
Xir M8200 SERIES		Compact Microphone Replacement Cable	3075336B07
		Heavy Duty / Keypad Microphone Replacement Cable	3075336B10

HOW CAN I COMMUNICATE SAFELY IN MY VEHICLE?

The IMPRES Visor Microphone mounts to your vehicle's visor for safe, convenient communication. Press the external push-to-talk button on the steering wheel to converse without taking your hands off the wheel or your eyes off the road. IMPRES Audio compensates for the distance of the visor mic from your mouth so that your radio communications are loud and clear.



COMPATIBILITY

ACCESSORY

EXTERNAL PUSH-TO-TALK (PTT) Activate the PTT or emergency footswitch without having to use the mobile microphone. A simple pushbutton PTT can be held in the hand or mounted in your vehicle for easy access, while the emergency footswitch lets you discreetly activate emergency hands-free when a critical situation arises.

MOBILE RADIOS	MICROPHONE ACCESSORIES	DESCRIPTION	PART NUMBER
XIR M8600 XIR M8600i SERIES	\bigcirc	Pushbutton push-to-talk to interface with your visor microphone	RLN5926
XIR M8200 SERIES		Emergency Footswitch can be used with a visor microphone	RLN5929
	9	Remote Mount Footswitch Push-to-Talk to interface with your visor microphone	RLN4856
XiR M6600	S	Remote Mount Pushbutton Push-to-Talk to interface with your visor microphone	RLN4857
SERIES	Canal State	External PTT with Emergency Footswitch	RLN4836
		Gooseneck PTT	RLN4858



OPTIMIZED FOR DIGITAL

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for XiR M6600 mobile radios.

MOTOTRBO MOBILE RADIOS



COMPATIBILITY	ACCESSORY			FEATURES			
OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES [^] This portfolio is a game changer for your business as you have the flexibility to leave your truck or walk away from your desk and still remain connected to your radio up to 100m line of sight (All bluetooth kits require in country approvals). [^] Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.							
MOBILE RADIOS	WIRELESS: ENHANCED OPERATIONS CRITICAL WIRELESS	DESCRIPTION	PART NUMBER	WINDPORTING/ NOISE CANCELING	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	AUDIO JACK (3.5MM)
		Long Range Wireless Kit with charger Includes: Long Range Wireless RSM; Mobile Mic Bluetooth Gateway; Vehicular Charger	MDRLN6551	Windporting	Ø	Ø	
XiR M8600 XiR M8600i SERIES		Dual Unit Charger (Charger base with US power supply)	PMLN7120				
XIR ME200 SERIES		Dual Unit Charger (Charger base with EU power supply)	PMLN7121				
		Dual Unit Charger (Charger base with UK power supply)	PMLN7122				

LONG RANGE WIRELESS SOLUTIONS

Designed for customers who depend on their high power mobile radio for system connection but must work outside of their vehicle. The Long Range Wireless solution allows you to maintain critical communications even on remote job site.

								VERTICAL MAI each of vertica	RKETS : Recommer Is listed.	idations based	d on typical us	e case for
TALK (HOUF 5/5/90 DUTY CYCLE	TIME RS) CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE DIMENSIONS (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING/ Submersible	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	PRIVATE SECURITY	EDUCATION (CAMPUSES)
28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300	IP55	•	•	•	•	•
	3							•	•	•	•	•
	3							•	•	•	•	•
	3							•	•	•	•	•

MAINTAIN CRITICAL COMMUNICATIONS EVEN ON REMOTE JOB SITES



REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES

ACCESSORY

COMPATIBILITY

FEATURES

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

MOBILE RADIOS	REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES	DESCRIPTION	PART NUMBER	WINDPORTING/ NOISE CANCELING	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON
Xir M8600 Xir M8600		Mobile Microphone with Bluetooth Gateway	PMMN4097			
		Wireless RSM (Remote Speaker Microphone) with Battery and Clip	RLN6544	Windporting	Ô	
		Wireless RSM Battery, 1750mA Li-Ion 3.6 VDC	PMNN4461			
XIR M8600i SERIES	<u></u>	Vehicular Charger with coil cord cigarette lighter plug	PMLN6716			
XiR M8200 SERIES	1.	Hang Up Clip, required for vehicular charger	HLN5391			
		D Ring Swivel Clip	42009312001			
	ST.	Receive-Only Earpiece with Comfort Eartube	RLN4941 PMLN7560			
	N	Receive-Only Earbud	AARLN4885			

SITUATION

Keep in touch even on remote job sites when you depend on your high power mobile radio but have to work outside your vehicle. You are a utility worker and need to check the meter readings. You have to park your truck about 100 meters away from the utility box due to access restrictions, yet you stay connected to your radio with your Long Range Wireless Remote Speaker Microphone. You communicate key readings immediately to dispatch. Get your job done safely and more efficiently.

SOLUTION

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Bluetooth microphone is compatible with MOTOTRBO XiR M8200 and XiR M8600 / M8600i series mobile radios. The Long Range Wireless RSM works up to 100 meters away from the mobile radio, keeping you in communication where you never thought possible.

FEATURES

COMPATIBILITY **REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES[^]**

ACCESSORY

^AChannel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

MOBILE RADIOS	REPLACEMENT PARTS AND SECONDARY AUDIO ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE EARPIECE
XiR M8600 XiR M8600i		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™ foam eartip	RLN4941, PMLN7560
SERIES XiR M8200 SERIES	63 69	Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply™ foam eartip	RLN4941, PMLN7560
		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply™ foam eartip	RLN4941, PMLN7560

AUDIO JACK (3.5MM)	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE DIMENSIONS (MILLIMETERS)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING/ SUBMERSIBLE
					Enhanced Operations Critical	Touch		
	28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300	IP55
	28	3						



COMPATIBILITY

ACCESSORY

FEATURES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES[^] This portfolio is a game changer for your business as you have the flexibility to leave your truck or walk away from your desk and still remain connected to your radio up to 10m away. All blue tooth kits require in country type approvals. The bluetooth kits require to purchase the USB chargers separately. Please refer these chargers under Wireless Replacement Kits.

^AChannel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

OPERATIONS CRITICAL WIRELESS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	
5	Operations Critical Wireless Earpiece with 12 inch cable	NNTN8189	Over-the-ear tube (CommPort™)	Directional, above the earpiece	
	Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line	
Carlo Carlo	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line	
	Operations Critical Wireless push-to-talk pod without charger	NNTN8191	N/A	N/A	
QC	Bluetooth Accessory Kit with swivel earpiece and battery clip (PTT on radio or with separate wireless PTT)	PMLN6463	Over-the-ear (Swivel)	In-line	
swivel earpiece with Boor	Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT)	PMLN7181	Over-the-ear (Swivel)	In-line	
	XBT Operations Critical Wireless Behind-the-Neck Headset. Charger is provided with the blue tooth headset	RLN6490	Dual-Ear	Boom	
Q.	XBT Operations Critical Wireless Headband Style Headset. Charger is provided with the blue tooth headset	RLN6491	Dual-Ear	Boom	
		WIRELESS Operations Critical Wireless Earpiece with 12 inch cable Image: Constraint of the system of the	WIRELESS Descharmon PART Notibeer Operations Critical Wireless Earpiece with 12 inch cable NNTN8189 Operations Critical Wireless Earbud with 11.5 inch cable NNTN8294 Operations Critical Wireless Earbud with 11.5 inch cable NNTN8294 Operations Critical Wireless Earbud with 11.5 inch cable NNTN8295 Operations Critical Wireless Earbud with 45 inch cable NNTN8295 Operations Critical Wireless push-to-talk pod without charger NNTN8191 Operations Critical Wireless push-to-talk pod without charger NNTN8191 Operations Critical Wireless push-to-talk pod without charger NNTN8191 Operations Critical Wireless PUSH Price Price PMLN6463 PMLN6463 Wireless PTT) Bluetooth Accessory Kit with Flexible Fit swivel earpiece with Boom Microphone and charging cradle (PTT on radio or with separate wireless PTT) PMLN7181 Star Operations Critical Wireless Behind-the-Neck Headset. Charger is provided with the blue tooth headset RLN6490 XBT Operations Critical Wireless Headband Style Headset. Charger is provided with the RLN6491	WRELESS Description Part Notable Part Notable Part Notable Image: Straight of the straight of t	

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort[™] style earpiece.

HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	DIMENSIONS (MM)	WEIGHT (GRAMS)	PAIRING TYPE	IP RATING
On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
Requires separate PTT pod	10 with PTT pod				Standard	IP54
Requires separate PTT pod	10 with PTT pod				Standard	IP54
On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
On Radio*	8		Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	18	Standard	
On Radio*	8		Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	18	Standard	
On Ear Cup	22	7		429	Standard	IP54
On Ear Cup	22	7		422	Standard	IP54

MICROPHONE: The in-line microphone on the earbud earpiece is great for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.



WIRELESS REPLACEMENT PARTS

ACCESSORY

COMPATIBILITY

^Channel orders for certain new audio, energies and replacement items require prior approval by Motorola Solutions. Production requirements such as stipulated quantity must be met before order can be considered. Please contact your channel sales manager for clarification or more information.

FEATURES

MOBILE RADIOS	WIRELESS REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
XIR M8600 SERIES	5	Mission Critical/Operations Critical Replacement Wireless Earpiece with 12 inch cable	NTN2572	Over-the- ear tube (CommPort™)	Directional, above the earpiece	N/A
	$\langle c \rangle$	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens	NTN8821	N/A	N/A	N/A
	5	Eartube for comport earpiece (pack of 10)	RLN5037	N/A	N/A	N/A
		Swivel clip for Operations Critical and Enhanced Operations Critical Wireless pods	PMLN6246	N/A	N/A	N/A
		Replacement or spare micro-USB plug-in charger (US plug) for wireless pod	PS000042A11(US) PS000042A13(UK) PS000042A12(EUR)	N/A	N/A	N/A
	~~~??	Swivel Earpiece with in-line microphone Multi-Pack for MOTOTRBO Bluetooth Accessory Kit	HKLN4513	Over-the-Ear (Swivel)	Boom	Radio Only
		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio Only

COMPATIBILITY	ACCESSORY							
<b>CONTROL STATION ACCESSORIES</b> Quickly and conveniently convert your radio into a base station. Ideal for transportation, manufacturing and public service operations that have dispatch requirements.								
MOBILE RADIOS	CONTROL STATION ACCESSORIES	DESCRIPTION	PART NUMBER					
		Desktop Tray with speaker	RSN4005					
XIR MB600 XIR MB600i SERIES		Desktop Tray without speaker	GLN7318					
XIR M8200 SERIES		Power Supply, 25-60W, 1-60W cord included	HPN4007					





# **MOTOTRBO MOBILE RADIOS**

COMPATIBILITY	ACCESSORY								
<b>INSTALLATION AND MOUNTING ACCESSORIES</b> Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio be mounted in the trunk when dash space is limited.									
MOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	DESCRIPTION	PART NUMBER						
XIR M8200 SERIES		Low Profile Trunnion Kit keeps radio tucked up under dash (Box)	RLN6077						
XIR M8200 SERIES		High Profile Trunnion Kit with under dash or floor mount	RLN6078						
XiR M8600 Xir M8600i SERIES Xir M6600 SERIES		High Profile Trunnion Kit with under dash or floor mount	RLN6467						
XIR M8200 SERIES		Key Lock Trunnion Kit provides extra protection from theft	RLN6079						
XIR M8600 XIR M8600i SERIES XIR M6600 SERIES	C: 13	Key Lock Trunnion Kit provides extra protection from theft	RLN6468						
XIR M8200 SERIES		Direct In Dashboard Mounting Kit	RLN5933						
XIR MISGOO XIR MISGOO SERIES	S.	Direct In Dashboard Mounting Kit	RLN6465						
XIR M8200 SERIES		MOTOTRBO Mobile Remote Mount Adapter Kit	PMLN5404						
XIR MBGOO XIR MBGOO SERIES		MOTOTRBO Mobile Remote Mount Adapter Kit	PMLN6404						



COMPATIBILITY	ACCESSORY						
INSTALLATION AND MOUNTING ACCESSORIES							
MOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	AND MOUNTING DESCRIPTION PA					
		In-Dash Mounting Kit - DIN	FTN6083				
		Power Cable to Battery - 10 foot, 15 amp 14 AWG	HKN4137				
XIR M6600 SERIES	-0,	Power Cable to Battery - 10 foot, 20 amp 12 AWG	HKN4191				
	Ø	Power Cable to Battery - 20 foot, 20 amp 10 AWG	HKN4192				
	0	Ignition Sense Cable	HKN9327				

COMPATIBILITY	ACCESSORY							
EXTERNAL SPEAKERS Boost audio at your control station on your desk or in your vehicle with external speakers. Different watt speakers can be customized to your environment.								
MOBILE RADIOS	EXTERNAL SPEAKERS	DESCRIPTION	PART NUMBER					
		13W External Speaker	RSN4002					
XiR M8600 Xir M8600i SERIES		7.5W External Speaker	RSN4003					
XIR MB200 SERIES		5W External Speaker	RSN4004					
		7.5W External Speaker	HSN8145					
XIR M6600 SERIES		13W External Speaker	RSN4001					
	ĵ. O	Speaker Extension Cable	GMKN4084					



## **MOTOTRBO PORTABLE RADIOS**



COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4073
XIR M8200 SERIES	$\sim$	Mobile Remote Mount 3-Meter Cable Kit	PMKN4074
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4144
		Mobile Remote Mount 3-Meter Cable Kit	PMKN4143
XiR M8600 XiR M8600i SERIES		IMPRES Mobile MMP Non-PC Adapter	PMKN4072
		MPRES Mobile MAP Non-PC Adapter	PMKN4070
		Power Cable to Battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG	HKN4191
XIR M8600	ŶŶ	Power Cable to Battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG	HKN4192
XIR M8600i SERIES		Power Cable to Battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG	HKN4137
XIR M8200 SERIES	070	Ignition Sense Cable	RKN4136



COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
VID HIGHD		Mobile and Repeater Rear Accessory Programming Cable	PMKN4010
	Q.	Mobile and Repeater Rear Programming, Test and Alignment Cable	PMKN4016
XIR M8600 XIR M8600i SERIES	*O)	Mobile Rear Accessory Connector Universal Cable	PMKN4018
XIR M8200 SERIES		Mobile Front Programming Cable	HKN6184
		Hardware Kit for Rear Accessory Connector	PMLN5072
		Mobile Front Programming Cable	PMKN4147
		Mobile Rear Accessory Connector Universal Cable	PMKN4151
		16 Pin MAP Connector Housing	1580922V01
		Rear Accessory Connector Seal with Connector and Pins	GMBN1021
XIR M6600 SERIES	Tommer +	16 Pin Accessory Connector Kit	HLN9457
		Hardware Connection Kit (Pins and Removal Tool) APAC only	HLN9491
		Connector Extender, 20 pieces	PMLN5620
		Gasket, Cover, Accessory Connector	3202607Y01
		Generic Option Board	PMLN6544



## **MOTOTRBO MOBILE RADIOS**

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A var	riety of antennas ensure	the best possible reception wherever you ope	erate. Choose from a		-		
MOBILE RADIOS	UHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
COMBINATION (	GPS/UHF ANTENNA	S					
		Combination GPS/UHF 403-430 MHz, 1/4 Wave, Through-hole Mount, BNC	PMAE4035	UHF	403-430	•	Through- hole
	•••• •••	Combination GPS/UHF 406-420 MHz, 3.5 dB Gain, Through-hole Mount, BNC	PMAE4036	UHF	406-420	•	Through- hole
		Combination GPS/UHF 450-470 MHz, 1/4 Wave, Through-hole Mount, BNC	PMAE4037	UHF	450-470	•	Through- hole
Xir M8600 Xir M8600 Xir M8600i Series	20 2	Combination GPS/UHF 450-470 MHz, 5 dB Gain, Through-hole Mount, BNC	PMAE4038	UHF	450-470	•	Through- hole
Xir M8200 Series	•••• ••	Combination GPS/UHF 470-494 MHz, 3.5 dB Gain, Through-hole Mount, BNC	HAE6025	UHF	470-494	•	Through- hole
	••• ••	Combination GPS/UHF 494-512 MHz, 3.5 dB Gain, Through-hole Mount, BNC	HAE6023	UHF	494-512	•	Through- hole
	••• •	Combination GPS/UHF 403-527 MHz, 2 dB Gain, Through-hole Mount, BNC	HAE6017	UHF	403-527	•	Through- hole
		Combination GPS/UHF 470-527 MHz, 1/4 Wave, Through-hole Mount, BNC	HAE6018	UHF	470-527	•	Through- hole
XiR M8600 XiR M8600i SERIES		Antenna, Mobile, Combination GPS/ GALILEO/0ZSS/GLONASS, UHF 320-360 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAD4143	UHF	320-360	•	Through- hole

**FREQUENCY BAND:** Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

 $\ensuremath{\textbf{INTEGRATED}}$  GPS: To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna.

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	UHF/VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
UHF ANTENNAS	(RF ONLY)					·	
XiR M8600i XiR M8600i SERIES XiR M8200 SERIES XiR M6600 SERIES		UHF Wide Area Through-Hole Mount Antenna for the 450-470 MHz range, 3.5 dB Gain, Mini-U	HAE4011	UHF	450-470		Through- hole
		UHF Wide Area Through-Hole Mount Antenna for the 445-470 MHz range, 5 dB Gain, Mini-U (with base)	RAE4004ARB	UHF	445-470		Through- hole
XIR MB600 SERIES		UHF Urban Roof Mount 1/4 Wave Antenna for the 403-430 MHz range, Mini-U	HAE4002	UHF	403-430		Roof mount
XIR M8200 SERIES XIR M6600 SERIES	Ň	UHF Urban Roof Mount 1/4 Wave Antenna for the 450-470 MHz range, Mini-U	HAE4003	UHF	450-470		Roof mount
		UHF Urban Roof Mount 1/4 Wave Antenna for the 470-512 MHz range, Mini-U	HAE4004	UHF	470-512		Roof mount
XIR MB600 XIR MB600 XIR MB600i SERIES		UHF Wide Area Roof Mount Antenna for the 494-512 MHz range, 3.5 dB Gain	HAE4013	UHF	494-512		Through- hole

## **MOTOTRBO PORTABLE RADIOS**

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS Mobile Radios	UHF/VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
UHF ANTENNAS (	RF ONLY)						
<u> </u>	000 <b>-</b>	UHF, 403-430 MHz, 1/4 Wave, Through- hole Mount, BNC	RAE4151	UHF	403-430		Through- hole
XiR M8600 XiR M8600i SERIES		UHF, 450-470 MHz, 1/4 Wave, Through- hole Mount, BNC	RAE4152	UHF	450-470		Through- hole
XIR M8200 SERIES	00 <b>0</b> 0 :	UHF, 450-470 MHz, 5 dB Gain, Through- hole Mount, BNC	RAE4154	UHF	450-470		Through- hole
XIR M6600 SERIES	000 *	UHF, 406-420 MHz, 3.5 dB Gain, Through- hole Mount, BNC	RAE4158	UHF	406-420		Through- hole
		GPS/VHF Through-Hole Mount Antenna for the 146-172 MHz range, 3 dB Gain	RAD4218	VHF	146-172	•	Through- hole
XiR M8600 XiR M8600i SERIES		Combination GPS/VHF 136-144 MHz, 1/4 Wave, Through-hole Mount, BNC	RAD4219	VHF	136-144	•	Through- hole
XIR M8200 SERIES	00 00 ***	Combination GPS/VHF 146-150.8 MHz, 1/4 Wave, Through-hole Mount, BNC	RAD4220	VHF	146-150.8	•	Through- hole
	••••••••••••••••••••••••••••••••••••••	Combination GPS/VHF 150.8-162 MHz, 1/4 Wave, Through-hole Mount, BNC	RAD4221	VHF	150.8-162	•	Through- hole
	00 000	Combination GPS/VHF 162-174 MHz, 1/4 Wave, Through-hole Mount, BNC	RAD4222	VHF	162-174	•	Through- hole

COMPATIBILITY ANTENNAS	ACCESSORY			FEATURES			
MOBILE RADIOS	UHF/VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
VHF ANTENNAS (	RF ONLY)						
		VHF Urban Roof Mount 1/4 Wave Antenna for the 136-144 MHz range, Mini-U	HAD4006	VHF	136-144		Roof mount
XIR M8600	ġ	VHF Urban Roof Mount 1/4 Wave Antenna for the 146-150.8 MHz range, Mini-U	HAD4007	VHF	146-150.8		Roof mount
XIR MB600i SERIES	*	VHF Urban Roof Mount 1/4 Wave Antenna for the 150.8-162 MHz range, Mini-U	HAD4008	VHF	150.8-162		Roof mount
XIR M6600 SERIES	S	VHF Urban Roof Mount 1/4 Wave Antenna for the 162-174 MHz range, Mini-U	HAD4009	VHF	162-174		Roof mount
VHF ANTENNAS (	RF ONLY)						
XIR MEGOO XIR MEGOO SERIES		VHF Wide Area Through-hole Mount Antenna for the 132-174 MHz range 3 dB Gain, Mini-U	HAD4022	VHF	132-174		Through- hole
XIR MB200 SERIES XIR MB600 SERIES	000 **	VHF, 146-150.8 MHz, 1/4 Wave, Through- hole Mount, BNC	RAD4199	VHF	146-150.8		Through- hole
XIR M8600 XIR M8600 XIR M8600i SERIES XIR M8200 SERIES		VHF Antenna Kit 150.8-162 MHz, 1/4 Wave	RAD4224	VHF	150.8-162		

## **MOTOTRBO PORTABLE RADIOS**

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							_
MOBILE RADIOS	800/900 VHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
STANDALONE G	PS ANTENNAS		•				
	•	Fixed Mount GPS Active Antenna	PMAN4000	N/A	N/A	•	Fixed
XIR M8600 XIR M8600i SERIES		Glass Mount GPS Active Antenna	PMAN4001	N/A	N/A	٠	Glass
XIR M8200 SERIES		Magnetic Mount GPS Active Antenna	PMAN4002	N/A	N/A	•	Magnetic
	PS/800/900 ANTENNA	A S					
		GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz range	HAF4029	800/900	806-941	•	Through- hole
Xir M8600 Xir M8600i SERIES		GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz range, 3 dB Gain	HAF4030	800/900	806-941	٠	Through- hole
Xir M8200 Series		GPS/800/900 MHz Stubby Antenna for the 806-941 MHz range	HAF4032	800/900	806-941	•	Through- hole
		GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain	HAF4033	800/900	806-941	•	Through- hole
800/900 VHF ANT	ENNAS (RF ONLY)			1			
		Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz range, 3 dB Gain	HAF4013	800/900	806-941		Through- hole
Xir M8600 Xir M8600i SERIES		Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz range	HAF4025	800/900	806-941		Through- hole
XIR M8200 SERIES		Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 3 dB Gain	HAF4026	800/900	806-941		Through- hole



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	800/900 VHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
800/900 VHF ANTE	NNAS (RF ONLY)						
		Wide Area Through-Hole Mount Antenna for the 806-941 MHz range, 5 dB Gain	HAF4027	800/900	806-941		Through- hole
XIR M8600 XIR M8600i SERIES	000 #	Kit, Combination GPS+RF, Base Only, Through-hole Mount, BNC	PMAN4003	N/A	N/A	N/A	Through- hole
Xir M8200 Series	000 E	Kit, Combination GPS+RF, Base Only, Through-hole Mount, Mini-U	PMAN4004	N/A	N/A	N/A	Through- hole

COMPATIBILITY	ACCESSORY						
ANTENNA ACCESSORIES							
MOBILE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER				
XIR M8600 XIR M8600	<i>~</i>	Mobile Mini-U Antenna Adapter, 8-foot cable	HKN9088				
SERIES Xir M8200 SERIES	$\frown$	PL259/Mini-U Antenna Adapter, 8-foot cable	HKN9557				


















For more information on Motorola accessories, visit **www.motorolasolutions.com/ap/mototrbo** 

Motorola Solutions Singapore Pte Ltd 12 Ang Mo Kio Street 64, Ang Mo Kio Industrial Park 3, UE Biz Hub, Block A, Level 7 Singapore 569088

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2017 Motorola Solutions, Inc. All rights reserved. GLOBAL_ACCE_CAT_AP_270317



