



MAKE YOUR WORKPLACE SIMPLER AND SMARTER

MOTOTRBO Xir P8600 SERIES ACCESSORIES

From the supervisor in the plant to the receptionist at a hotel, MOTOTRBO digital solutions can transform your enterprise and make employee interactions smarter and safer. Our XiR P8600 Series radios have expanded capabilities, like full color displays and powerful data features, to empower people like never before.

That's why it's critical to choose the only accessories certified to perform with MOTOTRBO radios. The XiR P8600 Series accessories help remaster your workplace – with forward-thinking features like integrated Bluetooth[®] and Intelligent Audio – so you can achieve greater efficiency.



GET EXCEPTIONAL AUDIO EVERYWHERE

Our exclusive IMPRES Smart Audio accessories communicate with the radio to suppress ambient noise, improve voice intelligibility and amplify loudness – even in high-noise and harsh weather. Automatic Gain Control (AGC) adds another layer of exceptional audio. It detects changes in voice levels from the individual talking, then increases or decreases microphone gain so the listener hears you clearly regardless of how loudly or quietly you are talking into your accessory.

TAKE INTELLIGENT AUDIO FURTHER WITH IMPRES

Our XiR P8600 Series radios offer a smart feature in digital mode –Intelligent Audio. With Intelligent Audio, the radio volume automatically adjusts to compensate for background noise so workers don't have to adjust their radio volume to avoid missing a call in loud situations or disturbing others when they move into quiet places. Increased background noise suppression filters out unwanted external clamor – from road traffic to the roar of engines. Your workforce can also enjoy the benefits of Intelligent Audio with select audio accessories.

Plug in an IMPRES accessory and it instantly sets the volume level and enhances the Intelligent Audio capabilities on the radio. With IMPRES, your radio not only recognizes the accessory and loads the correct profile to optimize audio performance, but combined with Intelligent Audio it intuitively adjusts volume to compensate for background noise.

ENHANCE MOBILITY WITH INTEGRATED BLUETOOTH

Improve the mobility of your crews without wires getting tangled. We've embedded Bluetooth in to your XiR P8600 Series radio so no adapter is needed. Indoors at the plant or outdoors at the gate, our exclusive Operations Critical Wireless earpiece handles loud environments while an optional wireless push-to-talk (PTT) seamlessly links to any earpiece. Just put the PTT in a pocket or on a lapel and connect instantly.

EVEN OUR BATTERIES ARE SMARTER

Shift workers rely on batteries that outlast their shifts and our time-tested, "Proven Tough" IMPRES Smart Energy System stands up to the challenge. It automates battery maintenance and eliminates overcharging, no matter how long radios are left in the charger. Our XiR P8600 Series IMPRES batteries store critical data, letting you know when they need to be replaced. These batteries also feature a unique, textured surface that makes it easier to grip the radio, even when wearing gloves.

Save energy and money by using the same charger to power up all your MOTOTRBO portable radios. Simply mix and match radios and batteries in one MOTOTRBO multiunit charger.

ACCESSORIES COMPATIBLE WITH MOTOTRBO XIR P8668 / P8660 / P8628 / P8620 / P8608 / P8600 PORTABLE RADIOS

REMOTE SPEAKER MICROPHONES

| PMMN4024 ^{1,2} | Remote Speaker Microphone with 3.5mm audio jack (IP54) |
|-------------------------|--|
| PMMN4025 ^{1,2} | IMPRES Remote Speaker Microphone with 3.5mm audio jack and emergency button (IP54) |
| PMMN40401,2 | Remote Speaker Microphone, submersible (IP57) |
| PMMN4046 ^{1,2} | IMPRES Remote Speaker Microphone with volume control, emergency and programmable button, submersible (IP57) |
| PMMN4050 ^{1,2} | IMPRES Noise cancellation Remote Speaker Microphone with 3.5mm audio jack (IP54) |

| REMOTE SP | EAKER MICROPHONE ACCESSORIES |
|------------------------|--|
| AARLN4885 ² | Receive-Only Covered Earbud with coiled cord |
| RLN4941 ² | Receive-Only Earpiece with translucent tube |
| WADN4190 ² | Receive-Only Flexible Earpiece |
| PMLN4620 ² | Receive-Only D-shell Earpiece |

EARSET

PMLN5096^{1,2} D-style Earset with inline push-to-talk

| SURVEILLANCE AC | CESSORIES |
|--|--|
| RLN5878 / RLN5879 ² | Receive-Only Surveillance Kit (black/beige) |
| RLN5880 / RLN5881 ^{1,2} | IMPRES 2-wire Surveillance Kit (black/beige) |
| RLN5882 / RLN5883 ^{1,2} | IMPRES 2-wire Surveillance Kit with translucent tube (black/beige) |
| PMLN5111 / PMLN5112 ^{1,2} | IMPRES 3-wire Surveillance Kit with translucent tube (black/beige) |
| PMLN5097 / PMLN5106 ^{1,2} | IMPRES 3-wire Surveillance Kit (black/beige) |
| RLN5886 | Low Noise Kit for Surveillance Kits |
| RLN5887 | High Noise Kit for Surveillance Kits |
| RLN4760 / RLN4763 | Small Clear, Comfortable Earpiece |
| | (right/left ear) |
| RLN4761 / RLN4764 | (right/left ear) Medium Clear, Comfortable Earpiece (right/left ear) |
| RLN4761 / RLN4764 RLN4762 / RLN4765 | Medium Clear, Comfortable Earpiece |

BLUETOOTH WIRELESS ACCESSORIES

| NNTN8189 ^{1,2*} | Operations Critical Wireless Earpiece with 12" cable |
|--------------------------|---|
| NNTN8190 ^{1,2*} | Operations Critical Wireless Earpiece with 9.5" cable |
| NNTN8191 ^{1,2*} | Operations Critical Wireless Pod |
| NNTN8294 ^{1,3} | Operations Critical Wireless Earbud with 11.4" cable |
| NNTN8295 ^{1,3} | Operations Critical Wireless Earbud with 45.7" cable |
| PMPN4006 | Charger, Micro USB (US/EU/UK) |
| PMPN4007 | Charger, Micro USB (AU/NZ) |
| PMPN4015 | Charger, Micro USB (KOREA) |
| PMPN4008 | Charger, Micro USB (CHINA) |
| PMPN4008 | Charger, Micro USB (CHINA) |

- * These Bluetooth kits do not come with chargers, order the suitable micro USB chargers separately
- ¹ These audio accessories have been optimized to work with the Intelligent Audio feature

² Intrinsically Safe

³ Must also be ordered with NNTN8191, wireless push-to-talk pod and the appropriate charger.

HEADSETS

| PMLN5102 ^{1,2} | Ultra-lite Headset, behind-the-head, adjustable with inline push-to-talk |
|-------------------------|--|
| RMN5058 ^{1,2} | Lightweight Headset, over-the-head single-muff with inline push-to-talk |
| PMLN5275 ^{1,2} | Heavy Duty Headset with boom microphone, noise reduction = 24dB |
| PMLN5101 ^{1,2} | IMPRES Temple Transducer with boom microphone and inline push-to-talk |

| ANTENNAS | |
|--|--|
| PMAE4079 ² & PMAE4068 ² | UHF Combination Whip Antenna (403-527 MHz) |
| PMAE4069 ² | UHF Stubby Antenna (403-450 MHz) |
| PMAE4070 ² | UHF Stubby Antenna(440-490 MHz) |
| PMAE4071 ² | UHF Stubby Antenna (470-527 MHz) |
| PMAD4117 ² | VHF Helical Antenna (136-155 MHz) |
| PMAD4116 ² | VHF Helical Antenna (144-165 MHz) |
| PMAD4118 ² | VHF Helical Antenna (152-174 MHz) |
| PMAD4119 ² | VHF Stubby Antenna (136-148 MHz) |
| PMAD4120 ² | VHF Stubby Antenna (146-160 MHz) |

BATTERIES AND CHARGERS

IMPRES BATTERIES

| PMNN4407 | IMPRES Li-Ion 1500 mAh submersible battery, IP57 |
|-----------------------|---|
| PMNN4409 | IMPRES Li-lon 2150 mAh high capacity submersible battery, IP57 |
| NNTN8129 ² | IMPRES Li-ion 2150 mAh submersible battery, IP57, Intrinsically Safe |

IMPRES SINGLE UNIT CHARGERS

| WPLN4232 | IMPRES, Single Unit Charger, US 2 Pin |
|----------|---|
| WPLN4234 | IMPRES Single Unit Charger, EUR 2 Pin |
| WPLN4255 | IMPRES, Single Unit Charger, EUR 2pin (Switch mode) |
| WPLN4233 | IMPRES, Single Unit Charger, UK 3 Pin |
| WPLN4256 | IMPRES, Single Unit Charger, ANZ 2 Pin |
| WPLN4249 | IMPRES, Single Unit Charger, KOREA 2 pin |
| WPLN4245 | IMPRES, Single Unit Charger, CHINA 2 pin |

IMPRES MULTI-UNIT CHARGERS

| WPLN4212 | IMPRES, MUC, Non-Display, 110-230V, US Cord |
|-----------------------|--|
| WPLN4213 ³ | IMPRES, MUC, Non-Display, 110-230V, EU Cord (can also be used in China) |
| WPLN4214 | IMPRES, MUC, Non-Display, 110-230V, UK Cord |
| WPLN4215 | IMPRES, MUC, Non-Display, 110-230V, ANZ Cord |
| WPLN4217 | IMPRES, MUC, Non-Display, 110-230V, KOREA Cord |

IMPRES MULTI-UNIT CHARGERS WITH DISPLAY MODULES

| WPLN4219 | IMPRES, MUC, Display 110-230V US Cord |
|-----------------------|--|
| WPLN4220 ³ | IMPRES, MUC, Display 110-230V EUR Cord (can also be used in China) |
| WPLN4221 | IMPRES, MUC, Display 110-230V UK Cord |
| WPLN4222 | IMPRES, MUC, Display 110-230V ANZ Cord |
| WPLN4224 | IMPRES, MUC, Display 110-230V KOREA cord |

CHARGER SOFTWARE AND ACCESSORIES

| NNTN7979** | IMPRES Battery Fleet Management Software |
|------------|--|
| HKVN4039^ | Software license key for Battery Fleet management Software |
| NNTN7677 | Multi-Unit Charger Interface Unit for IMPRES Battery Fleet Management |
| NNTN8045 | Single-Unit Charger Interface Unit for IMPRES Battery Fleet Management |
| NNTN7392 | IMPRES Battery Reader |
| NLN7967 | Wall Mount Brackets for multi-unit charger |
| RLN5382 | Display Module for IMPRES multi-unit charger |

CARRY ACCESSORIES

| PMLN5838 | Hard Leather Case with 3" Fixed Belt Loop - full keypad |
|-------------|--|
| PMLN5839 | Hard Leather Case with 3″ Fixed Belt Loop – no display |
| PMLN5840 | Hard Leather Case with 3" Swivel Belt Loop – full keypad |
| PMLN5846 | Hard Leather Case with 3" Swivel Belt Loop – no display |
| PMLN5842 | Hard Leather Case with 2.5" Swivel Belt Loop – full keypad |
| PMLN5843 | Hard Leather Case with 2.5" Swivel Belt Loop – no display |
| PMLN5844 | Nylon Case with 3" Fixed Belt Loop - full keypad |
| PMLN5845 | Nylon Case with 3" Fixed Belt Loop – no display |
| PMLN7008 | 2.5" Belt Clip |
| PMLN4651 | 2" Belt Clip |
| NTN5243 | Adjustable Nylon Carrying Strap |
| HLN6602 | Universal Chest Pack |
| RLN4570 | Break-a-way Chest Pack |
| 1505596Z02 | Chest Pack Replacement Strap |
| RLN4815 | Radio Pack Radio Utility Case |
| 4280384F89 | Radio Pack Extension Belt |
| HLN9985 | Waterproof Bag |
| RLN4295 | Epaulet Strap |
| 4200865599 | 1.75" Wide Leather Belt |
| 15012157001 | Accessory Connector Dust Cover |

- ** NNTN7979 is a DVD containing the application software for Fleet management. With this software alone, you can only read the data information from the batteries when connected together with the Charger Interface Units.
- The software license key after keying into the installed fleet management software will expand the following fleet management capabilities: 1) Generate and print out predefined or customized reports 2)Upgrade to a large fleet management network consists up to the maximium of 20 personal computers
- ¹ These audio accessories have been optimized to work with the Intelligent Audio feature

² Intrinsically Safe

- ³ Only WPLN4213 and WLN4220 are China CMM Compliant. The rest of the Multi Unit Chargers are not CMM compliant.
- ⁴ Must use the B-version of the PMKN4012 programming cable for programming XPR P8600 Series portables
- ⁵ Must use the C-version od the PMKN4013 programming, test and alignment cable for use on XiR P8600 Series portables

| PROGRAMMING AND TEST CABLES | |
|-----------------------------|---|
| PMKN4012 ⁴ | Portable Programming Cable |
| PMKN4013 ⁵ | Programming, Test and Alignment Cable |
| PMKN4040 | Portable Telemety Cable |
| PMKN4071 | Portable to RS232 DB25M connector cable |

Motorola Solutions Singapore Pte Ltd 12 Ang Mo Kio Street 64, Ang Mo Kio Industrial Park 3, UE Biz Hub, Block A, Level 7 Singapore 569088

motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2012 Motorola Solutions, Inc. All rights reserved. AF4-06-019



