



## EU Declaration of Conformity (DoC-15120700213-G)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant Union harmonization legislation:

2014/53/EU Radio Equipment Directive (RED)  
2011/65/EU Restriction of Hazardous Substances Directive (RoHS)  
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)  
2013/35/EU Electromagnetic Fields Directive (EMF)

**Object of the Declaration:** MOTOTRBO™ Portable Radio  
DP2400e, DP2600e

DP2400e, PANR302C, no keypad  
DP2600e, PANR302F, limited keypad

136-174MHz, 5W, 12.5/20/25kHz

National Licensed Frequencies Only

This DoC supersedes DOC-15120700213-F

**Placed On The Market By:** Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

**Conformity is shown by compliance with the applicable requirements of the following standards:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1

EN 301 489-1 V2.2.3  
EN 301 489-5 V2.2.1

EN 62368-1:2014+AC:2015+A11:2017

Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits  
EN 50566:2017

KRAKOW, 06-JUL-2021

Jacek Drabik  
Country Manager Motorola Solutions Poland,  
Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Friedrich Bollmann  
Product Safety and Regulatory Compliance,  
Motorola Solutions Germany GmbH, Berlin

**Document Keeper:** Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland



## Rev. 1 Addendum to EU Declaration of Conformity (DoC-15120700213-G)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
<b>ANTENNA</b>	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
<b>AUDIO</b>	
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5731A	Heavy Duty Headset
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6760A	BEHIND THE HEAD HEAVY DUTY HEADSET
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN6763A	NEXT GEN BTH HEAVY DUTY HEADSET SLIM TIA4950



## Rev. 1 Addendum to EU Declaration of Conformity (DoC-15120700213-G)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
<b>AUDIO</b>	
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4071A	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4071AL	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4073A	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4073AL	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4075AL	MICROPHONE,RSM, SMALL IP57, NO EMERG
PMMN4076A	REMOTE SPEAKER MICROPHONE SMALL WITH 3.5MM JACK
PMMN4076AL	MICROPHONE,RSM SMALL 3.5 JACK, NO EMERG
PMMN4108A	IMPRES WINDPORTING RSM IP67
PMMN4108AL	IMPRES WINDPORTING RSM IP67
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
<b>BATTERY</b>	
PMNN4415A	BATT STD IP56 NIMH 1300M 1400T (CORE NIMH 1300 MAH)
PMNN4416B	BATT STD IP56 LIION1500M1600T
PMNN4417B	BATT IMPRES IP56 LIION1500M1600T
PMNN4418B	BATT IMPRES IP56 LIION 2150M 2250T
PMNN4435A	LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)



## Rev. 1 Addendum to EU Declaration of Conformity (DoC-15120700213-G)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
<b>BATTERY</b>	
PMNN4463A	BATT LIION IP57 2000M
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4490A	IMPRES TIA4950 HI-CAP BATTERY (2900 MAH)
PMNN4491B	BATT IMPRES LIION IP68 2100T
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
<b>BODYWORN</b>	
1505596Z02	REPLACEMENT STRAP FOR HLN6602A AND RLN4570A
4200865599	1.75 INCH WIDE LEATHER BELT
4280384F89	RADIOPAK EXTENSION BELT FOR WAISTS LARGER THAN 40
HLN6602A	UNIVERSAL CHEST PACK
HLN9985B	WATERPROOF BAG WITH LARGE STRAP
NTN5243A	ADJUSTABLE BLACK NYLON CARRYING STRAP, ATTACHES TO D-RING ON CASES
PMLN4651A	2 INCH BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP
PMLN5611A	3 INCH LEATHER SWIVEL BELT LOOP
PMLN5863A	HARD LEATHER CC 3IN FIXED LKP
PMLN5864A	HARD LEATHER CC 3IN FIXED NO DISPLY
PMLN5865A	HARD LEATHER CC 3IN SWL LKP
PMLN5866A	HARD LEATHER CC 3IN SWL NO DISPLY
PMLN5867A	HARD LEATHER CC 2.5IN SWL LKP
PMLN5868A	HARD LEATHER CC 2.5IN SWL NO DISPLY



## Rev. 1 Addendum to EU Declaration of Conformity (DoC-15120700213-G)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
<b>BODYWORN</b>	
PMLN5869A	NYLON CASE 3IN FIXED LKP
PMLN5870A	NYLON CASE 3IN FIXED NO DISPLY
PMLN7008A	2.5 INCH BELT CLIP
PMLN7296A	VIBRATING BELT CLIP
RLN4295A	SMALL CLIP, EPAULET STRAP
RLN4570A	BREAK-A-WAY CHEST PACK WITH RADIO HOLDER, PEN HOLDER AND VELCRO SECURED POUCH
RLN4815A	RADIOPAK RADIO UTILITY CASE
RLN6486A	LEATHER RADIO STRAP
RLN6487A	LEATHER RADIO STRAP - XL
RLN6488A	ANTI-SWAY STRAP LEATHER RADIO STRAP
<b>CHARGER</b>	
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER (NOTE: MUST BE C REVISION OR GREATER FOR COMPATIBILITY WITH XPR 3000 SERIES & XPR 7000 SERIES RADIOS)
PMPN4137A	IMPRES CEC SUC Base Only
PMPN4283A	IMPRES MUC with single display
<b>POWER SUPPLY</b>	
PS000037A02	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 14W, 207 V - 253 V, UK/HK
PS000242A01	POWER SUPPLY ADAPTOR,POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

### SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant directives.

## Electromagnetic Energy (EME) Test Laboratory

### Conformity of models listed with occupational Exposure Level Values (ELVs) in Directive 2013/35/EU

This declaration confirms compliance of Motorola Solutions' portable device(s) model(s) with approved accessories

<u>Model Number</u>	<u>Type Designator</u>	<u>Description</u>
MDH02JDC9VA1AN (PMUD2645B)	PANR302C	DP2400e 136-174 5W NKP
MDH02JDH9VA1AN (PMUD2621B)	PANR302F	DP2600e 136-174 5W LKP

with the occupational ICNIRP<sup>1</sup> limits for radio frequency (RF) energy exposure. The ICNIRP guidelines were developed by an independent scientific organization after thorough evaluations of relevant research studies, and have been endorsed by the World Health Organization (WHO). The ICNIRP guidelines are also referenced in the European Directive 2013/35/EU,<sup>2</sup> forming the basis of the applicable RF exposure framework for workers.

The applicable exposure limit is specified in terms of the Specific Absorption Rate (SAR), measured in units of watts per kilogram (W/kg). SAR tests of these Motorola Solutions devices indicate that they conform with the applicable SAR limits defined in harmonized<sup>3</sup> standard EN50360,<sup>4</sup> and EN50566,<sup>5</sup> using operating configuration(s) while transmitting at nominal power, with results scaled to the highest certified power level in all tested frequency bands.

SAR tests, performed at a laboratory certified to the ISO/IEC Guide 17025,<sup>6</sup> show that these Motorola Solutions' portable device model(s), in all tested operating modes (on the body, on the sides of the head, and in front of the face as applicable), at the highest certified power level(s), conform(s) with the ICNIRP limits for professional devices and occupational users,<sup>7</sup> and both the health and the sensory ELVs defined in Directive 2013/35/EU.<sup>8</sup>

Sincerely,



---

Tiong Nguk Ing on behalf of Pei Loo Tey  
Penang EME Laboratory Manager  
DATE : 19-DEC-2019

<sup>1</sup>ICNIRP (1998): International Commission on Non Ionizing Radiation Protection, "Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (Up to 300 GHz)" Health Physics, vol. 75, no. 4, pp. 494-522.

<sup>2</sup>Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC.

<sup>3</sup>Directive 2014/53/EU of The European Parliament and of the Council of 16 April 2014 on the Harmonisation of the Laws of the Member States Relating to the Making Available on The Market of Radio Equipment and Repealing Directive 1999/5/EC.

<sup>4</sup>EN50360:2017 Product standard to demonstrate the compliance of wireless communication devices, with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 300 MHz to 6 GHz: devices used next to the ear.

<sup>5</sup>EN50566:2017 Product standard to demonstrate the compliance of wireless communication devices with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 30 MHz to 6 GHz: hand-held and body mounted devices in close proximity to the human body.

<sup>6</sup>ISO/IEC 17025 General requirements for the competence of testing and calibration laboratories.

<sup>7</sup>Implicit whole-body SAR compliance with the 0.4 W/kg limit is shown using the threshold (16.8 W) derived from Table B.1 in EN 62311:2008.

<sup>8</sup>The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms capable of inducing the microwave hearing effect, e.g., powerful RADAR emissions, but not the Motorola Solutions radio(s) referenced herein.

## Déclaration UE de Conformité (DoC-15120700213-G)

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant. L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:

Directive 2014/53/UE (RED)  
Directive 2011/65/UE (RoHS)  
Directive 2012/19/UE (WEEE)  
Directive 2013/35/UE (EMF)

**Objet de la déclaration:** MOTOTRBO™ Portable Radio  
DP2400e, DP2600e

DP2400e, PANR302C, no keypad  
DP2600e, PANR302F, limited keypad

136-174MHz, 5W, 12.5/20/25kHz

Féquences nationales sous licence uniquement

Cette déclaration de conformité remplace DOC-15120700213-F

**Mis sur le marché par:** Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

**Par conformité, nous faisons référence à la conformité avec les exigences applicables des normes suivantes :**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1

EN 301 489-1 V2.2.3  
EN 301 489-5 V2.2.1

EN 62368-1:2014+AC:2015+A11:2017

Conforme à la directive ICNIRP (1998) sur les limites d'exposition contrôlée ou à usage professionnel  
EN 50566:2017

**Détenteur du document:** Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Nous confirmons l'exactitude de cette traduction. Celle-ci est valable uniquement si elle est fournie avec la version anglaise d'origine signée.

FR

## Rev. 1 Complément à Déclaration UE de Conformité (DoC-15120700213-G)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
<b>ANTENNE</b>	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
<b>AUDIO</b>	
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5731A	Heavy Duty Headset
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6760A	BEHIND THE HEAD HEAVY DUTY HEADSET
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN6763A	NEXT GEN BTH HEAVY DUTY HEADSET SLIM TIA4950



## Rev. 1 Complément à Déclaration UE de Conformité (DoC-15120700213-G)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
<b>AUDIO</b>	
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4071A	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4071AL	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4073A	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4073AL	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4075AL	MICROPHONE,RSM, SMALL IP57, NO EMERG
PMMN4076A	REMOTE SPEAKER MICROPHONE SMALL WITH 3.5MM JACK
PMMN4076AL	MICROPHONE,RSM SMALL 3.5 JACK, NO EMERG
PMMN4108A	IMPRES WINDPORTING RSM IP67
PMMN4108AL	IMPRES WINDPORTING RSM IP67
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
<b>BATTERIE</b>	
PMNN4415A	BATT STD IP56 NIMH 1300M 1400T (CORE NIMH 1300 MAH)
PMNN4416B	BATT STD IP56 LIION1500M1600T
PMNN4417B	BATT IMPRES IP56 LIION1500M1600T
PMNN4418B	BATT IMPRES IP56 LIION 2150M 2250T
PMNN4435A	LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)

**Rev. 1 Complément à Déclaration UE de Conformité (DoC-15120700213-G)**

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
<b>BATTERIE</b>	
PMNN4463A	BATT LIION IP57 2000M
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4490A	IMPRES TIA4950 HI-CAP BATTERY (2900 MAH)
PMNN4491B	BATT IMPRES LIION IP68 2100T
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
<b>PORT SUR LE CORPS</b>	
1505596Z02	REPLACEMENT STRAP FOR HLN6602A AND RLN4570A
4200865599	1.75 INCH WIDE LEATHER BELT
4280384F89	RADIOPAK EXTENSION BELT FOR WAISTS LARGER THAN 40
HLN6602A	UNIVERSAL CHEST PACK
HLN9985B	WATERPROOF BAG WITH LARGE STRAP
NTN5243A	ADJUSTABLE BLACK NYLON CARRYING STRAP, ATTACHES TO D-RING ON CASES
PMLN4651A	2 INCH BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP
PMLN5611A	3 INCH LEATHER SWIVEL BELT LOOP
PMLN5863A	HARD LEATHER CC 3IN FIXED LKP
PMLN5864A	HARD LEATHER CC 3IN FIXED NO DISPLY
PMLN5865A	HARD LEATHER CC 3IN SWL LKP
PMLN5866A	HARD LEATHER CC 3IN SWL NO DISPLY
PMLN5867A	HARD LEATHER CC 2.5IN SWL LKP
PMLN5868A	HARD LEATHER CC 2.5IN SWL NO DISPLY

## Rev. 1 Complément à Déclaration UE de Conformité (DoC-15120700213-G)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
<b>PORT SUR LE CORPS</b>	
PMLN5869A	NYLON CASE 3IN FIXED LKP
PMLN5870A	NYLON CASE 3IN FIXED NO DISPLY
PMLN7008A	2.5 INCH BELT CLIP
PMLN7296A	VIBRATING BELT CLIP
RLN4295A	SMALL CLIP, EPAULET STRAP
RLN4570A	BREAK-A-WAY CHEST PACK WITH RADIO HOLDER, PEN HOLDER AND VELCRO SECURED POUCH
RLN4815A	RADIOPAK RADIO UTILITY CASE
RLN6486A	LEATHER RADIO STRAP
RLN6487A	LEATHER RADIO STRAP - XL
RLN6488A	ANTI-SWAY STRAP LEATHER RADIO STRAP
<b>CHARGEUR</b>	
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER (NOTE: MUST BE C REVISION OR GREATER FOR COMPATIBILITY WITH XPR 3000 SERIES & XPR 7000 SERIES RADIOS)
PMPN4137A	IMPRES CEC SUC Base Only
PMPN4283A	IMPRES MUC with single display
<b>ALIMENTATION</b>	
PS000037A02	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 14W, 207 V - 253 V, UK/HK
PS000242A01	POWER SUPPLY ADAPTOR,POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

### LOGICIEL

Le logiciel radio installé est sous l'entière responsabilité du fabricant, sans aucun accès par l'utilisateur et est conforme aux directives applicables.

## EU-Konformitätserklärung (DoC-15120700213-G)

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller. Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:

Richtlinie 2014/53/EU (RED)  
Richtlinie 2011/65/EU (RoHS)  
Richtlinie 2012/19/EU (WEEE)  
Richtlinie 2013/35/EU (EMF)

**Gegenstand der Erklärung:** MOTOTRBO™ Portable Radio  
DP2400e, DP2600e

DP2400e, PANR302C, no keypad  
DP2600e, PANR302F, limited keypad

136-174MHz, 5W, 12.5/20/25kHz

Ausschließlich lizenzierte nationale Frequenzen

Diese Konformitätserklärung ersetzt die DOC-15120700213-F

**Auf den Markt gebracht durch:** Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

**Die Konformität wird durch die Einhaltung der geltenden Anforderungen der folgenden Standards gezeigt:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1

EN 301 489-1 V2.2.3  
EN 301 489-5 V2.2.1

EN 62368-1:2014+AC:2015+A11:2017

Konform mit den ICNIRP (1998) Grenzwerten berufsbedingter/kontrollierter Exposition  
EN 50566:2017

**Dokumentverwaltung:** Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Wir bestätigen die Richtigkeit dieser Übersetzung. Sie ist nur gültig, wenn sie mit der signierten englischen Originalversion bereitgestellt wurde.

DE

## Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15120700213-G)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
<b>ANTENNE</b>	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
<b>AUDIOZUBEHÖR</b>	
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5731A	Heavy Duty Headset
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6760A	BEHIND THE HEAD HEAVY DUTY HEADSET
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN6763A	NEXT GEN BTH HEAVY DUTY HEADSET SLIM TIA4950

**Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15120700213-G)**

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
<b>AUDIOZUBEHÖR</b>	
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4071A	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4071AL	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4073A	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4073AL	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4075AL	MICROPHONE,RSM, SMALL IP57, NO EMERG
PMMN4076A	REMOTE SPEAKER MICROPHONE SMALL WITH 3.5MM JACK
PMMN4076AL	MICROPHONE,RSM SMALL 3.5 JACK, NO EMERG
PMMN4108A	IMPRES WINDPORTING RSM IP67
PMMN4108AL	IMPRES WINDPORTING RSM IP67
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
<b>AKKU</b>	
PMNN4415A	BATT STD IP56 NIMH 1300M 1400T (CORE NIMH 1300 MAH)
PMNN4416B	BATT STD IP56 LIION1500M1600T
PMNN4417B	BATT IMPRES IP56 LIION1500M1600T
PMNN4418B	BATT IMPRES IP56 LIION 2150M 2250T
PMNN4435A	LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)

**Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15120700213-G)**

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
<b>AKKU</b>	
PMNN4463A	BATT LIION IP57 2000M
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4490A	IMPRES TIA4950 HI-CAP BATTERY (2900 MAH)
PMNN4491B	BATT IMPRES LIION IP68 2100T
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
<b>AM KÖRPER GETRAGEN</b>	
1505596Z02	REPLACEMENT STRAP FOR HLN6602A AND RLN4570A
4200865599	1.75 INCH WIDE LEATHER BELT
4280384F89	RADIOPAK EXTENSION BELT FOR WAISTS LARGER THAN 40
HLN6602A	UNIVERSAL CHEST PACK
HLN9985B	WATERPROOF BAG WITH LARGE STRAP
NTN5243A	ADJUSTABLE BLACK NYLON CARRYING STRAP, ATTACHES TO D-RING ON CASES
PMLN4651A	2 INCH BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP
PMLN5611A	3 INCH LEATHER SWIVEL BELT LOOP
PMLN5863A	HARD LEATHER CC 3IN FIXED LKP
PMLN5864A	HARD LEATHER CC 3IN FIXED NO DISPLY
PMLN5865A	HARD LEATHER CC 3IN SWL LKP
PMLN5866A	HARD LEATHER CC 3IN SWL NO DISPLY
PMLN5867A	HARD LEATHER CC 2.5IN SWL LKP
PMLN5868A	HARD LEATHER CC 2.5IN SWL NO DISPLY

## Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15120700213-G)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
<b>AM KÖRPER GETRAGEN</b>	
PMLN5869A	NYLON CASE 3IN FIXED LKP
PMLN5870A	NYLON CASE 3IN FIXED NO DISPLY
PMLN7008A	2.5 INCH BELT CLIP
PMLN7296A	VIBRATING BELT CLIP
RLN4295A	SMALL CLIP, EPAULET STRAP
RLN4570A	BREAK-A-WAY CHEST PACK WITH RADIO HOLDER, PEN HOLDER AND VELCRO SECURED POUCH
RLN4815A	RADIOPAK RADIO UTILITY CASE
RLN6486A	LEATHER RADIO STRAP
RLN6487A	LEATHER RADIO STRAP - XL
RLN6488A	ANTI-SWAY STRAP LEATHER RADIO STRAP
<b>LADEGERÄT</b>	
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER (NOTE: MUST BE C REVISION OR GREATER FOR COMPATIBILITY WITH XPR 3000 SERIES & XPR 7000 SERIES RADIOS)
PMPN4137A	IMPRES CEC SUC Base Only
PMPN4283A	IMPRES MUC with single display
<b>NETZTEIL</b>	
PS000037A02	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 14W, 207 V - 253 V, UK/HK
PS000242A01	POWER SUPPLY ADAPTOR,POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

### SOFTWARE

Die installierte Funkgerätesoftware unterliegt der vollständigen Kontrolle des Herstellers ohne Zugriff durch den Benutzer und entspricht den dazugehörigen Richtlinien.





## **Dichiarazione di conformità UE (DoC-15120700213-G)**

La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante. L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:

Direttiva 2014/53/UE (RED)  
Direttiva 2011/65/UE (RoHS)  
Direttiva 2012/19/UE (WEEE)  
Direttiva 2013/35/UE (EMF)

**Oggetto della dichiarazione:** MOTOTRBO™ Portable Radio  
DP2400e, DP2600e

DP2400e, PANR302C, no keypad  
DP2600e, PANR302F, limited keypad

136-174MHz, 5W, 12.5/20/25kHz

Solo frequenze nazionali con licenza

Questa Dichiarazione di conformità sostituisce DOC-15120700213-F

**Commercializzato da:** Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

**La conformità è dimostrata dalla rispondenza ai requisiti applicabili dei seguenti standard:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1

EN 301 489-1 V2.2.3  
EN 301 489-5 V2.2.1

EN 62368-1:2014+AC:2015+A11:2017

Conforme ai limiti di esposizione per scopi professionali/controllati dello standard ICNIRP (1998)  
EN 50566:2017

**Riferimento del documento:** Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Si conferma la correttezza di questa traduzione. È valida solo se fornita con la versione originale in inglese firmata.

**Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15120700213-G)**

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
<b>ANTENNA</b>	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
<b>AUDIO</b>	
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5731A	Heavy Duty Headset
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6760A	BEHIND THE HEAD HEAVY DUTY HEADSET
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN6763A	NEXT GEN BTH HEAVY DUTY HEADSET SLIM TIA4950

**Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15120700213-G)**

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
<b>AUDIO</b>	
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4071A	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4071AL	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4073A	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4073AL	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4075AL	MICROPHONE,RSM, SMALL IP57, NO EMERG
PMMN4076A	REMOTE SPEAKER MICROPHONE SMALL WITH 3.5MM JACK
PMMN4076AL	MICROPHONE,RSM SMALL 3.5 JACK, NO EMERG
PMMN4108A	IMPRES WINDPORTING RSM IP67
PMMN4108AL	IMPRES WINDPORTING RSM IP67
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
<b>BATTERIA</b>	
PMNN4415A	BATT STD IP56 NIMH 1300M 1400T (CORE NIMH 1300 MAH)
PMNN4416B	BATT STD IP56 LIION1500M1600T
PMNN4417B	BATT IMPRES IP56 LIION1500M1600T
PMNN4418B	BATT IMPRES IP56 LIION 2150M 2250T
PMNN4435A	LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)

**Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15120700213-G)**

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
<b>BATTERIA</b>	
PMNN4463A	BATT LIION IP57 2000M
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4490A	IMPRES TIA4950 HI-CAP BATTERY (2900 MAH)
PMNN4491B	BATT IMPRES LIION IP68 2100T
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
<b>INDOSSABILE</b>	
1505596Z02	REPLACEMENT STRAP FOR HLN6602A AND RLN4570A
4200865599	1.75 INCH WIDE LEATHER BELT
4280384F89	RADIOPAK EXTENSION BELT FOR WAISTS LARGER THAN 40
HLN6602A	UNIVERSAL CHEST PACK
HLN9985B	WATERPROOF BAG WITH LARGE STRAP
NTN5243A	ADJUSTABLE BLACK NYLON CARRYING STRAP, ATTACHES TO D-RING ON CASES
PMLN4651A	2 INCH BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP
PMLN5611A	3 INCH LEATHER SWIVEL BELT LOOP
PMLN5863A	HARD LEATHER CC 3IN FIXED LKP
PMLN5864A	HARD LEATHER CC 3IN FIXED NO DISPLY
PMLN5865A	HARD LEATHER CC 3IN SWL LKP
PMLN5866A	HARD LEATHER CC 3IN SWL NO DISPLY
PMLN5867A	HARD LEATHER CC 2.5IN SWL LKP
PMLN5868A	HARD LEATHER CC 2.5IN SWL NO DISPLY

**Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15120700213-G)**

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
<b>INDOSSABILE</b>	
PMLN5869A	NYLON CASE 3IN FIXED LKP
PMLN5870A	NYLON CASE 3IN FIXED NO DISPLY
PMLN7008A	2.5 INCH BELT CLIP
PMLN7296A	VIBRATING BELT CLIP
RLN4295A	SMALL CLIP, EPAULET STRAP
RLN4570A	BREAK-A-WAY CHEST PACK WITH RADIO HOLDER, PEN HOLDER AND VELCRO SECURED POUCH
RLN4815A	RADIOPAK RADIO UTILITY CASE
RLN6486A	LEATHER RADIO STRAP
RLN6487A	LEATHER RADIO STRAP - XL
RLN6488A	ANTI-SWAY STRAP LEATHER RADIO STRAP
<b>CARICABATTERIA</b>	
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER (NOTE: MUST BE C REVISION OR GREATER FOR COMPATIBILITY WITH XPR 3000 SERIES & XPR 7000 SERIES RADIOS)
PMPN4137A	IMPRES CEC SUC Base Only
PMPN4283A	IMPRES MUC with single display
<b>ALIMENTAZIONE</b>	
PS000037A02	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 14W, 207 V - 253 V, UK/HK
PS000242A01	POWER SUPPLY ADAPTOR,POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

**SOFTWARE**

Il software della radio installato è sotto il completo controllo del costruttore senza accesso da parte dell'utente ed è conforme alle direttive pertinenti.



## **Deklaracja zgodności UE (DoC-15120700213-G)**

Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta.  
Wymieniony poniżej przedmiot niniejszej deklaracji jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego:

Dyrektywa 2014/53/UE (RED)  
Dyrektywa 2011/65/UE (RoHS)  
Dyrektywa 2012/19/UE (WEEE)  
Dyrektywa 2013/35/UE (EMF)

**Przedmiot deklaracji:** MOTOTRBO™ Portable Radio  
DP2400e, DP2600e

DP2400e, PANR302C, no keypad  
DP2600e, PANR302F, limited keypad

136-174MHz, 5W, 12.5/20/25kHz

Wyłącznie krajowe licencjonowane częstotliwości

Niniejsza deklaracja zgodności zastępuje DOC-15120700213-F

**Wprowadzony do obrotu przez:** Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

### **Odwołania do norm, w odniesieniu do których deklarowana jest zgodność:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1

EN 301 489-1 V2.2.3  
EN 301 489-5 V2.2.1

EN 62368-1:2014+AC:2015+A11:2017

Zgodność z wytycznymi określonymi przez Międzynarodową Komisję Ochrony przed Promieniowaniem Niejonizującym ICNIRP (1998)  
EN 50566:2017

**Właściciel dokumentu:** Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Potwierdzamy poprawność niniejszego tłumaczenia. Obowiązuje jedynie z podpisanym oryginałem w języku angielskim.

## Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-15120700213-G)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

### ANTENA

PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)

### AUDIO

PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5731A	Heavy Duty Headset
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6760A	BEHIND THE HEAD HEAVY DUTY HEADSET
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN6763A	NEXT GEN BTH HEAVY DUTY HEADSET SLIM TIA4950

**Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15120700213-G)**

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY   OPIS (TYLKO INFORMACYJNIE)

**AUDIO**

PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4071A	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4071AL	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4073A	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4073AL	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4075AL	MICROPHONE,RSM, SMALL IP57, NO EMERG
PMMN4076A	REMOTE SPEAKER MICROPHONE SMALL WITH 3.5MM JACK
PMMN4076AL	MICROPHONE,RSM SMALL 3.5 JACK, NO EMERG
PMMN4108A	IMPRES WINDPORTING RSM IP67
PMMN4108AL	IMPRES WINDPORTING RSM IP67
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE

**BATERIA**

PMNN4415A	BATT STD IP56 NIMH 1300M 1400T (CORE NIMH 1300 MAH)
PMNN4416B	BATT STD IP56 LIION1500M1600T
PMNN4417B	BATT IMPRES IP56 LIION1500M1600T
PMNN4418B	BATT IMPRES IP56 LIION 2150M 2250T
PMNN4435A	LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)



**Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15120700213-G)**

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)**BATERIA**

PMNN4463A	BATT LIION IP57 2000M
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4490A	IMPRES TIA4950 HI-CAP BATTERY (2900 MAH)
PMNN4491B	BATT IMPRES LIION IP68 2100T
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T

**URZĄDZENIE NOSZONE NA CIELE**

1505596Z02	REPLACEMENT STRAP FOR HLN6602A AND RLN4570A
4200865599	1.75 INCH WIDE LEATHER BELT
4280384F89	RADIOPAK EXTENSION BELT FOR WAISTS LARGER THAN 40
HLN6602A	UNIVERSAL CHEST PACK
HLN9985B	WATERPROOF BAG WITH LARGE STRAP
NTN5243A	ADJUSTABLE BLACK NYLON CARRYING STRAP, ATTACHES TO D-RING ON CASES
PMLN4651A	2 INCH BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP
PMLN5611A	3 INCH LEATHER SWIVEL BELT LOOP
PMLN5863A	HARD LEATHER CC 3IN FIXED LKP
PMLN5864A	HARD LEATHER CC 3IN FIXED NO DISPLY
PMLN5865A	HARD LEATHER CC 3IN SWL LKP
PMLN5866A	HARD LEATHER CC 3IN SWL NO DISPLY
PMLN5867A	HARD LEATHER CC 2.5IN SWL LKP
PMLN5868A	HARD LEATHER CC 2.5IN SWL NO DISPLY

## Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15120700213-G)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

<u>NUMER KATALOGOWY</u>	<u>OPIS (TYLKO INFORMACYJNIE)</u>
<b>URZĄDZENIE NOSZONE NA CIELE</b>	
PMLN5869A	NYLON CASE 3IN FIXED LKP
PMLN5870A	NYLON CASE 3IN FIXED NO DISPLY
PMLN7008A	2.5 INCH BELT CLIP
PMLN7296A	VIBRATING BELT CLIP
RLN4295A	SMALL CLIP, EPAULET STRAP
RLN4570A	BREAK-A-WAY CHEST PACK WITH RADIO HOLDER, PEN HOLDER AND VELCRO SECURED POUCH
RLN4815A	RADIOPAK RADIO UTILITY CASE
RLN6486A	LEATHER RADIO STRAP
RLN6487A	LEATHER RADIO STRAP - XL
RLN6488A	ANTI-SWAY STRAP LEATHER RADIO STRAP
<b>ŁADOWARKA</b>	
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER (NOTE: MUST BE C REVISION OR GREATER FOR COMPATIBILITY WITH XPR 3000 SERIES & XPR 7000 SERIES RADIOS)
PMPN4137A	IMPRES CEC SUC Base Only
PMPN4283A	IMPRES MUC with single display
<b>ZASILACZ</b>	
PS000037A02	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 14W, 207 V - 253 V, UK/HK
PS000242A01	POWER SUPPLY ADAPTOR,POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

### OPROGRAMOWANIE

Zainstalowane oprogramowanie radiowe pozostaje pod pełną kontrolą producenta bez możliwości ingerencji przez użytkownika. Oprogramowanie jest w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.



## **Declaração UE de conformidade (DoC-15120700213-G)**

A presente declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante. O objeto da declaração acima mencionada está em conformidade com a legislação de harmonização da União aplicável:

Diretiva 2014/53/UE (RED)  
Diretiva 2011/65/EU (RoHS)  
Diretiva 2012/19/EU (WEEE)  
Diretiva 2013/35/EU (EMF)

**Objeto da declaração:** MOTOTRBO™ Portable Radio  
DP2400e, DP2600e

DP2400e, PANR302C, no keypad  
DP2600e, PANR302F, limited keypad

136-174MHz, 5W, 12.5/20/25kHz

Exclusivamente frequências nacionais licenciadas

Esta Declaração de Conformidade substitui DOC-15120700213-F

**Introduzido no mercado por:** Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

**A conformidade é demonstrada pela concordância com os requisitos aplicáveis das seguintes normas:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1

EN 301 489-1 V2.2.3  
EN 301 489-5 V2.2.1

EN 62368-1:2014+AC:2015+A11:2017

Em conformidade com os limites de Exposição Ocupacional/Controlada da ICNIRP (1998)  
EN 50566:2017

**Proprietário do documento:** Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

A exatidão desta tradução está confirmada e é válida apenas se fornecida com a versão original em inglês assinada.

**Rev. 1 Adendo à Declaração UE de conformidade (DoC-15120700213-G)**

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
<b>ANTENA</b>	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
<b>ÁUDIO</b>	
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5731A	Heavy Duty Headset
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6760A	BEHIND THE HEAD HEAVY DUTY HEADSET
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN6763A	NEXT GEN BTH HEAVY DUTY HEADSET SLIM TIA4950

**Rev. 1 Adendo à Declaração UE de conformidade (DoC-15120700213-G)**

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
<b>ÁUDIO</b>	
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4071A	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4071AL	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4073A	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4073AL	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4075AL	MICROPHONE,RSM, SMALL IP57, NO EMERG
PMMN4076A	REMOTE SPEAKER MICROPHONE SMALL WITH 3.5MM JACK
PMMN4076AL	MICROPHONE,RSM SMALL 3.5 JACK, NO EMERG
PMMN4108A	IMPRES WINDPORTING RSM IP67
PMMN4108AL	IMPRES WINDPORTING RSM IP67
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
<b>BATERIA</b>	
PMNN4415A	BATT STD IP56 NIMH 1300M 1400T (CORE NIMH 1300 MAH)
PMNN4416B	BATT STD IP56 LIION1500M1600T
PMNN4417B	BATT IMPRES IP56 LIION1500M1600T
PMNN4418B	BATT IMPRES IP56 LIION 2150M 2250T
PMNN4435A	LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)

**Rev. 1 Adendo à Declaração UE de conformidade (DoC-15120700213-G)**

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
<b>BATERIA</b>	
PMNN4463A	BATT LIION IP57 2000M
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4490A	IMPRES TIA4950 HI-CAP BATTERY (2900 MAH)
PMNN4491B	BATT IMPRES LIION IP68 2100T
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
<b>USADO NO CORPO</b>	
1505596Z02	REPLACEMENT STRAP FOR HLN6602A AND RLN4570A
4200865599	1.75 INCH WIDE LEATHER BELT
4280384F89	RADIOPAK EXTENSION BELT FOR WAISTS LARGER THAN 40
HLN6602A	UNIVERSAL CHEST PACK
HLN9985B	WATERPROOF BAG WITH LARGE STRAP
NTN5243A	ADJUSTABLE BLACK NYLON CARRYING STRAP, ATTACHES TO D-RING ON CASES
PMLN4651A	2 INCH BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP
PMLN5611A	3 INCH LEATHER SWIVEL BELT LOOP
PMLN5863A	HARD LEATHER CC 3IN FIXED LKP
PMLN5864A	HARD LEATHER CC 3IN FIXED NO DISPLY
PMLN5865A	HARD LEATHER CC 3IN SWL LKP
PMLN5866A	HARD LEATHER CC 3IN SWL NO DISPLY
PMLN5867A	HARD LEATHER CC 2.5IN SWL LKP
PMLN5868A	HARD LEATHER CC 2.5IN SWL NO DISPLY

**Rev. 1 Adendo à Declaração UE de conformidade (DoC-15120700213-G)**

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
<b>USADO NO CORPO</b>	
PMLN5869A	NYLON CASE 3IN FIXED LKP
PMLN5870A	NYLON CASE 3IN FIXED NO DISPLY
PMLN7008A	2.5 INCH BELT CLIP
PMLN7296A	VIBRATING BELT CLIP
RLN4295A	SMALL CLIP, EPAULET STRAP
RLN4570A	BREAK-A-WAY CHEST PACK WITH RADIO HOLDER, PEN HOLDER AND VELCRO SECURED POUCH
RLN4815A	RADIOPAK RADIO UTILITY CASE
RLN6486A	LEATHER RADIO STRAP
RLN6487A	LEATHER RADIO STRAP - XL
RLN6488A	ANTI-SWAY STRAP LEATHER RADIO STRAP
<b>CARREGADOR</b>	
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER (NOTE: MUST BE C REVISION OR GREATER FOR COMPATIBILITY WITH XPR 3000 SERIES & XPR 7000 SERIES RADIOS)
PMPN4137A	IMPRES CEC SUC Base Only
PMPN4283A	IMPRES MUC with single display
<b>FONTE DE ENERGIA</b>	
PS000037A02	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 14W, 207 V - 253 V, UK/HK
PS000242A01	POWER SUPPLY ADAPTOR,POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

**PROGRAMAS**

O software de rádio instalado está sob o controle total do fabricante, sem acesso do usuário e está em conformidade com as diretivas relevantes.

## Declaración UE de conformidad (DoC-15120700213-G)

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante. El objeto de la declaración descrito anteriormente es conforme con la legislación de armonización pertinente de la Unión:

Directiva 2014/53/UE (RED)  
Directiva 2011/65/UE (RoHS)  
Directiva 2012/19/UE (WEEE)  
Directiva 2013/35/UE (EMF)

**Objeto de la declaración:** MOTOTRBO™ Portable Radio  
DP2400e, DP2600e

DP2400e, PANR302C, no keypad  
DP2600e, PANR302F, limited keypad

136-174MHz, 5W, 12.5/20/25kHz

Frecuencias con licencia únicamente nacional

Esta Declaración de conformidad reemplaza a DOC-15120700213-F

**introducido en el mercado por:** Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

**La conformidad se acreditará mediante el cumplimiento de los requisitos aplicables de los siguientes estándares:**

EN 300 086 V2.1.2  
EN 300 113 V2.2.1  
EN 300 219 V2.1.1

EN 301 489-1 V2.2.3  
EN 301 489-5 V2.2.1

EN 62368-1:2014+AC:2015+A11:2017

Cumple con ICNIRP (1998) sobre límites de exposición ocupacional/controlada  
EN 50566:2017

**Custodio de la documentación:** Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Confirmamos la exactitud de esta traducción. Solo es válida si se proporciona con la versión original en inglés firmada.



## Rev. 1 Anexo a Declaración UE de conformidad (DoC-15120700213-G)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
<b>ANTENA</b>	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
<b>AUDIO</b>	
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5731A	Heavy Duty Headset
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6760A	BEHIND THE HEAD HEAVY DUTY HEADSET
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN6763A	NEXT GEN BTH HEAVY DUTY HEADSET SLIM TIA4950

## Rev. 1 Anexo a Declaración UE de conformidad (DoC-15120700213-G)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
<b>AUDIO</b>	
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4071A	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4071AL	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4073A	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4073AL	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4075AL	MICROPHONE,RSM, SMALL IP57, NO EMERG
PMMN4076A	REMOTE SPEAKER MICROPHONE SMALL WITH 3.5MM JACK
PMMN4076AL	MICROPHONE,RSM SMALL 3.5 JACK, NO EMERG
PMMN4108A	IMPRES WINDPORTING RSM IP67
PMMN4108AL	IMPRES WINDPORTING RSM IP67
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
<b>BATERÍA</b>	
PMNN4415A	BATT STD IP56 NIMH 1300M 1400T (CORE NIMH 1300 MAH)
PMNN4416B	BATT STD IP56 LIION1500M1600T
PMNN4417B	BATT IMPRES IP56 LIION1500M1600T
PMNN4418B	BATT IMPRES IP56 LIION 2150M 2250T
PMNN4435A	LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)

## Rev. 1 Anexo a Declaración UE de conformidad (DoC-15120700213-G)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
<b>BATERÍA</b>	
PMNN4463A	BATT LIION IP57 2000M
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4490A	IMPRES TIA4950 HI-CAP BATTERY (2900 MAH)
PMNN4491B	BATT IMPRES LIION IP68 2100T
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
<b>EN EL CUERPO</b>	
1505596Z02	REPLACEMENT STRAP FOR HLN6602A AND RLN4570A
4200865599	1.75 INCH WIDE LEATHER BELT
4280384F89	RADIOPAK EXTENSION BELT FOR WAISTS LARGER THAN 40
HLN6602A	UNIVERSAL CHEST PACK
HLN9985B	WATERPROOF BAG WITH LARGE STRAP
NTN5243A	ADJUSTABLE BLACK NYLON CARRYING STRAP, ATTACHES TO D-RING ON CASES
PMLN4651A	2 INCH BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP
PMLN5611A	3 INCH LEATHER SWIVEL BELT LOOP
PMLN5863A	HARD LEATHER CC 3IN FIXED LKP
PMLN5864A	HARD LEATHER CC 3IN FIXED NO DISPLY
PMLN5865A	HARD LEATHER CC 3IN SWL LKP
PMLN5866A	HARD LEATHER CC 3IN SWL NO DISPLY
PMLN5867A	HARD LEATHER CC 2.5IN SWL LKP
PMLN5868A	HARD LEATHER CC 2.5IN SWL NO DISPLY

## Rev. 1 Anexo a Declaración UE de conformidad (DoC-15120700213-G)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
<b>EN EL CUERPO</b>	
PMLN5869A	NYLON CASE 3IN FIXED LKP
PMLN5870A	NYLON CASE 3IN FIXED NO DISPLY
PMLN7008A	2.5 INCH BELT CLIP
PMLN7296A	VIBRATING BELT CLIP
RLN4295A	SMALL CLIP, EPAULET STRAP
RLN4570A	BREAK-A-WAY CHEST PACK WITH RADIO HOLDER, PEN HOLDER AND VELCRO SECURED POUCH
RLN4815A	RADIOPAK RADIO UTILITY CASE
RLN6486A	LEATHER RADIO STRAP
RLN6487A	LEATHER RADIO STRAP - XL
RLN6488A	ANTI-SWAY STRAP LEATHER RADIO STRAP
<b>CARGADOR</b>	
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER (NOTE: MUST BE C REVISION OR GREATER FOR COMPATIBILITY WITH XPR 3000 SERIES & XPR 7000 SERIES RADIOS)
PMPN4137A	IMPRES CEC SUC Base Only
PMPN4283A	IMPRES MUC with single display
<b>FUENTE DE ALIMENTACIÓN</b>	
PS000037A02	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 14W, 207 V - 253 V, UK/HK
PS000242A01	POWER SUPPLY ADAPTOR,POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

### SOFTWARE

El software de radio instalado se encuentra bajo el control total del fabricante sin acceso por parte del usuario y cumple con las directivas pertinentes.

## UK Declaration of Conformity (DoC-15120700213-G)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant UK legislation:

The Radio Equipment Regulations 2017  
Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012  
The Waste Electrical and Electronic Equipment Regulations 2013  
The Control of Electromagnetic Fields at Work Regulations 2016

**Object of the declaration:** MOTOTRBO™ Portable Radio  
DP2400e, DP2600e

DP2400e, PANR302C, no keypad  
DP2600e, PANR302F, limited keypad

136-174MHz, 5W, 12.5/20/25kHz

National Licensed Frequencies Only

This DoC supersedes DOC-15120700213-F

**Placed On The Market By:** Motorola Solutions UK, 160 Victoria St, London, SW1E 5LB, U.K.

**Conformity is shown by compliance with the applicable requirements of the following standards:**

EN 300 086 V2.1.2

EN 300 113 V2.2.1

EN 300 219 V2.1.1

EN 301 489-1 V2.2.3

EN 301 489-5 V2.2.1

EN 62368-1:2014+AC:2015+A11:2017

Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits  
EN 50566:2017

KRAKOW, 06-JUL-2021



Jacek Drabik  
Country Manager Motorola Solutions Poland,  
Ul.Czerwone Maki 82, 30-392 Krakow, Poland



Friedrich Bollmann  
Product Safety and Regulatory Compliance,  
Motorola Solutions Germany GmbH, Berlin

**Document Keeper:** Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland



## Rev. 1 Addendum to UK Declaration of Conformity (DoC-15120700213-G)

The listed accessories are approved for use with the object of this declaration.

(\* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
<b>ANTENNA</b>	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
<b>AUDIO</b>	
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5726A	2-wire surveillance kit, beige
PMLN5727A	Earpiece Inline Mic/PTT, Magone
PMLN5731A	Heavy Duty Headset
PMLN5732A	Earset with boom mic, Magone
PMLN5733A	Earbud with inline Mic/PTT, Magone
PMLN6635A	LIGHTWEIGHT HEADSET
PMLN6754A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BLACK
PMLN6755A	3-WIRE SURVEILLANCE KIT W/QD ADAPTER AND CLEAR ACOUSTIC TUBE, BEIGE
PMLN6757A	ADJUST D-STYLE W/ IN-LINE PTT/MIC
PMLN6759A	IMPRESS TEMPLE TRANSDUCER
PMLN6760A	BEHIND THE HEAD HEAVY DUTY HEADSET
PMLN6761A	BREEZE HEADSET MAGEONE
PMLN6763A	NEXT GEN BTH HEAVY DUTY HEADSET SLIM TIA4950



## Rev. 1 Addendum to UK Declaration of Conformity (DoC-15120700213-G)

The listed accessories are approved for use with the object of this declaration.

(\* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
<b>AUDIO</b>	
PMLN7269A	NEW 2 WIRE SURVEILLANCE KIT, BLACK
PMLN7270A	NEW 2-WIRE SURVEILLANCE KIT, BEIGE
PMMN4071A	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4071AL	IMPRES REMOTE SPEAKER MICROPHONE LARGE, NOISE CANCELLING WITH 3.5MM JACK
PMMN4073A	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4073AL	IMPRES REMOTE SPEAKER MICROPHONE SMALL, WITH 3.5MM JACK
PMMN4075A	REMOTE SPEAKER MICROPHONE SMALL, NO EMERGENCY, IP57
PMMN4075AL	MICROPHONE,RSM, SMALL IP57, NO EMERG
PMMN4076A	REMOTE SPEAKER MICROPHONE SMALL WITH 3.5MM JACK
PMMN4076AL	MICROPHONE,RSM SMALL 3.5 JACK, NO EMERG
PMMN4108A	IMPRES WINDPORTING RSM IP67
PMMN4108AL	IMPRES WINDPORTING RSM IP67
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
<b>BATTERY</b>	
PMNN4415A	BATT STD IP56 NIMH 1300M 1400T (CORE NIMH 1300 MAH)
PMNN4416B	BATT STD IP56 LIION1500M1600T
PMNN4417B	BATT IMPRES IP56 LIION1500M1600T
PMNN4418B	BATT IMPRES IP56 LIION 2150M 2250T
PMNN4435A	LI-MN 1400 MAH LOW TEMP -30C BATTERY SUBMERSIBLE (IP57)



## Rev. 1 Addendum to UK Declaration of Conformity (DoC-15120700213-G)

The listed accessories are approved for use with the object of this declaration.

(\* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
<b>BATTERY</b>	
PMNN4463A	BATT LIION IP57 2000M
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4490A	IMPRES TIA4950 HI-CAP BATTERY (2900 MAH)
PMNN4491B	BATT IMPRES LIION IP68 2100T
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
<b>BODYWORN</b>	
1505596Z02	REPLACEMENT STRAP FOR HLN6602A AND RLN4570A
4200865599	1.75 INCH WIDE LEATHER BELT
4280384F89	RADIOPAK EXTENSION BELT FOR WAISTS LARGER THAN 40
HLN6602A	UNIVERSAL CHEST PACK
HLN9985B	WATERPROOF BAG WITH LARGE STRAP
NTN5243A	ADJUSTABLE BLACK NYLON CARRYING STRAP, ATTACHES TO D-RING ON CASES
PMLN4651A	2 INCH BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP
PMLN5611A	3 INCH LEATHER SWIVEL BELT LOOP
PMLN5863A	HARD LEATHER CC 3IN FIXED LKP
PMLN5864A	HARD LEATHER CC 3IN FIXED NO DISPLY
PMLN5865A	HARD LEATHER CC 3IN SWL LKP
PMLN5866A	HARD LEATHER CC 3IN SWL NO DISPLY
PMLN5867A	HARD LEATHER CC 2.5IN SWL LKP
PMLN5868A	HARD LEATHER CC 2.5IN SWL NO DISPLY





## Rev. 1 Addendum to UK Declaration of Conformity (DoC-15120700213-G)

The listed accessories are approved for use with the object of this declaration.

(\* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
<b>BODYWORN</b>	
PMLN5869A	NYLON CASE 3IN FIXED LKP
PMLN5870A	NYLON CASE 3IN FIXED NO DISPLY
PMLN7008A	2.5 INCH BELT CLIP
PMLN7296A	VIBRATING BELT CLIP
RLN4295A	SMALL CLIP, EPAULET STRAP
RLN4570A	BREAK-A-WAY CHEST PACK WITH RADIO HOLDER, PEN HOLDER AND VELCRO SECURED POUCH
RLN4815A	RADIOPAK RADIO UTILITY CASE
RLN6486A	LEATHER RADIO STRAP
RLN6487A	LEATHER RADIO STRAP - XL
RLN6488A	ANTI-SWAY STRAP LEATHER RADIO STRAP
<b>CHARGER</b>	
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER (NOTE: MUST BE C REVISION OR GREATER FOR COMPATIBILITY WITH XPR 3000 SERIES & XPR 7000 SERIES RADIOS)
PMPN4137A	IMPRES CEC SUC Base Only
PMPN4283A	IMPRES MUC with single display
<b>POWER SUPPLY*</b>	
PS000037A02	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 14W, 207 V - 253 V, UK/HK
PS000242A01	POWER SUPPLY ADAPTOR,POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

### SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant UK legislation.

## Electromagnetic Energy (EME) Test Laboratory

### Conformity of models listed with occupational Exposure Level Values (ELVs) in Directive 2013/35/EU

This declaration confirms compliance of Motorola Solutions' portable device(s) model(s) with approved accessories

<u>Model Number</u>	<u>Type Designator</u>	<u>Description</u>
MDH02JDC9VA1AN (PMUD2645B)	PANR302C	DP2400e 136-174 5W NKP
MDH02JDH9VA1AN (PMUD2621B)	PANR302F	DP2600e 136-174 5W LKP

with the occupational ICNIRP<sup>1</sup> limits for radio frequency (RF) energy exposure. The ICNIRP guidelines were developed by an independent scientific organization after thorough evaluations of relevant research studies, and have been endorsed by the World Health Organization (WHO). The ICNIRP guidelines are also referenced in the European Directive 2013/35/EU,<sup>2</sup> forming the basis of the applicable RF exposure framework for workers.

The applicable exposure limit is specified in terms of the Specific Absorption Rate (SAR), measured in units of watts per kilogram (W/kg). SAR tests of these Motorola Solutions devices indicate that they conform with the applicable SAR limits defined in harmonized<sup>3</sup> standard EN50360,<sup>4</sup> and EN50566,<sup>5</sup> using operating configuration(s) while transmitting at nominal power, with results scaled to the highest certified power level in all tested frequency bands.

SAR tests, performed at a laboratory certified to the ISO/IEC Guide 17025,<sup>6</sup> show that these Motorola Solutions' portable device model(s), in all tested operating modes (on the body, on the sides of the head, and in front of the face as applicable), at the highest certified power level(s), conform(s) with the ICNIRP limits for professional devices and occupational users,<sup>7</sup> and both the health and the sensory ELVs defined in Directive 2013/35/EU.<sup>8</sup>

Sincerely,



---

Tiong Nguk Ing on behalf of Pei Loo Tey  
Penang EME Laboratory Manager  
DATE : 19-DEC-2019

<sup>1</sup>ICNIRP (1998): International Commission on Non Ionizing Radiation Protection, "Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (Up to 300 GHz)" Health Physics, vol. 75, no. 4, pp. 494-522.

<sup>2</sup>Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC.

<sup>3</sup>Directive 2014/53/EU of The European Parliament and of the Council of 16 April 2014 on the Harmonisation of the Laws of the Member States Relating to the Making Available on The Market of Radio Equipment and Repealing Directive 1999/5/EC.

<sup>4</sup>EN50360:2017 Product standard to demonstrate the compliance of wireless communication devices, with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 300 MHz to 6 GHz: devices used next to the ear.

<sup>5</sup>EN50566:2017 Product standard to demonstrate the compliance of wireless communication devices with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 30 MHz to 6 GHz: hand-held and body mounted devices in close proximity to the human body.

<sup>6</sup>ISO/IEC 17025 General requirements for the competence of testing and calibration laboratories.

<sup>7</sup>Implicit whole-body SAR compliance with the 0.4 W/kg limit is shown using the threshold (16.8 W) derived from Table B.1 in EN 62311:2008.

<sup>8</sup> The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms capable of inducing the microwave hearing effect, e.g., powerful RADAR emissions, but not the Motorola Solutions radio(s) referenced herein.