



EU Declaration of Conformity (DoC-17073100883-B)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant Union harmonization legislation:

2014/53/EU Radio Equipment Directive (RED)
2011/65/EU Restriction of Hazardous Substances Directive (RoHS)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)
2013/35/EU Electromagnetic Fields Directive (EMF)

Object of the Declaration: ASTRO® 25 Portable Radio
APX™900
PMGR302FE, limited keypad
PMGR302HE, full keypad

136-174MHz, 1-5W, 12.5/20/25kHz
GPS/GLONASS, Bluetooth® Wireless Technology, Wi-Fi®

National Licensed Frequencies Only

This DoC supersedes DOC-17073100883-A

Placed On The Market By: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Conformity is shown by compliance with the applicable requirements of the following standards:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.2.2
EN 303 413 V1.1.1

EN 301 489 - 1 V2.2.0
EN 301 489 - 5 V2.2.0
EN 301 489 - 17 V2.2.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits
EN 50360:2017
EN 50566:2017

KRAKOW, 13-SEP-2021

Jacek Drabik
Country Manager Motorola Solutions Poland,
Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Friedrich Bollmann
Product Safety and Regulatory Compliance,
Motorola Solutions Germany GmbH, Berlin

Document Keeper: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland



Rev. 1 Addendum to EU Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
ANTENNA	
AN000151A01	ANTENNA, CHIP, GLONASS BT/GPS ANTENNA MODULE
PMAD4088B	VHF WIDEBAND ANTENNA (136-174MHZ)
PMAD4093A	VHF STUBBY ANTENNA 11CM(136-147MHZ)
PMAD4094A	VHF STUBBY ANTENNA 11CM(147-160MHZ)
PMAD4095A	VHF STUBBY ANTENNA 11CM(160-174MHZ)
AUDIO	
3075336B17A	Replacement Coil Cord Kit for HMN4104,4103,and 4101
5080384F72	REPLACEMENT FOAM PLUGS FOR RLN5887 AND RLN6242. NOISE REDUCTION = 24DB.* PACK OF 50 PAIRS.
508070EB97A	Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	BEIGE 3-WIRE SURVEILLANCE KIT
BDN6669A	2-WIRE SURVEILLANCE KIT WITH AN EXTRA-LOUD EARPIECE
BDN6670A	THIS BEIGE, EXTRA-LOUD (EXCEEDS OHSА STANDARDS) EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CNTRL, BLK
BDN6729A	EARPIECE WITH MICROPHONE AND PUSH-TO-TALK COMBINED (2-WIRE), BLACK
BDN6730A	THIS BLACK, 3-WIRE EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.



Rev. 1 Addendum to EU Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE SURVEILLANCE KIT WITH EXTRA LOUD EARPIECE
BDN6781A	EARBUD, SINGLE SPEAKER
BDN6783B	3.5MM THREADED AUDIO ADAPTER
GMLN5261A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
GMLN5262A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
HMN4101B	INCLUDES RUGGED, SUBMERSIBLE AUDIO JACK
HMN4103B	FEATURES 8-CHARACTER DISPLAY AND RUGGED, SUBMERSIBLE AUDIO JACK
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NNTN7869B	6 PIN HIROSE KEYLOAD & AUDIO ADAPTER, FM/IS RATED
NNTN8125C	WIRELESS ACCY KIT, STD PAIR, 12 CABLE
NNTN8127B	OPERATIONS CRITICAL WIRELESS PUSH-TO-TALK POD
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8385A	WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT
NNTN8457A	OPTIONAL RETENTION HOOKS, PACK OF 10
NTN2572B	REPLACEMENT WIRELESS EARPIECE
NTN8821A	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam
NTN8988A	Ear strap for comport earpiece (pack of 10)



Rev. 1 Addendum to EU Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
PMKN4107A	Display RMS Interface Cable, 5-Pin Nexus Female Receptacle
PMKN4112A	Display RMS Interface Cable, 4-Pin Nexus Male Receptacle
PMKN4113A	Display RSM Interface Cable, 12-Pin Hirose Male Connector
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK



Rev. 1 Addendum to EU Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	INCLUDES VOLUME CONTROL, ORANGE BUTTON, AND ONE PROGRAMMABLE BUTTON.
PMMN4069A	WINDPORTING MICROPHONE WITH AUDIO JACK.
RLN4760A	SMALL CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4761A	MEDIUM CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4762A	LARGE CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4763A	SMALL CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4764A	MEDIUM CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4765A	LARGE CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4919A	REPLACEMENT EARWAX GUARDS. 5 PER PACK. COMPATIBLE WITH RLN4922
RLN4920A	PHONAK INDUCTIVE NECKLOOP INCLUDED IN THE RLN4922
RLN4921A	PHONAK PHONITO INTRA EAR RECEIVER INCLUDED IN THE RLN4922
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5037A	EARTUBES FOR COMFORT EARPIECE
RLN5312B	2-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5313B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5886A	LOW NOISE KIT



Rev. 1 Addendum to EU Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
RLN5887A	HIGH NOISE KIT
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6242A	LOW NOISE KIT WITH QUICK DISCONNECT TRANSLUCENT TUBE AND 1CLEAR RUBBER EARTIP
RLN6282A	REPLACEMENT STANDARD RUBBER EAR TIPS.
RLN6424B	EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP.
RLN6490A	XBT HEADSET BTN, HEAVY DUTY HEADSET, BT
RLN6491A	XBT HEADSET HB, HEAVY DUTY HEADSET, BT
RLN6500A	MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY
RLN6511A	SMALL HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6512A	MED HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6513A	LARGE HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	UNIQUE SECONDARY AUDIO ACCESSORY THAT CONNECTS TO THE APX DISPLAY RSM AND RECEIVES AUDIO VIA BONE CONDUCTION.
RNN4005A	1.4 VOLT BATTERY $\hat{\Delta}$ PACK OF 6
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6032A	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6039A	3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
BATTERY	
NNTN8128B	IMPRES LI-ION 1900 MAH, SLIM, IP67



Rev. 1 Addendum to EU Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
BATTERY	
PMNN4424A	IMPRES LI-ION 2300 MAH, SLIM, IP67
PMNN4448A	IMPRES 2700MAH LI-ION BATTERY
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4491A	BATTERY IMPRES LI-ION IP68 2200T
PMNN4491B	IMPRES 2100 MAH, LI-ION BATTERY, SLIM HIGH DENSITY BATTERY, IP68
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
BODYWORN	
15012157001	Dust cover for XPR 7000 series accessory connector
PMLN4651A	2 INCH SPRING ACTION BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP REPLACEMENT
PMLN5611A	3" REPLACEMENT LEATHER SWIVEL BELT LOOP
PMLN5838A	LEATHER CARRY CASE WITH 3-INCH FIXED BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5840A	LEATHER CARRY CASE WITH 3-INCH SWIVEL BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5842A	HARD LEATHER CC 2.5INCH SWL LKP FKP
PMLN5844A	NYLON CARRY CASE WITH 3-INCH FIXED BELT LOOP, COMPATIBLE WITH XPR 7550 DISPLAY MODEL RADIOS.
PMLN7008A	2.5 INCH SPRING ACTION BELT CLIP
CHARGER	
NLN7967A	WALL MOUNT BRACKET FOR IMPRES MULTI-UNIT CHARGER
NNTN7392A	IMPRES BATTERY DATA READER
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER
NNTN7677A	IMPRES BATTERY FLEET MANAGEMENT MULTI-UNIT CHARGER INTERFACE UNIT
NNTN8045A	IMPRES BATTERY FLEET MANAGEMENT SINGLE-UNIT CHARGER INTERFACE UNIT



Rev. 1 Addendum to EU Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
CHARGER	
NNTN8169A	INSERT FOR NTN1873/WPLN4111 XTS SINGLE-UNIT CHARGER
NNTN8170A	INSERT FOR WPLN4108/4130 XTS MULTI-UNIT CHARGER (6 PER PACK)
NNTN8525A	MOTOROLA TRAVEL CHARGER
NTN1873A	SINGLE UNIT DUAL RATE RAPID CHARGER
RLN5382C	ACCESSORY IMPRES CHARGER DISPLAY
CABLE	
PMKN4012C	CABLE, ASSEMBLY, PORTABLE PROGRAMMING CABLE
PMKN4013D	PROGRAMMING, TEST & ALIGNMENT CABLE
PMKN4197A	APX CLONNING CABLE

SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant directives.

EU Declarations of Conformity are available at: <https://www.motorolasolutions.com/emea-compliance>

Electromagnetic Energy (EME) Test Laboratory

Conformity of models listed with occupational Exposure Level Values (ELVs) in Directive 2013/35/EU

This declaration confirms compliance of Motorola Solutions' portable device(s) model(s) with approved accessories

Model Number	Type Designator	Description
H92KDF9PW6AN (PMUD3431B)	PMGR302FE	(APX900), 136-174MHz, 1-5W, 12.5, 20, 25kHz, limited keypad, display, GPS, WiFi
H92KDH9PW7AN (PMUD3432B)	PMGR302HE	(APX900), 136-174MHz, 1-5W, 12.5, 20, 25kHz, full keypad, display, GPS, WiFi
H92KDH9PW7AN (PMUD3435B)	PMGR302HE	(APX900), 136-174MHz, 1-5W, 12.5, 20, 25kHz, full keypad, display, GPS, WiFi, CYRILLIC
H92KDH9PW7AN (PMUD3436B)	PMGR302HE	(APX900), 136-174MHz, 1-5W, 12.5, 20, 25kHz, full keypad, display, GPS, WiFi, ARABIC
H92KDH9PW7AN (PMUD3437B)	PMGR302HE	(APX900), 136-174MHz, 1-5W, 12.5, 20, 25kHz, full keypad, display, GPS, WiFi, CHINESE

with the occupational ICNIRP¹ limits for radio frequency (RF) energy exposure. The ICNIRP guidelines were developed by an independent scientific organization after thorough evaluations of relevant research studies, and have been endorsed by the World Health Organization (WHO). The ICNIRP guidelines are also referenced in the European Directive 2013/35/EU,² forming the basis of the applicable RF exposure framework for workers.

The applicable exposure limit is specified in terms of the Specific Absorption Rate (SAR), measured in units of watts per kilogram (W/kg). SAR tests of these Motorola Solutions devices indicate that they conform with the applicable SAR limits defined in harmonized³ standard EN50360,⁴ and EN50566,⁵ using operating configuration(s) while transmitting at nominal power, with results scaled to the highest certified power level in all tested frequency bands.

SAR tests, performed at a laboratory certified to the ISO/IEC Guide 17025,⁶ show that these Motorola Solutions' portable device model(s), in all tested operating modes (on the body, on the sides of the head, and in front of the face as applicable), at the highest certified power level(s), conform(s) with the ICNIRP limits for professional devices and occupational users,⁷ and both the health and the sensory ELVs defined in Directive 2013/35/EU.⁸

Sincerely,



Tiong Nguk Ing on behalf of Pei Loo Tey
Penang EME Laboratory Manager
DATE : 19-DEC-2018

¹ICNIRP (1998): International Commission on Non Ionizing Radiation Protection, "Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (Up to 300 GHz)" Health Physics, vol. 75, no. 4, pp. 494-522.

²Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC.

³Directive 2014/53/EU of The European Parliament and of the Council of 16 April 2014 on the Harmonisation of the Laws of the Member States Relating to the Making Available on The Market of Radio Equipment and Repealing Directive 1999/5/EC.

⁴EN50360:2017 Product standard to demonstrate the compliance of wireless communication devices, with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 300 MHz to 6 GHz: devices used next to the ear.

⁵EN50566:2017 Product standard to demonstrate the compliance of wireless communication devices with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 30 MHz to 6 GHz: hand-held and body mounted devices in close proximity to the human body.

⁶ISO/IEC 17025 General requirements for the competence of testing and calibration laboratories.

⁷Implicit whole-body SAR compliance with the 0.4 W/kg limit is shown using the threshold (16.8 W) derived from Table B.1 in EN 62311:2008.

⁸ The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms capable of inducing the microwave hearing effect, e.g., powerful RADAR emissions, but not the Motorola Solutions radio(s) referenced herein.

Déclaration UE de Conformité (DoC-17073100883-B)

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant. L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:

Directive 2014/53/UE (RED)
Directive 2011/65/UE (RoHS)
Directive 2012/19/UE (WEEE)
Directive 2013/35/UE (EMF)

Objet de la déclaration: ASTRO® 25 Portable Radio
APX™900
PMGR302FE, limited keypad
PMGR302HE, full keypad

136-174MHz, 1-5W, 12.5/20/25kHz
GPS/GLONASS, Bluetooth® Wireless Technology, Wi-Fi®

Féquences nationales sous licence uniquement

Cette déclaration de conformité remplace DOC-17073100883-A

Mis sur le marché par: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Par conformité, nous faisons référence à la conformité avec les exigences applicables des normes suivantes :

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.2.2
EN 303 413 V1.1.1

EN 301 489 - 1 V2.2.0
EN 301 489 - 5 V2.2.0
EN 301 489 - 17 V2.2.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Conforme à la directive ICNIRP (1998) sur les limites d'exposition contrôlée ou à usage professionnel
EN 50360:2017
EN 50566:2017

Détenteur du document: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Nous confirmons l'exactitude de cette traduction. Celle-ci est valable uniquement si elle est fournie avec la version anglaise d'origine signée.

Rev. 1 Complément à Déclaration UE de Conformité (DoC-17073100883-B)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
ANTENNE	
AN000151A01	ANTENNA, CHIP, GLONASS BT/GPS ANTENNA MODULE
PMAD4088B	VHF WIDEBAND ANTENNA (136-174MHZ)
PMAD4093A	VHF STUBBY ANTENNA 11CM(136-147MHZ)
PMAD4094A	VHF STUBBY ANTENNA 11CM(147-160MHZ)
PMAD4095A	VHF STUBBY ANTENNA 11CM(160-174MHZ)
AUDIO	
3075336B17A	Replacement Coil Cord Kit for HMN4104, 4103, and 4101
5080384F72	REPLACEMENT FOAM PLUGS FOR RLN5887 AND RLN6242. NOISE REDUCTION = 24DB.* PACK OF 50 PAIRS.
508070EB97A	Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	BEIGE 3-WIRE SURVEILLANCE KIT
BDN6669A	2-WIRE SURVEILLANCE KIT WITH AN EXTRA-LOUD EARPIECE
BDN6670A	THIS BEIGE, EXTRA-LOUD (EXCEEDS OSHA STANDARDS) EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CNTRL, BLK
BDN6729A	EARPIECE WITH MICROPHONE AND PUSH-TO-TALK COMBINED (2-WIRE), BLACK
BDN6730A	THIS BLACK, 3-WIRE EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.

Rev. 1 Complément à Déclaration UE de Conformité (DoC-17073100883-B)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE SURVEILLANCE KIT WITH EXTRA LOUD EARPIECE
BDN6781A	EARBUD, SINGLE SPEAKER
BDN6783B	3.5MM THREADED AUDIO ADAPTER
GMLN5261A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
GMLN5262A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
HMN4101B	INCLUDES RUGGED, SUBMERSIBLE AUDIO JACK
HMN4103B	FEATURES 8-CHARACTER DISPLAY AND RUGGED, SUBMERSIBLE AUDIO JACK
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NNTN7869B	6 PIN HIROSE KEYLOAD & AUDIO ADAPTER, FM/IS RATED
NNTN8125C	WIRELESS ACCY KIT, STD PAIR, 12 CABLE
NNTN8127B	OPERATIONS CRITICAL WIRELESS PUSH-TO-TALK POD
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8385A	WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT
NNTN8457A	OPTIONAL RETENTION HOOKS, PACK OF 10
NTN2572B	REPLACEMENT WIRELESS EARPIECE
NTN8821A	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam
NTN8988A	Ear strap for comport earpiece (pack of 10)

Rev. 1 Complément à Déclaration UE de Conformité (DoC-17073100883-B)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
PMKN4107A	Display RMS Interface Cable, 5-Pin Nexus Female Receptacle
PMKN4112A	Display RMS Interface Cable, 4-Pin Nexus Male Receptacle
PMKN4113A	Display RSM Interface Cable, 12-Pin Hirose Male Connector
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK

Rev. 1 Complément à Déclaration UE de Conformité (DoC-17073100883-B)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	INCLUDES VOLUME CONTROL, ORANGE BUTTON, AND ONE PROGRAMMABLE BUTTON.
PMMN4069A	WINDPORTING MICROPHONE WITH AUDIO JACK.
RLN4760A	SMALL CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4761A	MEDIUM CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4762A	LARGE CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4763A	SMALL CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4764A	MEDIUM CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4765A	LARGE CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4919A	REPLACEMENT EARWAX GUARDS. 5 PER PACK. COMPATIBLE WITH RLN4922
RLN4920A	PHONAK INDUCTIVE NECKLOOP INCLUDED IN THE RLN4922
RLN4921A	PHONAK PHONITO INTRA EAR RECEIVER INCLUDED IN THE RLN4922
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5037A	EARTUBES FOR COMFORT EARPIECE
RLN5312B	2-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5313B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5886A	LOW NOISE KIT

Rev. 1 Complément à Déclaration UE de Conformité (DoC-17073100883-B)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
RLN5887A	HIGH NOISE KIT
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6242A	LOW NOISE KIT WITH QUICK DISCONNECT TRANSLUCENT TUBE AND 1CLEAR RUBBER EARTIP
RLN6282A	REPLACEMENT STANDARD RUBBER EAR TIPS.
RLN6424B	EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP.
RLN6490A	XBT HEADSET BTN, HEAVY DUTY HEADSET, BT
RLN6491A	XBT HEADSET HB, HEAVY DUTY HEADSET, BT
RLN6500A	MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY
RLN6511A	SMALL HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6512A	MED HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6513A	LARGE HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	UNIQUE SECONDARY AUDIO ACCESSORY THAT CONNECTS TO THE APX DISPLAY RSM AND RECEIVES AUDIO VIA BONE CONDUCTION.
RNN4005A	1.4 VOLT BATTERY $\hat{\Delta}$ PACK OF 6
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6032A	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6039A	3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
BATTERIE	
NNTN8128B	IMPRES LI-ION 1900 MAH, SLIM, IP67

Rev. 1 Complément à Déclaration UE de Conformité (DoC-17073100883-B)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
BATTERIE	
PMNN4424A	IMPRES LI-ION 2300 MAH, SLIM, IP67
PMNN4448A	IMPRES 2700MAH LI-ION BATTERY
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4491A	BATTERY IMPRES LI-ION IP68 2200T
PMNN4491B	IMPRES 2100 MAH, LI-ION BATTERY, SLIM HIGH DENSITY BATTERY, IP68
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
PORT SUR LE CORPS	
15012157001	Dust cover for XPR 7000 series accessory connector
PMLN4651A	2 INCH SPRING ACTION BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP REPLACEMENT
PMLN5611A	3" REPLACEMENT LEATHER SWIVEL BELT LOOP
PMLN5838A	LEATHER CARRY CASE WITH 3-INCH FIXED BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5840A	LEATHER CARRY CASE WITH 3-INCH SWIVEL BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5842A	HARD LEATHER CC 2.5INCH SWL LKP FKP
PMLN5844A	NYLON CARRY CASE WITH 3-INCH FIXED BELT LOOP, COMPATIBLE WITH XPR 7550 DISPLAY MODEL RADIOS.
PMLN7008A	2.5 INCH SPRING ACTION BELT CLIP
CHARGEUR	
NLN7967A	WALL MOUNT BRACKET FOR IMPRES MULTI-UNIT CHARGER
NNTN7392A	IMPRES BATTERY DATA READER
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER
NNTN7677A	IMPRES BATTERY FLEET MANAGEMENT MULTI-UNIT CHARGER INTERFACE UNIT
NNTN8045A	IMPRES BATTERY FLEET MANAGEMENT SINGLE-UNIT CHARGER INTERFACE UNIT

Rev. 1 Complément à Déclaration UE de Conformité (DoC-17073100883-B)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
CHARGEUR	
NNTN8169A	INSERT FOR NTN1873/WPLN4111 XTS SINGLE-UNIT CHARGER
NNTN8170A	INSERT FOR WPLN4108/4130 XTS MULTI-UNIT CHARGER (6 PER PACK)
NNTN8525A	MOTOROLA TRAVEL CHARGER
NTN1873A	SINGLE UNIT DUAL RATE RAPID CHARGER
RLN5382C	ACCESSORY IMPRES CHARGER DISPLAY

CÂBLE	
PMKN4012C	CABLE, ASSEMBLY, PORTABLE PROGRAMMING CABLE
PMKN4013D	PROGRAMMING, TEST & ALIGNMENT CABLE
PMKN4197A	APX CLONNING CABLE

LOGICIEL

Le logiciel radio installé est sous l'entière responsabilité du fabricant, sans aucun accès par l'utilisateur et est conforme aux directives applicables.

Les déclarations de conformité de l'UE sont disponibles sur le lien suivant : <https://www.motorolasolutions.com/emea-compliance>

EU-Konformitätserklärung (DoC-17073100883-B)

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller. Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:

Richtlinie 2014/53/EU (RED)
Richtlinie 2011/65/EU (RoHS)
Richtlinie 2012/19/EU (WEEE)
Richtlinie 2013/35/EU (EMF)

Gegenstand der Erklärung: ASTRO® 25 Portable Radio
APX™900
PMGR302FE, limited keypad
PMGR302HE, full keypad

136-174MHz, 1-5W, 12.5/20/25kHz
GPS/GLONASS, Bluetooth® Wireless Technology, Wi-Fi®

Ausschließlich lizenzierte nationale Frequenzen

Diese Konformitätserklärung ersetzt die DOC-17073100883-A

Auf den Markt gebracht durch: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Die Konformität wird durch die Einhaltung der geltenden Anforderungen der folgenden Standards gezeigt:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.2.2
EN 303 413 V1.1.1

EN 301 489 - 1 V2.2.0
EN 301 489 - 5 V2.2.0
EN 301 489 - 17 V2.2.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Konform mit den ICNIRP (1998) Grenzwerten berufsbedingter/kontrollierter Exposition
EN 50360:2017
EN 50566:2017

Dokumentverwaltung: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Wir bestätigen die Richtigkeit dieser Übersetzung. Sie ist nur gültig, wenn sie mit der signierten englischen Originalversion bereitgestellt wurde.

DE

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17073100883-B)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
ANTENNE	
AN000151A01	ANTENNA, CHIP, GLONASS BT/GPS ANTENNA MODULE
PMAD4088B	VHF WIDEBAND ANTENNA (136-174MHZ)
PMAD4093A	VHF STUBBY ANTENNA 11CM(136-147MHZ)
PMAD4094A	VHF STUBBY ANTENNA 11CM(147-160MHZ)
PMAD4095A	VHF STUBBY ANTENNA 11CM(160-174MHZ)
AUDIOZUBEHÖR	
3075336B17A	Replacement Coil Cord Kit for HMN4104, 4103, and 4101
5080384F72	REPLACEMENT FOAM PLUGS FOR RLN5887 AND RLN6242. NOISE REDUCTION = 24DB.* PACK OF 50 PAIRS.
508070EB97A	Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	BEIGE 3-WIRE SURVEILLANCE KIT
BDN6669A	2-WIRE SURVEILLANCE KIT WITH AN EXTRA-LOUD EARPIECE
BDN6670A	THIS BEIGE, EXTRA-LOUD (EXCEEDS OSHA STANDARDS) EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CNTRL, BLK
BDN6729A	EARPIECE WITH MICROPHONE AND PUSH-TO-TALK COMBINED (2-WIRE), BLACK
BDN6730A	THIS BLACK, 3-WIRE EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17073100883-B)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE SURVEILLANCE KIT WITH EXTRA LOUD EARPIECE
BDN6781A	EARBUD, SINGLE SPEAKER
BDN6783B	3.5MM THREADED AUDIO ADAPTER
GMLN5261A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
GMLN5262A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
HMN4101B	INCLUDES RUGGED, SUBMERSIBLE AUDIO JACK
HMN4103B	FEATURES 8-CHARACTER DISPLAY AND RUGGED, SUBMERSIBLE AUDIO JACK
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NNTN7869B	6 PIN HIROSE KEYLOAD & AUDIO ADAPTER, FM/IS RATED
NNTN8125C	WIRELESS ACCY KIT, STD PAIR, 12 CABLE
NNTN8127B	OPERATIONS CRITICAL WIRELESS PUSH-TO-TALK POD
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8385A	WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT
NNTN8457A	OPTIONAL RETENTION HOOKS, PACK OF 10
NTN2572B	REPLACEMENT WIRELESS EARPIECE
NTN8821A	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam
NTN8988A	Ear strap for comfort earpiece (pack of 10)

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17073100883-B)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
PMKN4107A	Display RMS Interface Cable, 5-Pin Nexus Female Receptacle
PMKN4112A	Display RMS Interface Cable, 4-Pin Nexus Male Receptacle
PMKN4113A	Display RSM Interface Cable, 12-Pin Hirose Male Connector
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17073100883-B)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	INCLUDES VOLUME CONTROL, ORANGE BUTTON, AND ONE PROGRAMMABLE BUTTON.
PMMN4069A	WINDPORTING MICROPHONE WITH AUDIO JACK.
RLN4760A	SMALL CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4761A	MEDIUM CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4762A	LARGE CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4763A	SMALL CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4764A	MEDIUM CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4765A	LARGE CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4919A	REPLACEMENT EARWAX GUARDS. 5 PER PACK. COMPATIBLE WITH RLN4922
RLN4920A	PHONAK INDUCTIVE NECKLOOP INCLUDED IN THE RLN4922
RLN4921A	PHONAK PHONITO INTRA EAR RECEIVER INCLUDED IN THE RLN4922
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5037A	EARTUBES FOR COMFORT EARPIECE
RLN5312B	2-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5313B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5886A	LOW NOISE KIT

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17073100883-B)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
RLN5887A	HIGH NOISE KIT
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6242A	LOW NOISE KIT WITH QUICK DISCONNECT TRANSLUCENT TUBE AND 1CLEAR RUBBER EARTIP
RLN6282A	REPLACEMENT STANDARD RUBBER EAR TIPS.
RLN6424B	EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP.
RLN6490A	XBT HEADSET BTN, HEAVY DUTY HEADSET, BT
RLN6491A	XBT HEADSET HB, HEAVY DUTY HEADSET, BT
RLN6500A	MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY
RLN6511A	SMALL HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6512A	MED HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6513A	LARGE HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	UNIQUE SECONDARY AUDIO ACCESSORY THAT CONNECTS TO THE APX DISPLAY RSM AND RECEIVES AUDIO VIA BONE CONDUCTION.
RNN4005A	1.4 VOLT BATTERY $\hat{\Delta}$ PACK OF 6
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6032A	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6039A	3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
AKKU	
NNTN8128B	IMPRES LI-ION 1900 MAH, SLIM, IP67

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17073100883-B)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AKKU	
PMNN4424A	IMPRES LI-ION 2300 MAH, SLIM, IP67
PMNN4448A	IMPRES 2700MAH LI-ION BATTERY
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4491A	BATTERY IMPRES LI-ION IP68 2200T
PMNN4491B	IMPRES 2100 MAH, LI-ION BATTERY, SLIM HIGH DENSITY BATTERY, IP68
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
AM KÖRPER GETRAGEN	
15012157001	Dust cover for XPR 7000 series accessory connector
PMLN4651A	2 INCH SPRING ACTION BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP REPLACEMENT
PMLN5611A	3" REPLACEMENT LEATHER SWIVEL BELT LOOP
PMLN5838A	LEATHER CARRY CASE WITH 3-INCH FIXED BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5840A	LEATHER CARRY CASE WITH 3-INCH SWIVEL BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5842A	HARD LEATHER CC 2.5INCH SWL LKP FKP
PMLN5844A	NYLON CARRY CASE WITH 3-INCH FIXED BELT LOOP, COMPATIBLE WITH XPR 7550 DISPLAY MODEL RADIOS.
PMLN7008A	2.5 INCH SPRING ACTION BELT CLIP
LADEGERÄT	
NLN7967A	WALL MOUNT BRACKET FOR IMPRES MULTI-UNIT CHARGER
NNTN7392A	IMPRES BATTERY DATA READER
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER
NNTN7677A	IMPRES BATTERY FLEET MANAGEMENT MULTI-UNIT CHARGER INTERFACE UNIT
NNTN8045A	IMPRES BATTERY FLEET MANAGEMENT SINGLE-UNIT CHARGER INTERFACE UNIT

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-17073100883-B)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
LADEGERÄT	
NNTN8169A	INSERT FOR NTN1873/WPLN4111 XTS SINGLE-UNIT CHARGER
NNTN8170A	INSERT FOR WPLN4108/4130 XTS MULTI-UNIT CHARGER (6 PER PACK)
NNTN8525A	MOTOROLA TRAVEL CHARGER
NTN1873A	SINGLE UNIT DUAL RATE RAPID CHARGER
RLN5382C	ACCESSORY IMPRES CHARGER DISPLAY
KABEL	
PMKN4012C	CABLE, ASSEMBLY, PORTABLE PROGRAMMING CABLE
PMKN4013D	PROGRAMMING, TEST & ALIGNMENT CABLE
PMKN4197A	APX CLONNING CABLE

SOFTWARE

Die installierte Funkgerätesoftware unterliegt der vollständigen Kontrolle des Herstellers ohne Zugriff durch den Benutzer und entspricht den dazugehörigen Richtlinien.

EU-Konformitätserklärungen sind unter dem folgenden Link verfügbar: <https://www.motorolasolutions.com/emea-compliance>

Dichiarazione di conformità UE (DoC-17073100883-B)

La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante. L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:

Direttiva 2014/53/UE (RED)
Direttiva 2011/65/UE (RoHS)
Direttiva 2012/19/UE (WEEE)
Direttiva 2013/35/UE (EMF)

Oggetto della dichiarazione: ASTRO® 25 Portable Radio
APX™900
PMGR302FE, limited keypad
PMGR302HE, full keypad

136-174MHz, 1-5W, 12.5/20/25kHz
GPS/GLONASS, Bluetooth® Wireless Technology, Wi-Fi®

Solo frequenze nazionali con licenza

Questa Dichiarazione di conformità sostituisce DOC-17073100883-A

Commercializzato da: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

La conformità è dimostrata dalla rispondenza ai requisiti applicabili dei seguenti standard:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.2.2
EN 303 413 V1.1.1

EN 301 489 - 1 V2.2.0
EN 301 489 - 5 V2.2.0
EN 301 489 - 17 V2.2.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Conforme ai limiti di esposizione per scopi professionali/controllati dello standard ICNIRP (1998)
EN 50360:2017
EN 50566:2017

Riferimento del documento: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Si conferma la correttezza di questa traduzione. è valida solo se fornita con la versione originale in inglese firmata.

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17073100883-B)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
ANTENNA	
AN000151A01	ANTENNA, CHIP, GLONASS BT/GPS ANTENNA MODULE
PMAD4088B	VHF WIDEBAND ANTENNA (136-174MHZ)
PMAD4093A	VHF STUBBY ANTENNA 11CM(136-147MHZ)
PMAD4094A	VHF STUBBY ANTENNA 11CM(147-160MHZ)
PMAD4095A	VHF STUBBY ANTENNA 11CM(160-174MHZ)
AUDIO	
3075336B17A	Replacement Coil Cord Kit for HMN4104, 4103, and 4101
5080384F72	REPLACEMENT FOAM PLUGS FOR RLN5887 AND RLN6242. NOISE REDUCTION = 24DB.* PACK OF 50 PAIRS.
508070EB97A	Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	BEIGE 3-WIRE SURVEILLANCE KIT
BDN6669A	2-WIRE SURVEILLANCE KIT WITH AN EXTRA-LOUD EARPIECE
BDN6670A	THIS BEIGE, EXTRA-LOUD (EXCEEDS OSHA STANDARDS) EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CNTRL, BLK
BDN6729A	EARPIECE WITH MICROPHONE AND PUSH-TO-TALK COMBINED (2-WIRE), BLACK
BDN6730A	THIS BLACK, 3-WIRE EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17073100883-B)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE SURVEILLANCE KIT WITH EXTRA LOUD EARPIECE
BDN6781A	EARBUD, SINGLE SPEAKER
BDN6783B	3.5MM THREADED AUDIO ADAPTER
GMLN5261A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
GMLN5262A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
HMN4101B	INCLUDES RUGGED, SUBMERSIBLE AUDIO JACK
HMN4103B	FEATURES 8-CHARACTER DISPLAY AND RUGGED, SUBMERSIBLE AUDIO JACK
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NNTN7869B	6 PIN HIROSE KEYLOAD & AUDIO ADAPTER, FM/IS RATED
NNTN8125C	WIRELESS ACCY KIT, STD PAIR, 12 CABLE
NNTN8127B	OPERATIONS CRITICAL WIRELESS PUSH-TO-TALK POD
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8385A	WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT
NNTN8457A	OPTIONAL RETENTION HOOKS, PACK OF 10
NTN2572B	REPLACEMENT WIRELESS EARPIECE
NTN8821A	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam
NTN8988A	Ear strap for comport earpiece (pack of 10)

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17073100883-B)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
PMKN4107A	Display RMS Interface Cable, 5-Pin Nexus Female Receptacle
PMKN4112A	Display RMS Interface Cable, 4-Pin Nexus Male Receptacle
PMKN4113A	Display RSM Interface Cable, 12-Pin Hirose Male Connector
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17073100883-B)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	INCLUDES VOLUME CONTROL, ORANGE BUTTON, AND ONE PROGRAMMABLE BUTTON.
PMMN4069A	WINDPORTING MICROPHONE WITH AUDIO JACK.
RLN4760A	SMALL CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4761A	MEDIUM CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4762A	LARGE CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4763A	SMALL CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4764A	MEDIUM CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4765A	LARGE CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4919A	REPLACEMENT EARWAX GUARDS. 5 PER PACK. COMPATIBLE WITH RLN4922
RLN4920A	PHONAK INDUCTIVE NECKLOOP INCLUDED IN THE RLN4922
RLN4921A	PHONAK PHONITO INTRA EAR RECEIVER INCLUDED IN THE RLN4922
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5037A	EARTUBES FOR COMFORT EARPIECE
RLN5312B	2-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5313B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5886A	LOW NOISE KIT

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17073100883-B)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
RLN5887A	HIGH NOISE KIT
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6242A	LOW NOISE KIT WITH QUICK DISCONNECT TRANSLUCENT TUBE AND 1CLEAR RUBBER EARTIP
RLN6282A	REPLACEMENT STANDARD RUBBER EAR TIPS.
RLN6424B	EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP.
RLN6490A	XBT HEADSET BTN, HEAVY DUTY HEADSET, BT
RLN6491A	XBT HEADSET HB, HEAVY DUTY HEADSET, BT
RLN6500A	MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY
RLN6511A	SMALL HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6512A	MED HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6513A	LARGE HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	UNIQUE SECONDARY AUDIO ACCESSORY THAT CONNECTS TO THE APX DISPLAY RSM AND RECEIVES AUDIO VIA BONE CONDUCTION.
RNN4005A	1.4 VOLT BATTERY $\hat{\Delta}$ PACK OF 6
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6032A	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6039A	3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
BATTERIA	
NNTN8128B	IMPRES LI-ION 1900 MAH, SLIM, IP67

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17073100883-B)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
BATTERIA	
PMNN4424A	IMPRES LI-ION 2300 MAH, SLIM, IP67
PMNN4448A	IMPRES 2700MAH LI-ION BATTERY
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4491A	BATTERY IMPRES LI-ION IP68 2200T
PMNN4491B	IMPRES 2100 MAH, LI-ION BATTERY, SLIM HIGH DENSITY BATTERY, IP68
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
INDOSSABILE	
15012157001	Dust cover for XPR 7000 series accessory connector
PMLN4651A	2 INCH SPRING ACTION BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP REPLACEMENT
PMLN5611A	3" REPLACEMENT LEATHER SWIVEL BELT LOOP
PMLN5838A	LEATHER CARRY CASE WITH 3-INCH FIXED BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5840A	LEATHER CARRY CASE WITH 3-INCH SWIVEL BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5842A	HARD LEATHER CC 2.5INCH SWL LKP FKP
PMLN5844A	NYLON CARRY CASE WITH 3-INCH FIXED BELT LOOP, COMPATIBLE WITH XPR 7550 DISPLAY MODEL RADIOS.
PMLN7008A	2.5 INCH SPRING ACTION BELT CLIP
CARICABATTERIA	
NLN7967A	WALL MOUNT BRACKET FOR IMPRES MULTI-UNIT CHARGER
NNTN7392A	IMPRES BATTERY DATA READER
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER
NNTN7677A	IMPRES BATTERY FLEET MANAGEMENT MULTI-UNIT CHARGER INTERFACE UNIT
NNTN8045A	IMPRES BATTERY FLEET MANAGEMENT SINGLE-UNIT CHARGER INTERFACE UNIT

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-17073100883-B)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
CARICABATTERIA	
NNTN8169A	INSERT FOR NTN1873/WPLN4111 XTS SINGLE-UNIT CHARGER
NNTN8170A	INSERT FOR WPLN4108/4130 XTS MULTI-UNIT CHARGER (6 PER PACK)
NNTN8525A	MOTOROLA TRAVEL CHARGER
NTN1873A	SINGLE UNIT DUAL RATE RAPID CHARGER
RLN5382C	ACCESSORY IMPRES CHARGER DISPLAY

CAVO	
PMKN4012C	CABLE, ASSEMBLY, PORTABLE PROGRAMMING CABLE
PMKN4013D	PROGRAMMING, TEST & ALIGNMENT CABLE
PMKN4197A	APX CLONNING CABLE

SOFTWARE

Il software della radio installato è sotto il completo controllo del costruttore senza accesso da parte dell'utente ed è conforme alle direttive pertinenti.

Le dichiarazioni di conformità UE sono disponibili al seguente link: <https://www.motorolasolutions.com/emea-compliance>



Deklaracja zgodności UE (DoC-17073100883-B)

Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta.
Wymieniony poniżej przedmiot niniejszej deklaracji jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego:

Dyrektywa 2014/53/UE (RED)
Dyrektywa 2011/65/UE (RoHS)
Dyrektywa 2012/19/UE (WEEE)
Dyrektywa 2013/35/UE (EMF)

Przedmiot deklaracji: ASTRO® 25 Portable Radio
APX™900
PMGR302FE, limited keypad
PMGR302HE, full keypad

136-174MHz, 1-5W, 12.5/20/25kHz
GPS/GLONASS, Bluetooth® Wireless Technology, Wi-Fi®

Wyłącznie krajowe licencjonowane częstotliwości

Niniejsza deklaracja zgodności zastępuje DOC-17073100883-A

Wprowadzony do obrotu przez: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Odwołania do norm, w odniesieniu do których deklarowana jest zgodność:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.2.2
EN 303 413 V1.1.1

EN 301 489 - 1 V2.2.0
EN 301 489 - 5 V2.2.0
EN 301 489 - 17 V2.2.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Zgodność z wytycznymi określonymi przez Międzynarodową Komisję Ochrony przed Promieniowaniem Niejonizującym ICNIRP (1998)
EN 50360:2017
EN 50566:2017

Właściciel dokumentu: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Potwierdzamy poprawność niniejszego tłumaczenia. Obowiązuje jedynie z podpisanym oryginałem w języku angielskim.

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-17073100883-B)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

ANTENA

AN000151A01	ANTENNA, CHIP, GLONASS BT/GPS ANTENNA MODULE
PMAD4088B	VHF WIDEBAND ANTENNA (136-174MHZ)
PMAD4093A	VHF STUBBY ANTENNA 11CM(136-147MHZ)
PMAD4094A	VHF STUBBY ANTENNA 11CM(147-160MHZ)
PMAD4095A	VHF STUBBY ANTENNA 11CM(160-174MHZ)

AUDIO

3075336B17A	Replacement Coil Cord Kit for HMN4104, 4103, and 4101
5080384F72	REPLACEMENT FOAM PLUGS FOR RLN5887 AND RLN6242. NOISE REDUCTION = 24DB.* PACK OF 50 PAIRS.
508070EB97A	Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	BEIGE 3-WIRE SURVEILLANCE KIT
BDN6669A	2-WIRE SURVEILLANCE KIT WITH AN EXTRA-LOUD EARPIECE
BDN6670A	THIS BEIGE, EXTRA-LOUD (EXCEEDS OSHA STANDARDS) EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CNTRL, BLK
BDN6729A	EARPIECE WITH MICROPHONE AND PUSH-TO-TALK COMBINED (2-WIRE), BLACK
BDN6730A	THIS BLACK, 3-WIRE EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-17073100883-B)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

AUDIO

BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE SURVEILLANCE KIT WITH EXTRA LOUD EARPIECE
BDN6781A	EARBUD, SINGLE SPEAKER
BDN6783B	3.5MM THREADED AUDIO ADAPTER
GMLN5261A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
GMLN5262A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
HMN4101B	INCLUDES RUGGED, SUBMERSIBLE AUDIO JACK
HMN4103B	FEATURES 8-CHARACTER DISPLAY AND RUGGED, SUBMERSIBLE AUDIO JACK
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NNTN7869B	6 PIN HIROSE KEYLOAD & AUDIO ADAPTER, FM/IS RATED
NNTN8125C	WIRELESS ACCY KIT, STD PAIR, 12 CABLE
NNTN8127B	OPERATIONS CRITICAL WIRELESS PUSH-TO-TALK POD
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8385A	WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT
NNTN8457A	OPTIONAL RETENTION HOOKS, PACK OF 10
NTN2572B	REPLACEMENT WIRELESS EARPIECE
NTN8821A	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam
NTN8988A	Ear strap for comfort earpiece (pack of 10)

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-17073100883-B)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

AUDIO

PMKN4107A	Display RMS Interface Cable, 5-Pin Nexus Female Receptacle
PMKN4112A	Display RMS Interface Cable, 4-Pin Nexus Male Receptacle
PMKN4113A	Display RSM Interface Cable, 12-Pin Hirose Male Connector
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-17073100883-B)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

AUDIO

PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	INCLUDES VOLUME CONTROL, ORANGE BUTTON, AND ONE PROGRAMMABLE BUTTON.
PMMN4069A	WINDPORTING MICROPHONE WITH AUDIO JACK.
RLN4760A	SMALL CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4761A	MEDIUM CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4762A	LARGE CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4763A	SMALL CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4764A	MEDIUM CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4765A	LARGE CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4919A	REPLACEMENT EARWAX GUARDS. 5 PER PACK. COMPATIBLE WITH RLN4922
RLN4920A	PHONAK INDUCTIVE NECKLOOP INCLUDED IN THE RLN4922
RLN4921A	PHONAK PHONITO INTRA EAR RECEIVER INCLUDED IN THE RLN4922
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5037A	EARTUBES FOR COMFORT EARPIECE
RLN5312B	2-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5313B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5886A	LOW NOISE KIT

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-17073100883-B)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

<u>NUMER KATALOGOWY</u>	<u>OPIS (TYLKO INFORMACYJNIE)</u>
AUDIO	
RLN5887A	HIGH NOISE KIT
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6242A	LOW NOISE KIT WITH QUICK DISCONNECT TRANSLUCENT TUBE AND 1CLEAR RUBBER EARTIP
RLN6282A	REPLACEMENT STANDARD RUBBER EAR TIPS.
RLN6424B	EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP.
RLN6490A	XBT HEADSET BTN, HEAVY DUTY HEADSET, BT
RLN6491A	XBT HEADSET HB, HEAVY DUTY HEADSET, BT
RLN6500A	MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY
RLN6511A	SMALL HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6512A	MED HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6513A	LARGE HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	UNIQUE SECONDARY AUDIO ACCESSORY THAT CONNECTS TO THE APX DISPLAY RSM AND RECEIVES AUDIO VIA BONE CONDUCTION.
RNN4005A	1.4 VOLT BATTERY $\hat{\Delta}$ PACK OF 6
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6032A	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6039A	3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
BATERIA	
NNTN8128B	IMPRES LI-ION 1900 MAH, SLIM, IP67

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-17073100883-B)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)**BATERIA**

PMNN4424A	IMPRES LI-ION 2300 MAH, SLIM, IP67
PMNN4448A	IMPRES 2700MAH LI-ION BATTERY
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4491A	BATTERY IMPRES LI-ION IP68 2200T
PMNN4491B	IMPRES 2100 MAH, LI-ION BATTERY, SLIM HIGH DENSITY BATTERY, IP68
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T

URZĄDZENIE NOSZONE NA CIELE

15012157001	Dust cover for XPR 7000 series accessory connector
PMLN4651A	2 INCH SPRING ACTION BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP REPLACEMENT
PMLN5611A	3" REPLACEMENT LEATHER SWIVEL BELT LOOP
PMLN5838A	LEATHER CARRY CASE WITH 3-INCH FIXED BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5840A	LEATHER CARRY CASE WITH 3-INCH SWIVEL BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5842A	HARD LEATHER CC 2.5INCH SWL LKP FKP
PMLN5844A	NYLON CARRY CASE WITH 3-INCH FIXED BELT LOOP, COMPATIBLE WITH XPR 7550 DISPLAY MODEL RADIOS.
PMLN7008A	2.5 INCH SPRING ACTION BELT CLIP

ŁADOWARKA

NLN7967A	WALL MOUNT BRACKET FOR IMPRES MULTI-UNIT CHARGER
NNTN7392A	IMPRES BATTERY DATA READER
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER
NNTN7677A	IMPRES BATTERY FLEET MANAGEMENT MULTI-UNIT CHARGER INTERFACE UNIT
NNTN8045A	IMPRES BATTERY FLEET MANAGEMENT SINGLE-UNIT CHARGER INTERFACE UNIT

Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-17073100883-B)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

ŁADOWARKA

NNTN8169A	INSERT FOR NTN1873/WPLN4111 XTS SINGLE-UNIT CHARGER
NNTN8170A	INSERT FOR WPLN4108/4130 XTS MULTI-UNIT CHARGER (6 PER PACK)
NNTN8525A	MOTOROLA TRAVEL CHARGER
NTN1873A	SINGLE UNIT DUAL RATE RAPID CHARGER
RLN5382C	ACCESSORY IMPRES CHARGER DISPLAY

KABEL

PMKN4012C	CABLE, ASSEMBLY, PORTABLE PROGRAMMING CABLE
PMKN4013D	PROGRAMMING, TEST & ALIGNMENT CABLE
PMKN4197A	APX CLONNING CABLE

OPROGRAMOWANIE

Zainstalowane oprogramowanie radiowe pozostaje pod pełną kontrolą producenta bez możliwości ingerencji przez użytkownika. Oprogramowanie jest w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.

Deklaracje zgodności UE są dostępne pod następującym adresem: <https://www.motorolasolutions.com/emea-compliance>

Declaração UE de conformidade (DoC-17073100883-B)

A presente declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante. O objeto da declaração acima mencionada está em conformidade com a legislação de harmonização da União aplicável:

Diretiva 2014/53/UE (RED)
Diretiva 2011/65/EU (RoHS)
Diretiva 2012/19/EU (WEEE)
Diretiva 2013/35/EU (EMF)

Objeto da declaração: ASTRO® 25 Portable Radio
APX™900
PMGR302FE, limited keypad
PMGR302HE, full keypad

136-174MHz, 1-5W, 12.5/20/25kHz
GPS/GLONASS, Bluetooth® Wireless Technology, Wi-Fi®

Exclusivamente frequências nacionais licenciadas

Esta Declaração de Conformidade substitui DOC-17073100883-A

Introduzido no mercado por: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

A conformidade é demonstrada pela concordância com os requisitos aplicáveis das seguintes normas:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.2.2
EN 303 413 V1.1.1

EN 301 489 - 1 V2.2.0
EN 301 489 - 5 V2.2.0
EN 301 489 - 17 V2.2.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Em conformidade com os limites de Exposição Ocupacional/Controlada da ICNIRP (1998)
EN 50360:2017
EN 50566:2017

Proprietário do documento: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

A exatidão desta tradução está confirmada e é válida apenas se fornecida com a versão original em inglês assinada.

Rev. 1 Adendo à Declaração UE de conformidade (DoC-17073100883-B)

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
ANTENA	
AN000151A01	ANTENNA, CHIP, GLONASS BT/GPS ANTENNA MODULE
PMAD4088B	VHF WIDEBAND ANTENNA (136-174MHZ)
PMAD4093A	VHF STUBBY ANTENNA 11CM(136-147MHZ)
PMAD4094A	VHF STUBBY ANTENNA 11CM(147-160MHZ)
PMAD4095A	VHF STUBBY ANTENNA 11CM(160-174MHZ)
ÁUDIO	
3075336B17A	Replacement Coil Cord Kit for HMN4104, 4103, and 4101
5080384F72	REPLACEMENT FOAM PLUGS FOR RLN5887 AND RLN6242. NOISE REDUCTION = 24DB.* PACK OF 50 PAIRS.
508070EB97A	Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	BEIGE 3-WIRE SURVEILLANCE KIT
BDN6669A	2-WIRE SURVEILLANCE KIT WITH AN EXTRA-LOUD EARPIECE
BDN6670A	THIS BEIGE, EXTRA-LOUD (EXCEEDS OSHA STANDARDS) EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CNTRL, BLK
BDN6729A	EARPIECE WITH MICROPHONE AND PUSH-TO-TALK COMBINED (2-WIRE), BLACK
BDN6730A	THIS BLACK, 3-WIRE EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.

Rev. 1 Adendo à Declaração UE de conformidade (DoC-17073100883-B)

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
ÁUDIO	
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE SURVEILLANCE KIT WITH EXTRA LOUD EARPIECE
BDN6781A	EARBUD, SINGLE SPEAKER
BDN6783B	3.5MM THREADED AUDIO ADAPTER
GMLN5261A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
GMLN5262A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
HMN4101B	INCLUDES RUGGED, SUBMERSIBLE AUDIO JACK
HMN4103B	FEATURES 8-CHARACTER DISPLAY AND RUGGED, SUBMERSIBLE AUDIO JACK
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NNTN7869B	6 PIN HIROSE KEYLOAD & AUDIO ADAPTER, FM/IS RATED
NNTN8125C	WIRELESS ACCY KIT, STD PAIR, 12 CABLE
NNTN8127B	OPERATIONS CRITICAL WIRELESS PUSH-TO-TALK POD
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8385A	WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT
NNTN8457A	OPTIONAL RETENTION HOOKS, PACK OF 10
NTN2572B	REPLACEMENT WIRELESS EARPIECE
NTN8821A	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam
NTN8988A	Ear strap for comport earpiece (pack of 10)

Rev. 1 Adendo à Declaração UE de conformidade (DoC-17073100883-B)

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
ÁUDIO	
PMKN4107A	Display RMS Interface Cable, 5-Pin Nexus Female Receptacle
PMKN4112A	Display RMS Interface Cable, 4-Pin Nexus Male Receptacle
PMKN4113A	Display RSM Interface Cable, 12-Pin Hirose Male Connector
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK

Rev. 1 Adendo à Declaração UE de conformidade (DoC-17073100883-B)

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
ÁUDIO	
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	INCLUDES VOLUME CONTROL, ORANGE BUTTON, AND ONE PROGRAMMABLE BUTTON.
PMMN4069A	WINDPORTING MICROPHONE WITH AUDIO JACK.
RLN4760A	SMALL CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4761A	MEDIUM CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4762A	LARGE CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4763A	SMALL CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4764A	MEDIUM CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4765A	LARGE CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4919A	REPLACEMENT EARWAX GUARDS. 5 PER PACK. COMPATIBLE WITH RLN4922
RLN4920A	PHONAK INDUCTIVE NECKLOOP INCLUDED IN THE RLN4922
RLN4921A	PHONAK PHONITO INTRA EAR RECEIVER INCLUDED IN THE RLN4922
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5037A	EARTUBES FOR COMFORT EARPIECE
RLN5312B	2-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5313B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5886A	LOW NOISE KIT

Rev. 1 Adendo à Declaração UE de conformidade (DoC-17073100883-B)

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
ÁUDIO	
RLN5887A	HIGH NOISE KIT
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6242A	LOW NOISE KIT WITH QUICK DISCONNECT TRANSLUCENT TUBE AND 1CLEAR RUBBER EARTIP
RLN6282A	REPLACEMENT STANDARD RUBBER EAR TIPS.
RLN6424B	EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP.
RLN6490A	XBT HEADSET BTN, HEAVY DUTY HEADSET, BT
RLN6491A	XBT HEADSET HB, HEAVY DUTY HEADSET, BT
RLN6500A	MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY
RLN6511A	SMALL HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6512A	MED HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6513A	LARGE HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	UNIQUE SECONDARY AUDIO ACCESSORY THAT CONNECTS TO THE APX DISPLAY RSM AND RECEIVES AUDIO VIA BONE CONDUCTION.
RNN4005A	1.4 VOLT BATTERY �� PACK OF 6
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6032A	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6039A	3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
BATERIA	
NNTN8128B	IMPRES LI-ION 1900 MAH, SLIM, IP67

Rev. 1 Adendo à Declaração UE de conformidade (DoC-17073100883-B)

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
BATERIA	
PMNN4424A	IMPRES LI-ION 2300 MAH, SLIM, IP67
PMNN4448A	IMPRES 2700MAH LI-ION BATTERY
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4491A	BATTERY IMPRES LI-ION IP68 2200T
PMNN4491B	IMPRES 2100 MAH, LI-ION BATTERY, SLIM HIGH DENSITY BATTERY, IP68
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
USADO NO CORPO	
15012157001	Dust cover for XPR 7000 series accessory connector
PMLN4651A	2 INCH SPRING ACTION BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP REPLACEMENT
PMLN5611A	3" REPLACEMENT LEATHER SWIVEL BELT LOOP
PMLN5838A	LEATHER CARRY CASE WITH 3-INCH FIXED BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5840A	LEATHER CARRY CASE WITH 3-INCH SWIVEL BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5842A	HARD LEATHER CC 2.5INCH SWL LKP FKP
PMLN5844A	NYLON CARRY CASE WITH 3-INCH FIXED BELT LOOP, COMPATIBLE WITH XPR 7550 DISPLAY MODEL RADIOS.
PMLN7008A	2.5 INCH SPRING ACTION BELT CLIP
CARREGADOR	
NLN7967A	WALL MOUNT BRACKET FOR IMPRES MULTI-UNIT CHARGER
NNTN7392A	IMPRES BATTERY DATA READER
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER
NNTN7677A	IMPRES BATTERY FLEET MANAGEMENT MULTI-UNIT CHARGER INTERFACE UNIT
NNTN8045A	IMPRES BATTERY FLEET MANAGEMENT SINGLE-UNIT CHARGER INTERFACE UNIT

Rev. 1 Adendo à Declaração UE de conformidade (DoC-17073100883-B)

Os acessórios listados são aprovados para uso com o objeto desta declaração.

<u>NÚMERO DA PEÇA</u>	<u>DESCRIÇÃO (APENAS PARA INFORMAÇÃO)</u>
CARREGADOR	
NNTN8169A	INSERT FOR NTN1873/WPLN4111 XTS SINGLE-UNIT CHARGER
NNTN8170A	INSERT FOR WPLN4108/4130 XTS MULTI-UNIT CHARGER (6 PER PACK)
NNTN8525A	MOTOROLA TRAVEL CHARGER
NTN1873A	SINGLE UNIT DUAL RATE RAPID CHARGER
RLN5382C	ACCESSORY IMPRES CHARGER DISPLAY
CABO	
PMKN4012C	CABLE, ASSEMBLY, PORTABLE PROGRAMMING CABLE
PMKN4013D	PROGRAMMING, TEST & ALIGNMENT CABLE
PMKN4197A	APX CLONNING CABLE

PROGRAMAS

O software de rádio instalado está sob o controle total do fabricante, sem acesso do usuário e está em conformidade com as diretivas relevantes.

As declarações de conformidade da UE estão disponíveis em: <https://www.motorolasolutions.com/emea-compliance>

Declaración UE de conformidad (DoC-17073100883-B)

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante. El objeto de la declaración descrito anteriormente es conforme con la legislación de armonización pertinente de la Unión:

Directiva 2014/53/UE (RED)
Directiva 2011/65/UE (RoHS)
Directiva 2012/19/UE (WEEE)
Directiva 2013/35/UE (EMF)

Objeto de la declaración: ASTRO® 25 Portable Radio
APX™900
PMGR302FE, limited keypad
PMGR302HE, full keypad

136-174MHz, 1-5W, 12.5/20/25kHz
GPS/GLONASS, Bluetooth® Wireless Technology, Wi-Fi®

Frecuencias con licencia únicamente nacional

Esta Declaración de conformidad reemplaza a DOC-17073100883-A

introducido en el mercado por: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

La conformidad se acreditará mediante el cumplimiento de los requisitos aplicables de los siguientes estándares:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 328 V2.2.2
EN 303 413 V1.1.1

EN 301 489 - 1 V2.2.0
EN 301 489 - 5 V2.2.0
EN 301 489 - 17 V2.2.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Cumple con ICNIRP (1998) sobre límites de exposición ocupacional/controlada
EN 50360:2017
EN 50566:2017

Custodio de la documentación: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Confirmamos la exactitud de esta traducción. Solo es válida si se proporciona con la versión original en inglés firmada.

Rev. 1 Anexo a Declaración UE de conformidad (DoC-17073100883-B)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
ANTENA	
AN000151A01	ANTENNA, CHIP, GLONASS BT/GPS ANTENNA MODULE
PMAD4088B	VHF WIDEBAND ANTENNA (136-174MHZ)
PMAD4093A	VHF STUBBY ANTENNA 11CM(136-147MHZ)
PMAD4094A	VHF STUBBY ANTENNA 11CM(147-160MHZ)
PMAD4095A	VHF STUBBY ANTENNA 11CM(160-174MHZ)
AUDIO	
3075336B17A	Replacement Coil Cord Kit for HMN4104, 4103, and 4101
5080384F72	REPLACEMENT FOAM PLUGS FOR RLN5887 AND RLN6242. NOISE REDUCTION = 24DB.* PACK OF 50 PAIRS.
508070EB97A	Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	BEIGE 3-WIRE SURVEILLANCE KIT
BDN6669A	2-WIRE SURVEILLANCE KIT WITH AN EXTRA-LOUD EARPIECE
BDN6670A	THIS BEIGE, EXTRA-LOUD (EXCEEDS OSHA STANDARDS) EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CNTRL, BLK
BDN6729A	EARPIECE WITH MICROPHONE AND PUSH-TO-TALK COMBINED (2-WIRE), BLACK
BDN6730A	THIS BLACK, 3-WIRE EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.

Rev. 1 Anexo a Declaración UE de conformidad (DoC-17073100883-B)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE SURVEILLANCE KIT WITH EXTRA LOUD EARPIECE
BDN6781A	EARBUD, SINGLE SPEAKER
BDN6783B	3.5MM THREADED AUDIO ADAPTER
GMLN5261A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
GMLN5262A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
HMN4101B	INCLUDES RUGGED, SUBMERSIBLE AUDIO JACK
HMN4103B	FEATURES 8-CHARACTER DISPLAY AND RUGGED, SUBMERSIBLE AUDIO JACK
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NNTN7869B	6 PIN HIROSE KEYLOAD & AUDIO ADAPTER, FM/IS RATED
NNTN8125C	WIRELESS ACCY KIT, STD PAIR, 12 CABLE
NNTN8127B	OPERATIONS CRITICAL WIRELESS PUSH-TO-TALK POD
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8385A	WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT
NNTN8457A	OPTIONAL RETENTION HOOKS, PACK OF 10
NTN2572B	REPLACEMENT WIRELESS EARPIECE
NTN8821A	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam
NTN8988A	Ear strap for comport earpiece (pack of 10)

Rev. 1 Anexo a Declaración UE de conformidad (DoC-17073100883-B)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
PMKN4107A	Display RMS Interface Cable, 5-Pin Nexus Female Receptacle
PMKN4112A	Display RMS Interface Cable, 4-Pin Nexus Male Receptacle
PMKN4113A	Display RSM Interface Cable, 12-Pin Hirose Male Connector
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK

Rev. 1 Anexo a Declaración UE de conformidad (DoC-17073100883-B)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	INCLUDES VOLUME CONTROL, ORANGE BUTTON, AND ONE PROGRAMMABLE BUTTON.
PMMN4069A	WINDPORTING MICROPHONE WITH AUDIO JACK.
RLN4760A	SMALL CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4761A	MEDIUM CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4762A	LARGE CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4763A	SMALL CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4764A	MEDIUM CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4765A	LARGE CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4919A	REPLACEMENT EARWAX GUARDS. 5 PER PACK. COMPATIBLE WITH RLN4922
RLN4920A	PHONAK INDUCTIVE NECKLOOP INCLUDED IN THE RLN4922
RLN4921A	PHONAK PHONITO INTRA EAR RECEIVER INCLUDED IN THE RLN4922
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5037A	EARTUBES FOR COMFORT EARPIECE
RLN5312B	2-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5313B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5886A	LOW NOISE KIT

Rev. 1 Anexo a Declaración UE de conformidad (DoC-17073100883-B)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
RLN5887A	HIGH NOISE KIT
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6242A	LOW NOISE KIT WITH QUICK DISCONNECT TRANSLUCENT TUBE AND 1CLEAR RUBBER EARTIP
RLN6282A	REPLACEMENT STANDARD RUBBER EAR TIPS.
RLN6424B	EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP.
RLN6490A	XBT HEADSET BTN, HEAVY DUTY HEADSET, BT
RLN6491A	XBT HEADSET HB, HEAVY DUTY HEADSET, BT
RLN6500A	MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY
RLN6511A	SMALL HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6512A	MED HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6513A	LARGE HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	UNIQUE SECONDARY AUDIO ACCESSORY THAT CONNECTS TO THE APX DISPLAY RSM AND RECEIVES AUDIO VIA BONE CONDUCTION.
RNN4005A	1.4 VOLT BATTERY $\hat{\Delta}$ PACK OF 6
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6032A	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6039A	3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
BATERÍA	
NNTN8128B	IMPRES LI-ION 1900 MAH, SLIM, IP67

Rev. 1 Anexo a Declaración UE de conformidad (DoC-17073100883-B)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
BATERÍA	
PMNN4424A	IMPRES LI-ION 2300 MAH, SLIM, IP67
PMNN4448A	IMPRES 2700MAH LI-ION BATTERY
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4491A	BATTERY IMPRES LI-ION IP68 2200T
PMNN4491B	IMPRES 2100 MAH, LI-ION BATTERY, SLIM HIGH DENSITY BATTERY, IP68
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
EN EL CUERPO	
15012157001	Dust cover for XPR 7000 series accessory connector
PMLN4651A	2 INCH SPRING ACTION BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP REPLACEMENT
PMLN5611A	3" REPLACEMENT LEATHER SWIVEL BELT LOOP
PMLN5838A	LEATHER CARRY CASE WITH 3-INCH FIXED BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5840A	LEATHER CARRY CASE WITH 3-INCH SWIVEL BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5842A	HARD LEATHER CC 2.5INCH SWL LKP FKP
PMLN5844A	NYLON CARRY CASE WITH 3-INCH FIXED BELT LOOP, COMPATIBLE WITH XPR 7550 DISPLAY MODEL RADIOS.
PMLN7008A	2.5 INCH SPRING ACTION BELT CLIP
CARGADOR	
NLN7967A	WALL MOUNT BRACKET FOR IMPRES MULTI-UNIT CHARGER
NNTN7392A	IMPRES BATTERY DATA READER
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER
NNTN7677A	IMPRES BATTERY FLEET MANAGEMENT MULTI-UNIT CHARGER INTERFACE UNIT
NNTN8045A	IMPRES BATTERY FLEET MANAGEMENT SINGLE-UNIT CHARGER INTERFACE UNIT

Rev. 1 Anexo a Declaración UE de conformidad (DoC-17073100883-B)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
CARGADOR	
NNTN8169A	INSERT FOR NTN1873/WPLN4111 XTS SINGLE-UNIT CHARGER
NNTN8170A	INSERT FOR WPLN4108/4130 XTS MULTI-UNIT CHARGER (6 PER PACK)
NNTN8525A	MOTOROLA TRAVEL CHARGER
NTN1873A	SINGLE UNIT DUAL RATE RAPID CHARGER
RLN5382C	ACCESSORY IMPRES CHARGER DISPLAY

CABLE	
PMKN4012C	CABLE, ASSEMBLY,PORTABLE PROGRAMMING CABLE
PMKN4013D	PROGRAMMING, TEST & ALIGNMENT CABLE
PMKN4197A	APX CLONNING CABLE

SOFTWARE

El software de radio instalado se encuentra bajo el control total del fabricante sin acceso por parte del usuario y cumple con las directivas pertinentes.

Las Declaraciones de Conformidad de la UE están disponibles en el siguiente enlace: <https://www.motorolasolutions.com/emea-compliance>



UK Declaration of Conformity (DoC-17073100883-B)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant UK legislation:

The Radio Equipment Regulations 2017

Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The Waste Electrical and Electronic Equipment Regulations 2013

The Control of Electromagnetic Fields at Work Regulations 2016

Object of the declaration: ASTRO® 25 Portable Radio

APX™900

PMGR302FE, limited keypad

PMGR302HE, full keypad

136-174MHz, 1-5W, 12.5/20/25kHz

GPS/GLONASS, Bluetooth® Wireless Technology, Wi-Fi®

National Licensed Frequencies Only

This DoC supersedes DOC-17073100883-A

Placed On The Market By: Motorola Solutions UK, 160 Victoria St, London, SW1E 5LB, U.K.

Conformity is shown by compliance with the applicable requirements of the following standards:

EN 300 086 V2.1.2

EN 300 113 V2.2.1

EN 300 328 V2.2.2

EN 303 413 V1.1.1

EN 301 489 - 1 V2.2.0

EN 301 489 - 5 V2.2.0

EN 301 489 - 17 V2.2.1

EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits

EN 50360:2017

EN 50566:2017

KRAKOW, 13-SEP-2021

Jacek Drabik
Country Manager Motorola Solutions Poland,
Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Friedrich Bollmann
Product Safety and Regulatory Compliance,
Motorola Solutions Germany GmbH, Berlin



Rev. 1 Addendum to UK Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
ANTENNA	
AN000151A01	ANTENNA, CHIP, GLONASS BT/GPS ANTENNA MODULE
PMAD4088B	VHF WIDEBAND ANTENNA (136-174MHZ)
PMAD4093A	VHF STUBBY ANTENNA 11CM(136-147MHZ)
PMAD4094A	VHF STUBBY ANTENNA 11CM(147-160MHZ)
PMAD4095A	VHF STUBBY ANTENNA 11CM(160-174MHZ)
AUDIO	
3075336B17A	Replacement Coil Cord Kit for HMN4104, 4103, and 4101
5080384F72	REPLACEMENT FOAM PLUGS FOR RLN5887 AND RLN6242. NOISE REDUCTION = 24DB.* PACK OF 50 PAIRS.
508070EB97A	Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 24dB. (Pack of 50 pairs)
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6667A	2-WIRE SURVEILLANCE KIT WITH EARPIECE, BEIGE, 3.5MM THREADED. REQUIRES BDN6783.
BDN6668A	BEIGE 3-WIRE SURVEILLANCE KIT
BDN6669A	2-WIRE SURVEILLANCE KIT WITH AN EXTRA-LOUD EARPIECE
BDN6670A	THIS BEIGE, EXTRA-LOUD (EXCEEDS OSHA STANDARDS) EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CNTRL, BLK
BDN6729A	EARPIECE WITH MICROPHONE AND PUSH-TO-TALK COMBINED (2-WIRE), BLACK
BDN6730A	THIS BLACK, 3-WIRE EARPIECE HAS A SEPARATE MICROPHONE AND PUSH-TO-TALK FEATURE.



Rev. 1 Addendum to UK Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
BDN6731A	EARPC XTRA LOUD W/MIC & PTT BLK
BDN6732A	3-WIRE SURVEILLANCE KIT WITH EXTRA LOUD EARPIECE
BDN6781A	EARBUD, SINGLE SPEAKER
BDN6783B	3.5MM THREADED AUDIO ADAPTER
GMLN5261A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
GMLN5262A	PHONAK NANO EAR RECEIVER, BEIGE (NECKLOOP MUST BE ORDERED SEPARATELY)
HMN4101B	INCLUDES RUGGED, SUBMERSIBLE AUDIO JACK
HMN4103B	FEATURES 8-CHARACTER DISPLAY AND RUGGED, SUBMERSIBLE AUDIO JACK
HMN4104B	ACCESSORY KIT,IMPRES RSM DSPLY W JACK, W CHNL
NNTN7869B	6 PIN HIROSE KEYLOAD & AUDIO ADAPTER, FM/IS RATED
NNTN8125C	WIRELESS ACCY KIT, STD PAIR, 12 CABLE
NNTN8127B	OPERATIONS CRITICAL WIRELESS PUSH-TO-TALK POD
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8296A	WIRELESS COVERT KIT
NNTN8385A	WIRELESS NECKLOOP Y-ADAPTER AND RETENTION HOOK FOR COMPLETELY DISCREET KIT
NNTN8457A	OPTIONAL RETENTION HOOKS, PACK OF 10
NTN2572B	REPLACEMENT WIRELESS EARPIECE
NTN8821A	Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam
NTN8988A	Ear strap for comport earpiece (pack of 10)



Rev. 1 Addendum to UK Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
PMKN4107A	Display RMS Interface Cable, 5-Pin Nexus Female Receptacle
PMKN4112A	Display RMS Interface Cable, 4-Pin Nexus Male Receptacle
PMKN4113A	Display RSM Interface Cable, 12-Pin Hirose Male Connector
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET
PMLN5275C	HEAVY DUTY HEADSET
PMLN5653A	IMPRES GCAI EAR MIC BONE CONDUCTIVE
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN7052A	OPERATIONS CRITICAL WIRELESS 1-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK



Rev. 1 Addendum to UK Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
PMMN4062A	IMPRES RSM, NOISE CANC. EMERGENCY BUTTON 3.5MM JACK IP54
PMMN4065A	INCLUDES VOLUME CONTROL, ORANGE BUTTON, AND ONE PROGRAMMABLE BUTTON.
PMMN4069A	WINDPORTING MICROPHONE WITH AUDIO JACK.
RLN4760A	SMALL CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4761A	MEDIUM CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4762A	LARGE CLEAR COMFORTABLE EARPIECE, RIGHT EAR
RLN4763A	SMALL CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4764A	MEDIUM CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4765A	LARGE CLEAR COMFORTABLE EARPIECE, LEFT EAR
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4919A	REPLACEMENT EARWAX GUARDS. 5 PER PACK. COMPATIBLE WITH RLN4922
RLN4920A	PHONAK INDUCTIVE NECKLOOP INCLUDED IN THE RLN4922
RLN4921A	PHONAK PHONITO INTRA EAR RECEIVER INCLUDED IN THE RLN4922
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5037A	EARTUBES FOR COMFORT EARPIECE
RLN5312B	2-WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5313B	1-WIRE RECEIVE-ONLY SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK, 3.5MM THREADED. REQUIRES BDN6783
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5886A	LOW NOISE KIT



Rev. 1 Addendum to UK Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
RLN5887A	HIGH NOISE KIT
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6242A	LOW NOISE KIT WITH QUICK DISCONNECT TRANSLUCENT TUBE AND 1CLEAR RUBBER EARTIP
RLN6282A	REPLACEMENT STANDARD RUBBER EAR TIPS.
RLN6424B	EARPIECE WITH TRANSLUCENT TUBE AND RUBBER EARTIP.
RLN6490A	XBT HEADSET BTN, HEAVY DUTY HEADSET, BT
RLN6491A	XBT HEADSET HB, HEAVY DUTY HEADSET, BT
RLN6500A	MOTOTRBO BLUETOOTH ACCESSORY KIT W/NA POWER SUPPLY
RLN6511A	SMALL HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6512A	MED HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RLN6513A	LARGE HEARING PROTECTORS (SONIC DEFENDERS) ULTRA EARPLUGS FOR USE WITH ANY SURVEILLANCE KIT OR HEAVY DUTY HEADSET.
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5116A	UNIQUE SECONDARY AUDIO ACCESSORY THAT CONNECTS TO THE APX DISPLAY RSM AND RECEIVES AUDIO VIA BONE CONDUCTION.
RNN4005A	1.4 VOLT BATTERY $\hat{\Delta}$ PACK OF 6
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
ZMN6031A	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6032A	2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6038A	2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
ZMN6039A	3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter
BATTERY	
NNTN8128B	IMPRES LI-ION 1900 MAH, SLIM, IP67



Rev. 1 Addendum to UK Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
BATTERY	
PMNN4424A	IMPRES LI-ION 2300 MAH, SLIM, IP67
PMNN4448A	IMPRES 2700MAH LI-ION BATTERY
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4491A	BATTERY IMPRES LI-ION IP68 2200T
PMNN4491B	IMPRES 2100 MAH, LI-ION BATTERY, SLIM HIGH DENSITY BATTERY, IP68
PMNN4493A	BELIZE NON-TIA HIGH CAP LV LI- ION BATTERY 2950M3000T
BODYWORN	
15012157001	Dust cover for XPR 7000 series accessory connector
PMLN4651A	2 INCH SPRING ACTION BELT CLIP
PMLN5610A	2.5 INCH LEATHER SWIVEL BELT LOOP REPLACEMENT
PMLN5611A	3" REPLACEMENT LEATHER SWIVEL BELT LOOP
PMLN5838A	LEATHER CARRY CASE WITH 3-INCH FIXED BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5840A	LEATHER CARRY CASE WITH 3-INCH SWIVEL BELT LOOP COMPATIBLE WITH THE XPR 7550 DISPLAY MODEL RADIO.
PMLN5842A	HARD LEATHER CC 2.5INCH SWL LKP FKP
PMLN5844A	NYLON CARRY CASE WITH 3-INCH FIXED BELT LOOP, COMPATIBLE WITH XPR 7550 DISPLAY MODEL RADIOS.
PMLN7008A	2.5 INCH SPRING ACTION BELT CLIP
CHARGER	
NLN7967A	WALL MOUNT BRACKET FOR IMPRES MULTI-UNIT CHARGER
NNTN7392A	IMPRES BATTERY DATA READER
NNTN7616D	IMPRES SINGLE-UNIT RAPID RATE VEHICULAR CHARGER
NNTN7677A	IMPRES BATTERY FLEET MANAGEMENT MULTI-UNIT CHARGER INTERFACE UNIT
NNTN8045A	IMPRES BATTERY FLEET MANAGEMENT SINGLE-UNIT CHARGER INTERFACE UNIT



Rev. 1 Addendum to UK Declaration of Conformity (DoC-17073100883-B)

The listed accessories are approved for use with the object of this declaration.

(* Non-UK types of power supply plugs can be only used with adaptor complying UKCA regulatory and BS 1363-3 standard.)

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
CHARGER	
NNTN8169A	INSERT FOR NTN1873/WPLN4111 XTS SINGLE-UNIT CHARGER
NNTN8170A	INSERT FOR WPLN4108/4130 XTS MULTI-UNIT CHARGER (6 PER PACK)
NNTN8525A	MOTOROLA TRAVEL CHARGER
NTN1873A	SINGLE UNIT DUAL RATE RAPID CHARGER
RLN5382C	ACCESSORY IMPRES CHARGER DISPLAY
CABLE	
PMKN4012C	CABLE, ASSEMBLY, PORTABLE PROGRAMMING CABLE
PMKN4013D	PROGRAMMING, TEST & ALIGNMENT CABLE
PMKN4197A	APX CLONNING CABLE

SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant UK legislation.

UK Declarations of Conformity are available at: <https://www.motorolasolutions.com/emea-compliance>