

IMPRES™ BATTERY MANAGEMENT SAFER, SMARTER, POWERED FOR LONGER



YOUR BATTERY **SAFER, SMARTER, POWERED FOR LONGER**

Your radio is only as good as the battery that powers it. When your radio battery fails and communication is lost, it impacts the performance and safety of your organization – whether you're operating an industrial facility, serving customers in a hotel or saving lives. Yet maintaining a large fleet of batteries can be frustrating, time-consuming and costly.

The IMPRES Battery Management application makes all the difference. It eliminates the guesswork, complexity and expense of managing hundreds – even thousands – of batteries, wherever they are. With IMPRES, you can count on your radios to power up in the moments that matter.




**IMPRES IS THE DIFFERENCE BETWEEN
 “READY” AND “RAN OUT”**

Only IMPRES Battery Management provides the most accurate information on each battery in your fleet so you know they’re fully charged and will last the entire shift.

IMPRES software automatically collects battery-critical data including capacity, charge and recondition history, and put-in-service dates.

Because IMPRES batteries can be charged 150 times more than standard batteries, you stock fewer spares and replace fewer batteries.

ONLY IMPRES BATTERIES CAN BE CHARGED
 150 TIMES MORE THAN STANDARD BATTERIES AND
 LAST 43% LONGER



COMMUNICATE CONTINUOUSLY, WORK EFFICIENTLY


IMPRES Battery Management delivers battery-critical information to enhance the performance and safety of your organization.

- Tells you when batteries are below your specified minimum capacity
- Ensures there is enough capacity for an entire shift
- Eliminates unplanned downtime and work interruptions
- Avoids the expense of throwing batteries away prematurely
- Decreases the need for excess battery inventory
- Asset tracking for batteries and in the OTA version, for radios

**REAL TIME BATTERY HEALTH REPORT
 ENABLES IMMEDIATE BATTERY HEALTH AND CAPACITY QUERYING**

ID	Name	Type	Status	Capacity	Other Details
1	Battery 1	Standard	Good	100%	...
2	Battery 2	IMPRES	Good	100%	...
3	Battery 3	Standard	Warning	85%	...
4	Battery 4	IMPRES	Good	100%	...
5	Battery 5	Standard	Warning	80%	...
6	Battery 6	IMPRES	Good	100%	...
7	Battery 7	Standard	Warning	75%	...
8	Battery 8	IMPRES	Good	100%	...
9	Battery 9	Standard	Warning	70%	...
10	Battery 10	IMPRES	Good	100%	...

**AGE IN DAYS
 SHOWS ALL BATTERIES GROUPED BY AGE (DAYS)**




IMPRES BATTERY MANAGEMENT IN THE CHARGER

IMPRES BATTERY MANAGEMENT VIA NETWORKED CHARGERS

IMPRES Battery Management collects accurate, up-to-the-moment information each time an IMPRES battery is inserted into an IMPRES charger. You'll know how long batteries will last and be confident anyone using a radio can communicate at full potential.

IMPRES Battery Management helps you monitor and manage battery health in real time. It is designed for APX™, XTS®, MOTOTRBO™ Series and PRO Series radios.



IMPRES BATTERY MANAGEMENT OVER THE AIR


NEW IMPRES OVER THE AIR (OTA) BATTERY MANAGEMENT

IMPRES OTA Battery Management, DGP 5000/5000e, DGP 8000/8000e or DEP 500/500e Series radios when used with IMPRES batteries, automatically collects battery information over the air while radios are in use. It eliminates the need for wired network connections and a computer at charger locations. It also enables real-time data querying of any radio in the field and adds radio related data for radio asset tracking and other uses.

IMPRES OTA Battery Management requires DGP 5000/5000e, DGP 8000/8000e or DEP 500/500e Series radios with software upgrade 2.4 and IMPRES Battery Management software 2.0 and a software license key. See ordering guide on page 7 for detailed

The IMPRES OTA Battery Management application communicates with the radio system through an IP Data Gateway in one of two ways, through the Motorola Network Interface Service (MNIS), which communicates via IP to the system, or a mobile radio configured as a control station.

1. Motorola Network Interface Service (MNIS)



2. Mobile radio configured as a control station



GAUGE BATTERY STATUS AT A GLANCE

IMPRES BATTERY READER

The IMPRES Battery Reader provides data similar to IMPRES Battery Management. It provides charging, reconditioning and key usage data that can affect overall battery performance. By enabling quick data-based diagnostics, the IMPRES Battery Reader helps optimize talk time, improve cycle life and reduce battery replacement.

The Battery Reader is a stand alone tool that is ideal for a technician's workbench to enable quick, individual battery analysis.

IMPRES BATTERY READER

This standard package (NNTN7392) includes:

- IMPRES Battery Reader
- USB cord
- PRO Series adapter insert
- MOTOTRBO adapter insert
- APX adapter insert
- System Software CD



Laptop not included

- Get a quick view of the battery's ability to hold a charge
- See accurate insights into the age of the battery
- Know each battery's usage and performance
- Track warranty claims and potential battery problems
- Export data to Excel for archiving and easy access in the future
- Install quickly and easily. Simply attach the IMPRES Battery Reader to a PC via the USB port; no additional power is needed
- Works with all IMPRES batteries

IMPRES BATTERY MANAGEMENT ORDERING GUIDE

IN THE CHARGER

FOR APX, XTS, DEP 500/500e, DGP 4100/6100 and DGP 5000/5000e, DGP 8000/8000e SERIES AND PRO SERIES PROFESSIONAL RADIOS

To deploy IMPRES Battery Management:

- **Download NNTN7676** [IMPRES Battery Management Software](#)
- **Purchase HKVN4038** Entitlement ID(s) for up to 20 PCs
- **Purchase NNTN7677** Charger Interface Unit for each Multi-Unit Charger and/or **NNTN8045** Charger Interface Unit for each Single-Unit Charger

The APX Dual Unit Charger accommodates a standard USB cable

OVER THE AIR

FOR MOTOTRBO DGP 5000/5000e, DGP 8000/8000e and DGP 500/500e SERIES RADIOS

To deploy IMPRES OTA Battery Management:

- **Download NNTN7676** [IMPRES Battery Management Software](#)
- **Purchase HKVN4038** Entitlement ID(s) for up to 20 PCs
- Upgrade radio software to 2.4 or later

IMPRES OTA Battery Management is supported by the following MOTOTRBO Systems:

- Direct Mode (12.5e and 6.25e)
- Single Site Repeater
- IP Site Connect
- Capacity Plus
- Linked Capacity Plus

NOTE: Not compatible with Connect Plus

CHARGER INTERFACE UNIT (CIU)

Purchase 1 CIU for each IMPRES charger you want to network into IMPRES Battery Management. The APX Dual Unit Charger and IMPRES Battery Reader do not require a CIU and can be networked into IMPRES Battery Management with a standard USB cable.

Multi-unit Charger Interface Unit	NNTN7677	APX, XTS, PRO, MOTOTRBO*
Single-unit Charger Interface Unit	NNTN8045	APX, PRO, MOTOTRBO*

- Each computer can have up to **25 devices connected** to it. These include: IMPRES Multi-Unit Chargers (APX, XTS, MOTOTRBO or PRO Professional), IMPRES Single Unit Chargers (APX, MOTOTRBO or PRO), APX Dual Unit Chargers and one IMPRES Battery Reader. Please note, the XTS IMPRES single unit charger is not supported.
- A USB hub will be required when the number of devices that need to be connected to a single PC exceeds the available USB ports
- The maximum number of batteries IMPRES Battery Management can accommodate is 25,000

NOTE: Free 90 day trial version available at [IMPRES Battery Management Software](#)

*Only MOTOTRBO DGP 4100/6100 Series radios require a CIU. DGP 5000/5000e, DGP 8000/8000e and DEP 500/500e Series radios support OTA Battery Management.

BROCHURE
IMPRES™ BATTERY MANAGEMENT

Motorola Solutions, Inc. 1301 East Algonquin Road Schaumburg, Illinois 60196, U.S.A.
800-367-2346 motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2016 Motorola, Inc. All rights reserved.
6-10-16

