
# MOTOTRBO PROFESSIONAL SERIES TWO-WAY RADIO ACCESSORIES

**UNLEASH THE POWER OF YOUR RADIO** 





## TABLE OF CONTENTS

Remote Speaker Microphones (RSM)	6
Remote Speaker Microphones Accessories	
with Standard 3.5mm Jack	10
Remote Speaker Microphones Accessories with Threaded 3 5mm Jack	11
	11
Public Safety Microphones	12
Public Safety Microphone Antennas	12
Surveillance Accessories and Earpieces	14
Surveillance Accessory Replacement Kits	18
Earpieces	22
Mag One™ Earpieces	22
Headsets	24
Tactical Headsets	26
Mag One™ Headsets	26
Heavy Duty Headsets	28
Audio Accessory Adapters	28
3M Peltor Headsets	30
PTT Adapter Configurations	30
3M Peltor Headsets – RSM Configurations	32
Headset Replacement Parts	32
Hearing Protection Accessories	33
Operations Critical Wireless Bluetooth® Accessories	34
Enhanced Operations Critical Wireless	38
Operations Critical Wireless Completely Discreet Kit	38
Operations Critical Wireless Replacement Parts	40
Motorola Original® Two-Way Radio Batteries	42
Charger Solutions	48
IMPRES Battery Management Tools	49/53
Carry Solutions	54
Screen Protectors	59
Antennas	59
Antenna Accessories	65
Programming Cables	66

MOTOTRBO MOBILE RADIO ACCESSORIES	<b>67</b>
Microphones	68
Microphone Accessories	70
External Push-to-Talk (PTT)	71
Long Range Wireless Mobile Accessory Kits	72
Long Range Wireless Chargers and Replacement Parts	74
Operations Critical Wireless Bluetooth® Accessories	76
Operations Critical Wireless Replacement Parts	80
Control Station Accessories	82
Installation and Mounting Accessories	84
External Speakers	85
Cables	86
Antennas	88
Antenna Accessories	93
GLOSSARY	94



## **OPERATIONS CRITICAL PERFORMANCE FOCUSED ON DURABILITY AND FLEXIBILITY TO KEEP YOU CONNECTED, PRODUCTIVE AND SAFE ON THE JOB**

MOTOTRBO<sup>™</sup> radios are already best-in-class but, to help you work at your best, you need enhancements targeted to your specific workplace. Motorola Solutions has developed an expansive line of accessories with unique features designed to optimize the performance of your radio in your work environment to unleash the full power of MOTOTRBO, the industry's most advanced digital radio platform.

#### MOTOROLA'S EXCLUSIVE ENERGY AND AUDIO FEATURES ARE MADE FOR OPERATION CRITICAL JOBS

#### IMPRES<sup>™</sup> BATTERIES AND CHARGERS: YOUR BATTERY, SAFER, **SMARTER, POWERED FOR LONGER**

Eliminate the guesswork and get more from every battery. Maximize every charge and eliminate the surprise of "low battery alerts" with IMPRES Audio solutions. IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life. Enjoy 43% longer battery life from IMPRES over non-IMPRES batteries - without spending time and effort on maintenance or record keeping. With IMPRES Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer, giving you the power to manage your complex power solutions.

#### IMPRES<sup>™</sup> AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Eliminate repeating yourself with clear audio every time from Motorola exclusive IMPRES Audio technology. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking. Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES Audio promises a high quality communication experience.

#### FLEXIBLE AND CUSTOMIZABLE: ACCESSORIZE YOUR DEVICE TO MAXIMIZE COMFORT AND USABILITY

#### **OPERATIONS CRITICAL WIRELESS: YOUR RADIO, UNLEASHED**

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 30 feet away from your radio. Put your wireless PTT where you want to - on a clipboard, steering wheel or coat pocket - without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours - up to 3 times the battery life of commercial Bluetooth® headsets.







XiR E8600i SERIES

XiR P6600 SERIES XiB P6600i SERIES

XiR P8200 SERIES

#### MOTOROLA SOLUTIONS EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD IN THE MOST DEMANDING WORK CONDITIONS

#### IMPRES<sup>™</sup> AUDIO: I HEAR YOU, HOWEVER YOU SPEAK

XiR P8600 EX

SERIES

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

#### INTELLIGENT AUDIO: YOUR CALLS, ALWAYS AT THE PERFECT VOLUME

Set your volume once and depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.





XiR P8600 SERIES XiR P8600i SERIES



SL1M SL2M



SL1K SL2K

#### **DUAL MICROPHONE AUDIO: I HEAR YOU, EVEN WHEN YOU** CAN'T HEAR YOURSELF

Virtually block out all background noise in demanding and extreme noise environments so you can always communicate clearly

#### WINDPORTING AND NOISE-CANCELING AUDIO: I HEAR YOU, NOT THE WIND

Reduce the effect of wind and other outdoor noises so your messages are always heard clearly.

#### WHAT ARE THE BENEFITS OF THE INDUSTRIAL NOISE-CANCELING (INC) **REMOTE SPEAKER MICROPHONE?**

**SUPPRESSES HIGH NOISE SO YOU HEAR CLEARLY** – The dual-microphone design suppresses background noise so your message gets through. The large 1-watt speaker delivers the loudest, clearest audio available - up to 25% more than other MOTOTRBO RSMs.

WEAR IT WHILE YOU WORK AND COMMUNICATE FREELY – Best practices is always to speak directly into your RSM. This is especially important in high noise environments. In moderate noise environments the INC RSM allows you to clip the RSM to your shoulder or lapel and talk freely with a touch of the prominent pushto-talk button.

**EASY TO CLEAN DIRT, GRIT AND DEBRIS** – Debris and fine particles can clog remote speaker microphones and reduce the quality of your voice transmissions. With the INC RSM, simply vacuum out the speaker grill (when dry), then brush out the debris using soapy water, rinse and you are ready to go.

> Experience Dual-Microphone Noise Suppression

#### WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING - for outdoor, demanding weather, high winds, rain (keep on the shoulder or in front of your mouth).

> <u>Hear the Difference Windporting Makes</u>

INDUSTRIAL NOISE-CANCELING (DUAL MICROPHONE NOISE

SUPPRESSION) – loud, industrial, outdoor, rain, dusty/dirty environments. To optimize its noise suppression capabilities, hold the RSM 1" directly in front of your mouth or turn your head toward the RSM on your shoulder and speak into the closest microphone on the RSM; also washable.

**NOISE-CANCELING** – noisy, indoor environments. To optimize its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MA	<b>RKETS:</b> Recommer	ndations based o	n typical use case	e for each of ve	rticals listed	
REMOTE SPEAK communications ev	<b>(ER MICROPHONES</b> C ven in loud environments.	Dur robust portfolio of Remote Speaker Microph	ones and seconda	ry audio access	sories are en	gineered to give you c	learer	All remote sp	eaker micropl	hones are b	uilt with to	op quality mat	erials includir	ig durable <b>Ke</b>	<b>/lar</b> ® cables	that survive t	ough worki	ing conditions	3.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	intelligent Audio	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING**	DIMENSIONS (MM) H X L X D	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	) EDUCATION (CAMPUSES)
		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip (see page 50 for charger and power supplies)	RLN6561			Windporting				IP54		Large 88 x 63 x 26 (without clip	•	•	•		•	•	•
		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip and Dual Unit Charger (US plug)	RLN6562			Windporting	Ŏ	Ŏ		IP54		Large 88 x 63 x 26 (without clip	•	•	•		•	•	•
XIR P8200 SERIES		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip and Dual Unit Charger (AU/NZ plug)	PMLN7669			Windporting				IP54		Large 88 x 63 x 26 (without clip	•	•	•		•	•	•
XiR P8600 Xir P8600i Series	<b>9</b> /	Windporting Remote Speaker Microphone, small (IP54)	PMMN4024		•	Windporting			<b>9</b> ,4	IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•
		IMPRES Windporting Remote Speaker Microphone, small (IP54)	PMMN4025	•	•	Windporting			<b>)</b> (	IP54	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•		•	•	•



COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MAR	<b>KETS:</b> Recommen	dations based or	typical use case	e for each of ve	rticals listed	
REMOTE SPEAKE	R MICROPHONES Our n in loud environments.	robust portfolio of Remote Speaker Micropho	ones and secondar	y audio acces	sories are en	gineered to give you c	clearer	All remote sp	eaker microp	nones are b	uilt with to	p quality mat	terials includin	g durable <b>Kev</b>	r <b>lar<sup>®</sup> cables t</b>	hat survive t	ough worki	ing conditions	š.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	INTELLIGENT AUDIO	WINDPORTING, NOISE-CANCELING OR DUAL MIC. NOISE SUPPRESSION	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING**	DIMENSIONS (MM) H X L X D	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
I	B	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4040		•	Windporting				<b>●</b> IP57	FM TIA	Small 55 x 60 x 27 (without clip)	•	•	•	•			
27) 		IMPRES Windporting Remote Speaker Microphone, large, submersible (IP57)	PMMN4046	•		Windporting		<b>V</b>		● IP57	FM Tia	Large 60 x 78 x 28 (without clip)	•	•	•	•			
XIR P8200 SERIES	80	IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)	PMMN4050	•		Noise-Canceling				IP54	FM Tia	Large 60 x 78 x 28 (without clip)		•		•		•	•
XIR P6600 XIR P6600i XIR P6600i SERIES	5	IMPRES Industrial Noise-Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone, submersible (IP57)	NNTN8382	•		Dual Mic. Noise Suppression	ě			▲ IP57	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	•
	10	IMPRES Industrial Noise-Canceling (INC) Dual Mic. Noise Suppression Remote Speaker Microphone (IP54)	NNTN8383	•		Dual Mic. Noise Suppression	7		Y	IP54	TIA	Large 60 x 78 x 28 (without clip)	•	•	•		•	•	•
	9	IMPRES Windporting Remote Speaker Microphone (IP64)	PMMN4067	•		Windporting	•			IP64	ATEX	Large 60 x 78 x 28 (without clip)	•	•	•	•	•	•	•
XIR P8600 EX SERIES		IMPRES ATEX Active Noise-Canceling Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4094	•	•	Noise-Canceling	•		Nexus and 3.5mm locking	<b>●</b> IP67	ATEX	Large 68 x 94 x 29 (without clip)	•	•	•	•	•		
	1	IMPRES ATEX Omni Remote Speaker Microphone with Large front PTT and side PTT (IP67)	PMMN4110	•	•	Windporting	•		Nexus and 3.5mm locking	<b>●</b> IP67	ATEX	Large 68 x 94 x 29 (without clip)	•	•	•	•	•		
		IMPRES Active Noise-Canceling Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4102	•	•	Noise-Canceling	•	Ģ	Nexus and 3.5mm locking	● IP67	TIA	Large 68 x 94 x 29 (without clip)	•	•	•		•		
XIE P6600i		IMPRES Omni Remote Speaker Microphone with Large front PTT and Side PTT (IP67)	PMMN4113	•	•	Windporting	•		Nexus and 3.5mm locking	● IP67	TIA	Large 68 x 94 x 29 (without clip)	•	•	•		•		
XiR P8600i Series		IMPRES Windporting Remote Speaker Microphone, large, submersible (IP68)	PMMN4099	•		Windporting			Į.	▲ IP68	TIA	Large 60 x 78 x 28 (without clip)	•	•	•	•	•	•	•


COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MA	<b>RKETS</b> : Recomme	ndations based or	n typical use case	e for each of ve	rticals listed.	
REMOTE SPEAKE communications eve	R MICROPHONES Ou in in loud environments.	r robust portfolio of Remote Speaker Microph	ones and secondar	ry audio acce	ssories are engine	eered to give you cl	earer	All remote sp	eaker microp	hones are b	uilt with top	quality mat	erials includir	ng durable <b>Ke</b>	<b>vlar®</b> cables t	that survive t	ough work	ing condition	s.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	INTELLIGENT WIN AUDIO	NDPORTING OR NOISE- CANCELING	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING	DIMENSIONS (MM) H X L X D	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	D EDUCATION (CAMPUSES)
		IMPRES Noise-Canceling Remote Speaker Microphone, large (IP54)	PMMN4071	•	I	Noise-Canceling				IP54	TIA	Large 60 x 78 x 28 (without clip)		•				•	•
XIR EB600i SERIES	9	IMPRES Windporting Remote Speaker Microphone, small (IP55)	PMMN4073	•		Windporting			<b>)</b> (`	IP55	TIA	Small 55 x 60 x 27 (without clip)	•		•		•	•	•
XIE PEGAD	Q	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4075		•	Windporting				<b>●</b> IP57	TIA	Small 55 x 60 x 27 (without clip)	•		•		•		
XIR P6600 XIR P6600i SERIES	2	Windporting Remote Speaker Microphone, small (IP54)	PMMN4076		•	Windporting				IP54	TIA	Small 55 x 60 x 27 (without clip)	•		•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES	
		<b>CESSORIES WITH STANDARD 3.5MM</b> eive radio communications more discreetly.	JACK		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
7	V	Receive-Only Covered Earbud with Coiled Cord	AARLN4885/ MDRLN4885	Foam Covered Earbud	FM TIA
AUDIO JACK (3.5 MM)	A	Receive-Only Earpiece with Translucent Tube and Rubber Eartip	RLN4941/ MDRLN4941	Clear Rubber Eartip	FM TIA
	6 6	Receive-Only Earpiece with Translucent Tube and Rubber Eartip	PMLN7560	Clear Rubber Eartip	
KIR E8600i XIR P6600 Series Xir P6600i Series Series	69	Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	FM TIA
		Receive-Only D-Shell Earpiece	PMLN4620	Over-the-Ear	FM TIA
KIR P8200 SERIES XIR P8600 XIR P8600i SERIES	$\mathcal{O}_{\mathcal{A}}$	D-Shell Adjustable Earpiece	PMLN7396	Over-the-Ear	
XIR P8200 SERIES	$\bigtriangleup$	Replacement Coil Cord Kit for PMMN4024 and PMMN4040	RLN6074		
XIR P8600 XIR P8600i SERIES	$\mathbf{C}$	Replacement Coil Cord Kit for PMMN4025, PMMN4046 and PMMN4050	RLN6075		
XIR P8600 EX SERIES XIR P8600i SERIES	-5	ATEX/IECEx 3.5 mm Earpiece with Translucent Tube (RX only) for PMMN4094, PMMN4110, PMMN4102 and PMMN4113	PMLN7188	Clear Rubber Eartip	ATEX

COMPATIBILITY	ACCESSORY			FEATURES	
<b>REMOTE SPEAK</b>	ER MICROPHONE A	CCESSORIES WITH THREADED 3.5MN	I JACK		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATIN
		One-wire Flexible Ear Receiver, Black. Compatible with NNTN8383 only.	BDN6719	Over-the-Ear	TIA
REMOTE SPEAKER MICROPHONE		One-wire Earbud, Black. Compatible with NNTN8383 only.	BDN6781	Foam Covered Earbud	
		One-wire Earpiece, Beige. Compatible with NNTN8383 only.	BDN6664	Over-the-Ear	TIA
XiR P8200 SERIES	P	Extra Loud One-wire Earpiece, Beige. Compatible with NNTN8383 only.	BDN6665	Over-the-Ear	TIA
XiR P8600 XiR P8600	0	One-wire Earpiece, Black. Compatible with NNTN8383 only.	BDN6726	Over-the-Ear	TIA
Xir P8600i Series		Extra Loud One-wire Earpiece, Black. Compatible with NNTN8383 only.	BDN6727	Over-the-Ear	TIA

COMPATIBILITY	ACCESSORY			FEATURES	
<b>REMOTE SPEAKE</b>	R MICROPHONE ACC	CESSORIES WITH THREADED 3.5MM J.	ACK		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
	( A	One-wire Earpiece with Volume Control, Beige. Compatible with NNTN8383 only.	BDN6666	Over-the-Head	TIA
	0	One-wire Earpiece with Volume Control, Black. Compatible with NNTN8383 only.	BDN6728	Over-the-Head	TIA
Xir P8200 Xir P8600 Series Xir P8600i Series	Ø.	One-wire Earpiece with Clear Acoustic Tube, Black. Compatible with NNTN8383 only.	RLN5313	Rubber Eartip	TIA

COMPATIBILITY	ACCESSORY			FEATURES			
PUBLIC SAFETY	MICROPHONE ANTE	ENNAS					
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE
1	1	UHF Public Safety Microphone Antenna for the 403-433 MHz Range	PMAE4046	UHF	403-433	9	Stubby
22		UHF Public Safety Microphone Antenna for the 430-470 MHz Range	PMAE4047	UHF	430-470	9	Stubby
		VHF Public Safety Microphone Antenna for 136-153 MHz Range	PMAD4087	VHF	136-153	11	Whip
Xir P8200 Series		VHF Public Safety Microphone Antenna for 150-174 MHz Range	PMAD4086	VHF	150-174	11	Whip



COMPATIBILITY	ACCESSORY			FEATURES								VERTICAL MAR	KETS: Recommend	ations based on typ	ical use case for ea	ch of verticals liste	d.				
PUBLIC SAFETY (purchased separat	MICROPHONES Delively) to improve reception	ver the same advanced features as our Remote n.	e Speaker Micropho	ones and also in	ncludes an antenna			All remote sp	eaker microp	hones are b	uilt with top	quality materia	ls including du	irable <b>Kevlar</b> ®	cables that su	rvive tough wo	rking conditio	ns.			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	WINDPORTING OR Noise-canceling	CABLE LENGTH (INCH)	VOLUME CONTROL (HIGH/LOW)	PROGRAMMABLE BUTTON	AUDIO JACK (3.5mm)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)			
	,	IMPRES Windporting Public Safety Microphone with 3.5mm Audio Jack, large (IP54)	PMMN4041	•	Windporting	30				IP54	FM			•		•		•			
	8	IMPRES Windporting Public Safety Microphone with 3.5mm Audio Jack, large (IP54)	PMMN4042	•	Windporting	24				IP54	FM			•		•		•			
XIR P8200		IMPRES Windporting Public Safety Microphone with 3.5mm Audio Jack, large (IP54)	PMMN4043	•	Windporting	18				IP54	FM			•		•		•			
XiR P8200 SERIES (UHF/VHF only)	0	IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4047	•	Windporting	30							●IP57	FM			•		•		
		IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4048	•	Windporting	24	_						●IP57	FM			•		•		
		IMPRES Windporting Public Safety Microphone, large, submersible (IP57)	PMMN4049	•	Windporting	18	-			<b>●</b> IP57	FM			•		•					




### **HOW DOES IMPRES IMPROVE AUDIO PERFORMANCE?**

IMPRES enhances the clarity and audio quality of Motorola accessories by reducing ambient noise and improving voice intelligibility.

If you speak quietly or normally, but not directly into a microphone, IMPRES Audio detects changes in your voice and automatically adjusts the transmitted volume so your listener won't have to adjust volume up and down.


> <u>Experience IMPRES audio</u>

COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MAR	RKETS: Recomme	ndation
SURVEILLANCE A cables that withstand	CCESSORIES AND EA d tough conditions. A quid	ARPIECES Transmit and receive discreetly ck-disconnect, durable and comfortable tran	with a variety of sur slucent tube enable	rveillance kits s easy sharing	that feature a s between shift	streamlined design ar s.	nd rugged	Two-wire kits ha Three-wire kits f	ve one wire for receivin eature separate wires fo	g transmissions an or receiving transm	d one wire with a issions, push-to-t	combined micr alk and microph	ophon hone.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	DUDU
		1-Wire Receive-only Earpiece, Black	PMLN6125		•	Earpiece				FM TIA			
	10	1-Wire Receive-only Earpiece, Beige	PMLN6126		•	Earpiece				FM TIA			
XiR P8200 SERIES		IMPRES 2-Wire Surveillance Kit, Black	PMLN6127	•	•	Earpiece	ě			FM TIA			
XIR P8600 XIR P8600 SERIES	Ì	IMPRES 2-Wire Surveillance Kit, Beige	PMLN6128	•	•	Earpiece	Y	7	Ĩ.	FM TIA			
		1-Wire Surveillance Kit with Translucent Tube, Black	NNTN8459			Clear Rubber Eartip		-		TIA			




COMPATIBILITY	ACCESSORY			FEATURES	;						VERTICAL MARKETS: Recomm	endations based or	i typical use case f	or each of vertical	s listed.	
SURVEILLANCE A	ACCESSORIES AND E	ARPIECES	PART NUMBER	IMPRES	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION MANUFACTURIN AND LOGISTICS AND CONSTRUCTION	GUTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
I	$\bigcirc$	IMPRES 2-Wire Surveillance Kit with Translucent Tube, Black	PMLN6129	•	•	Clear Rubber Eartip	ě	٠.		FM TIA				•	•	•
XiR Pezoo Series		IMPRES 2-Wire Surveillance Kit with Translucent Tube, Beige	PMLN6130	•	•	Clear Rubber Eartip	y	7	<sup>1</sup> Y	FM TIA				•	•	•
	.08	IMPRES 3-Wire Surveillance Kit with Translucent Tube, Black	PMLN6123	•	•	Clear Rubber Eartip				FM TIA				•	•	•
XiR P8600 XiR P8600i SERIES	G	IMPRES 3-Wire Surveillance Kit with Translucent Tube, Beige	PMLN6124	•	•	Clear Rubber Eartip		A Sec	1 and 1	FM TIA				•	•	•
	F- a	2-Wire Surveillance Kit with Translucent Tube, Black	PMLN7269		•	Clear Rubber Eartip								•	٠	•
<u></u>		2-Wire Surveillance Kit with Translucent Tube, Beige	PMLN7270		•	Clear Rubber Eartip								•	•	•
XIR P6600 XIR P6600i XIR P6600i SERIES		IMPRES 3-Wire Surveillance Kit with Quick Disconnect Translucent Tube, Black	PMLN6754	•	•	Clear Rubber Eartip								•	•	•
	S	IMPRES 3-Wire Surveillance Kit with Quick Disconnect Translucent Tube, Beige	PMLN6755	•	•	Clear Rubber Eartip		Par	AND I					•	•	•
C 1M	S.	1-Wire Surveillance Kit, Black	PMLN7158			Clear Rubber Eartip	Ň					•		•	•	•
SL1M SL2M SL1K SL1K SL2K		2-Wire Surveillance Kit, Black	PMLN7157			Clear Rubber Eartip						•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE A	CCESSORY REPLACEN	MENT KITS			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
		Low Noise Kit with Translucent Tube and 1 Clear Rubber Eartip	RLN6242	Clear Rubber Eartip	PMLN6123         RLN4941           PMLN6124         PMLN7269           PMLN6125         PMLN7270           PMLN6126         PMLN6754           PLMN6127         PMLN6755           PMLN6128         PMLN7157
XIR P6600 EX SERIES XIR P6600 SERIES	2	<b>Note:</b> for High Noise Kit Solution Combine RLN Kit and 5080384F72 Replacement Foam Plugs	16242 Low Noise	Foam Eartip	PMLN6129 PMLN7158 PMLN6130 PMLN7560 NNTN8459 PMLN7188
XIR P8200 SERIES XIR P8600 SERIES		Replacement Standard Clear Rubber Eartip. Pack of 50	RLN6282	Clear Rubber Eartip	PMLN5111         RLN5882           PMLN5112         RLN5883           PMLN6123         RLN4941           PMLN6124         PMLN7269           PMLN6125         PMLN7270           PMLN6126         PMLN6754
SLIK Sl2K		Replacement Foam Plugs for RLN6242. Noise reduction = 24 dB. Pack of 50 pairs	5080384F72	Foam Eartip	PMLN0120         PMLN0734           PLMN6127         PMLN6755           PMLN6128         PMLN7157           PMLN6129         PMLN7158           PMLN6130         PMLN7560           NNTN8459         PMLN7188
	Same	Low Noise Kit with 1 Clear Rubber Eartip	RLN5886	Clear Rubber Eartip	RLN5882 RLN5883
XiR P8200 SERIES XiR P8600 XiR P6600i SERIES	2	High Noise Kit with 2 Foam Earplugs	RLN5887	Foam Eartip	PMLN5111 PMLN5112
XIR E8600i SERIES XIR P6600 / XIR P6600i SERIES SL1K / SL2K	1	Replacement Standard Clear Rubber Eartip. Pack of 10 (replacement for PMLN5724/PMLN5726 and PMLN5957)	67009254001	Clear Rubber Eartip	PMLN5724 PMLN5726 PMLN5957
XIR E8600i SERIES XIR P6600 / XIR P6600i SERIES	make	Replacement Quick Disconnect Translucent Tube with 1 Clear Rubber Eartip (replacement for PMLN5724/26)	HKLN4608	Clear Rubber Eartip	PMLN5724 PMLN5726
SLIK SIZK	s.	Replacement Quick Disconnect Translucent Tube with 1 Clear Rubber Eartip (replacement for PMLN5957)	PMLN6175	Clear Rubber Eartip	PMLN5957



OMPATIBILITY	ACCESSORY			FEATURES			
SURVEILLANCE A	ACCESSORY REPLAC	EMENT KITS					
ORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS		
		Small Custom Earpiece - Right Ear	RLN4760	Custom Earpiece			
	Ð	Medium Custom Earpiece - Right Ear	RLN4761	Custom Earpiece			
		Large Custom Earpiece - Right Ear	RLN4762	Custom Earpiece	RLN6242		
XIR P8200 SERIES		Small Custom Earpiece - Left Ear	RLN4763	Custom Earpiece	. HENOLYZ		
XiR P8600 XiR P8600 XiR P8600i Series	<u>e</u>	Medium Custom Earpiece - Left Ear	RLN4764	Custom Earpiece			
SL1K SL2K		Large Custom Earpiece - Left Ear	RLN4765	Custom Earpiece			
		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6511	Comply™ foam eartip	RLN5313 PMLN6128 RLN5314 PMLN6129		
	8 8	Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6512	Comply™ foam eartip	RLN4941         PMLN6130           NNTN8459         PMLN7269           RLN5882         PMLN7270           RLN5883         PMLN6754           PMLN6123         PMLN6755           PMLN6124         PMLN7157           PMLN6125         PMLN7158		
	C	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction =28 dB	RLN6513	Comply <sup>™</sup> foam eartip	PMLN6126 PMLN75 PMLN6127 RLN6242		




### **OPTIMIZED FOR DIGITAL**

Make sure to only use Motorola approved and certified MOTOTRBO audio accessories, as these accessories have been optimized for performance in both digital and analog modes. You may experience chopper noise if Motorola digital approved accessories are not used.

> See what Chopper Noise sounds like

COMPATIBILITY	ACCESSORY			FEATURES				VERTICA use case	AL MARKETS: Recom a for each of verticals	mendations base s listed.	d on typical
EARPIECES Portable radios	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XiR P6600 Xir P6600i SERIES	E.	Adjustable D-Style Earpiece with In-Line Microphone and Push-To-Talk, Black	PMLN6757	Adjustable D-Style	In-Line	In-Line		•	•	•	•
XiR P8200 Series Xir P8600 Xir P8600i Series		D-Style Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5096	D-Style	Boom	In-Line	FM TIA	•	•	•	•
SLIM SLIK	Real	Swivel Earpiece with In-Line Microphone and Push-To-Talk	PMLN7189	Over-the-Ear	In-Line	In-Line		•		•	•
SLIK SL2K		Adjustable D-style Earpiece with In-Line Microphone and Push-To-Talk, Black	PMLN7159	Adjustable D-Style	In-Line	In-Line		•		•	•
MAG ONE <sup>™</sup> EARP	IECES										
SL1M SL2M		Mag One Earbud with In-Line Microphone and Push-To-Talk, Black	PMLN7156	Earbud	In-Line	In-Line		•		•	•
<u></u>	(J.Y	Mag One Earbud with In-Line Microphone and Push-To-Talk	PMLN5733	Earbud	In-Line	In-Line		•		•	•
DP 3441 DP 3441e SERIES		Mag One Swivel Earpiece with In-Line Microphone and Push-To-Talk	PMLN5727	Over-the-Ear	In-Line	In-Line		•		•	•
XIR P6600 XIR P6600i SERIES		Mag One Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5732	Earset	Boom	In-Line		•		•	•



### **HOW DO TEMPLE TRANSDUCERS WORK?**

These headsets use transducers that rest on your temple to convert audio into sound vibration and transmit it to your inner ear. If you're using hearing protection or directing heavy traffic, you can hear the audio from your radio and the surrounding environment. Since the transducer sits in front of your ears, you can also wear earplugs and still hear the radio.

COMPATIBILITY	ACCESSORY				FEATURES				VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.			
MAG ONE <sup>™</sup> EARP	IECES											
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC Safety Rating	PRIVATE SECURITY	MANUFACTURING AND CONSTRUCTION	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)	
_	S	Mag One Earbud with In-Line Microphone and Push-To-Talk	PMLN6069	Earbud	In-Line	In-Line		•		•	•	
		Mag One Flexible Earpiece with In-Line Microphone and Push-To-Talk	PMLN5973	Over-the-Ear	In-Line	In-Line		•		•	•	
XIR P8600 XIR P8600i SERIES	2.	Mag One Swivel Earpiece with In-Line Microphone and Push-To-Talk	PMLN5975	Over-the-Ear	In-Line	In-Line		•		•	•	
		Mag One Earset with Boom Microphone and In-Line Push-To-Talk	PMLN5976	Earset	In-Line	In-Line		•		•	•	



COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MAR	KETS: Recommend	dations based on	typical use case	for each of ve	rticals listed.	
HEADSETS																			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	C	Lightweight Over-the-Head Headset Single Muff with In-Line Push-To-Talk and Boom Microphone	PMLN6635	Over-the-Head	Single-Ear				Boom	In-Line	Lightweight	TIA		•	•		•	•	•
	9	Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN6760	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
XiR P6600 XiR P6600i SERIES	÷	Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone	PMLN6763	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	TIA	•	٠	٠	٠			
XIR E8600i SERIES		Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7464	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
		Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7465	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
	Ş	Mag One Ultra-Lite Behind-the-Head Headset (Replacement parts: 6104000K01– Windscreen; 4204005K01–Clothing clip)	PMLN6761	Behind-the-Head	Single-Ear		•		Boom	In-Line	Ultra Lightweight			•	•		•	•	•
XIR P6600 XIR P6600i SERIES	- Ale	IMPRES Temple Transducer with Boom Microphone and In-Line Push-To-Talk	PMLN6759	Behind-the-Head	Bone Conduction	•	•		Boom	In-Line	Lightweight		•	•	•		•	•	•

COMPATIBILITY	ACCESSORY			FEATURES									VERTICAL MAR	KETS: Recommen	dations based on	ypical use case	for each of ve	rticals listed.	
HEADSETS							_					_							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES	INTELLIGENT AUDIO	NOISE REDUCTION RATING	MICROPHONE	PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
1	<b>G</b>	Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN6852	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
é	9	Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7466	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty		•	•	•	•			
Xiin P8200 Series	Ŕ	IMPRES Temple Transducer Headset	PMLN5101	Behind-the-Head	Bone Conduction	•	•		Boom	In-Line	Lightweight	FM	•	•	•	•	•		•
XIR P8600	Ċ	Lightweight Over-the-Head Headset	RMN5058	Over-the-Head	Single-Ear		•		Boom	In-Line	Lightweight	FM TIA		•	•		•	•	•
XIR P8600 Xir P8600i Series		Ultra-Lite Behind-the-Head Headset (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		•		Boom	In-Line	Ultra Lightweight	FM TIA		•	•		•	•	•
	9	Heavy Duty Behind-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN6853	Behind-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
XiR P8600 XiR P8600i SERIES		Heavy Duty Over-the-Head Headset with Noise-Canceling Boom Microphone (See user guide for replacement parts)	PMLN7467	Over-the-Head	Dual-Muff		•	24 dB	Boom	On Ear Cup	Heavy Duty	TIA	•	•	•	•			
TACTICAL HEADS	ETS																		
-2	9 - B	Tactical PTT Only Interface Module	PMLN6827										•	•	•		•		•
XIR P8200 SERIES	6	Tactical Temple Transducer with Noise- Canceling Boom Microphone (requires interface module PMLN6827)	PMLN6833	Over-the-Head	Bone Conduction				Boom	Interface module PMLN6827	Heavy Duty		•	•	•		•		•
	e>>	Tactical Remote Body PTT (for use with interface module PMLN6827)	PMLN6767										•	•	•		•		•
XiR P8600 XiR P8600 XiR P8600i Series	R	Tactical Remote Ring PTT (for use with interface module PMLN6827)	PMLN6830										•	•	•		•		•
MAG ONE <sup>™</sup> HEAD	SETS																		
	18-	Mag One Lightweight Over-the-Head Headset	PMLN5974	Over-the-Head	Single-Ear				Boom	In-Line	Lightweight			•	•		•	•	•
XIR P8600 XIR P8600 XIR P8600i Series	<b>\$</b> ;	Mag One Ultra-Lite Behind-the-Head Headset	PMLN5979	Behind-the-Head	Single-Ear				Boom	In-Line	Ultra Lightweight			•	•		•	•	•

COMPATIBILITY										VERTICAL MARK	ETS: Recommendatio	ns based on typica	l use case for each o	f verticals listed.		
HEAVY DUTY HE	ADSETS															
PORTABLE RADIOS	DESCRIPTION	PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	SIGNAL NOISE RATING (SNR)	MICROPHONE	РТТ	INTRINSIC SAFETY RATING		MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
		Heavy Duty Headset with Over-The-Head Headband and Boom Microphone (ATEX) PMLN6087	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=33 dB M=31 dB L=23 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
	TQ,	Heavy Duty Headset with Helmet Attachment and Boom Microphone (ATEX)	Helmet Attach	Nexus	Dual-Ear	SNR=32 dB H=33 dB M=32 dB L=24 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		Twin Cup Heavy Duty Headset with Helmet Attachment, Boom Microphone and Extra PMLN6333 High-Attenuating Twin Shells (ATEX)	Helmet Attach	Nexus	Dual-Ear	SNR=33 db H=33 db M=31 db L=24 db	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		Tactical Heavy Duty Headset with Over-The-Head Headband and Boom Microphone, Includes Volume Control (ATEX)	Over-the-Head	Nexus	Dual-Ear	SNR=30 dB H=33 dB M=28 dB L=20 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
XIR P8600 EX SERIES		Tactical Heavy Duty Headset with Helmet Attachment and Boom Microphone, Include&MLN6089 Volume Control (ATEX)	Helmet Attach	Nexus	Dual-Ear	SNR=31 dB H=32 dB M=29 dB L=20 dB	Boom	Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		Heavy Duty Headset with Neck Band and PMLN7531 Boom Microphone (ATEX)	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=33 dB M=32 dB L=24 dB		Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		Tactical Heavy Duty Headset with Neck Band and Boom Microphone and Volume ControlPMLN7535 (ATEX)	Over-the-Head	Nexus	Dual-Ear	SNR=33 dB H=35 dB M=31 dB L=23 dB		Requires RSM PMMN4094 or PMMN4110 OR Adapter PMLN6368 or PMLN6803	ATEX	•	•	•	•			
		HC-1 Helmet-COM Bone Conduction RMN5123 Microphone with Single Speaker (ATEX)	Helmet Attach	Bone Conduction	Single-Ear			Requires RSM PMMN4094 or PMMN4110	ATEX	•	•	•	•			
		HC-2 Helmet-COM Bone Conduction Microphone with Dual Speaker (ATEX) GMMN4580	Helmet Attach	Bone Conduction	Dual-Ear			Requires RSM PMMN4094 or PMMN4110	ATEX	•	•	•	•			


COMPATIBILITY	ACCESSORY			
AUDIO ACCESSO	RY ADAPTERS			· _ /
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	
XIR P8600 EX SERIES	99	ATEX Push-to-Talk Adapter, must be ordered with any Heavy Duty Headset	PMLN6368	




COMPATIBILITY	ACCESSORY				FEATURES							VERTICAL MARKE	ETS: Recommendati	ions based on typ	ical use case fo	r each of verti	cals listed.	
3M PELTOR HEA	ADSETS																	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	
	â	MT Series Over-The-Head Headset, Direct Radio Connect (XiR P8200 Series is not TIA approved)	RMN5137	MT7H79A-C5063-34	Over-The-Head	Connects directly to Radio	Dual-Ear	25 dB	Boom	On Ear Cup	TIA	•	•	•	•			
XIR P8200 SERIES		MT Series Neckband Headset, Direct Radic Connect (XiR P8200 Series is not TIA approved)	0 RMN5138	MT7H79B-C5063-34	Neckband	Connects directly to Radio	Dual-Ear	24 dB	Boom	On Ear Cup	TIA	•	•	•	•			
XIR P8600 XIR P8600i SERIES		MT Series Hard Hat Attached Headset, Direct Radio Connect (XiR P8200 Series is not TIA approved)	RMN5139	MT7H79P3E-C5063-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21 dB	Boom	On Ear Cup	TIA	•	•	•	•			
PTT ADAPTER C	ONFIGURATIONS																	
I		MT Series Over-the-Head Headset with Nexus Connector	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25 dB	Boom	Requires PTT Adapter PMLN6095		•	•	•	•			
XIR P8200 SERIES		MT Series Neckband Headset with Nexus Connector	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24 dB	Boom	Requires PTT Adapter PMLN6095		•	•	•	•			
	0.0	TacticalPro Series Neckband Headset with Nexus Connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25 dB	Boom	Requires PTT Adapter PMLN6095		•	•	•	•			
XIR P8600 XIR P8600i SERIES	-	PTT Nexus Adapter	PMLN6095	FL5063-34	N/A	N/A	N/A	N/A	N/A	N/A		•	•	•	•			

COMPATIBILITY	ACCESSORY				FEATURES						VERTICAL MARKE	TS: Recor
3M PELTOR HEAD	SETS – RSM CONFIC	GURATIONS										
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	MICROPHONE	PTT (MOTOTRBO)	TRANSPORTATION AND LOGISTICS	MANUFA AI CONSTI
XIR E8600i SERIES XIR P6600 XIR P6600i SERIES		HT Series Listen Only Neckband Headset with 3.5mm NON Threaded Connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24 dB	(Listen-Only)	MOTOTRBO radios require RSM: PMMN4024, PMMN4025, PMMN4041,	•	
XIR P8200 SERIES XIR P8600 SERIES		HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON Threaded Connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23 dB	(Listen-Only)	PMMN4042, PMMN4043, PMMN4050, PMMN4071, PMMN4073	•	,

COMPATIBILITY	ACCESSORY			
HEADSET REPLAC	CEMENT PARTS			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	PELTOR PART NUMBER
1	6	Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
	<b>4</b> 0	Earmuff Hygiene Kit Gel Sealing	RLN6541	HY80
XIR P8200 SERIES		Hygiene Tape for Microphone	RLN6542	HYM1000
XiR P8600 XIR P8600i SERIES		Boom Microphone Wind Screen	RLN6543	M40/1
	- st	Metal Boom with Microphone	RMN5131	MT7N





		FEATURES	
ONJU	NCTION WITH	HEAVY-DUTY HEADSE	TS
	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
S	RLN6511	Compl <sup>®</sup> foam eartip	RLN5313, RLN5314,
tors	RLN6512	Compl <sup>™</sup> foam eartip	RLN4941, NNTN8459, RLN5882, RLN5883, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6218, PMLN6129, PMLN6130, RLN4941, PMLN7269, PMLN7270, PMLN6754,
5	RLN6513	Compl <sup>™</sup> foam eartip	PMLN6755, PMLN7560



COMPATIBILITY	ACCESSORY			FEATURES												VERTICAL MAR	RKETS: Recommer	dations based o	n typical use case	for each of ve	ticals listed.	
		LUETOOTH® ACCESSORIES he flexibility to remove the radio from your	r belt and stay con	nected within 3	0 feet.					Note: Blue	tooth is em	bedded in t	he radio u	inless othe	rwise indi	cated and ther	n requires a s	eparate exte	ernal adapter.			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ Standard Pairing	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRAINSPORTATION	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE Security	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
XIR P8200 SERIES*		Operations Critical Wireless Bluetooth Adapter	PMLN5712	N/A	N/A	On Adapter			30	65 x 22 x 20	Operations Critical	Standard		● IP57		•	•	•		•	•	•
XiR P8200 SERIES*		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip (see page 74 for charger and power supplies)	RLN6561	N/A	Omni directional, Windporting equivalent	On Microphone	28	3	158	88 x 63 x 26	Operations Critical	Touch	30	IP54		•	•	•		•	•	•
XIR P8600 XIR P8600 SERIES		Operations Critical Wireless Remote Speaker Microphone with Battery and Belt Clip and Dual Unit Charger (AU/NZ plug)	PMLN7669	N/A	Omni directional, Windporting equivalent	On Microphone	28	3	158	88 x 63 x 26	Operations Critical	Touch	30	IP54		•	•	•		•	•	•
XIR P8200 SERIES* XIR P8600 XIR P8600i SERIES		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490	Dual-Muff	Boom	On Ear Cup	22	7	429		Operations Critical	Standard	30	IP54		•	•	•				
SL1K SL2K	Q.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Muff	Boom	On Ear Cup	22	7	422		Operations Critical	Standard	30	IP54		•	•	•				

\* Bluetooth is not embedded in radio. Separate external adapter is required.

34 **CATALOG** | MOTOTRBO PROFESSIONAL SERIES RADIO ACCESSORIES



### HOW DO OPERATIONS CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio. This means a line worker can put the radio on a shelf and communicate. A receptionist can place her radio out of sight and confer unobtrusively with staff while welcoming guests. Or a sports trainer can leave the radio in a medical bag while he tends to injured athletes on the field.


> <u>See Operations Critical Wireless Accessories in action</u>

## **MOTOTRBO PORTABLE RADIO ACCESSORIES**

COMPATIBILITY	ACCESSORY			FEATURES												VERTICAL MA	RKETS:
<b>OPERATIONS CRIT</b>	<b>FICAL WIRELESS BLU</b>	JETOOTH® ACCESSORIES								Note: Blue	tooth is emb	edded in t	he radio u	nless oth	erwise indi	cated and the	en requ
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	CONS
XiR P6600 XiR P8600 XiR P6600i XiR P8600i SERIES SERIES		Operations Critical Wireless Push-To-Talk Pod without Charger (see page 40 for power supplies)	NNTN8191	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	
XIR P8200 SL1K SERIES** SL2K	and	Operations Critical Wireless Push-To-Talk Pod without Charger with 12 inch cable (see page 40 for power supplies)	NNTN8189	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	
XIR E8600i SL1M XIR P6600 XIR P6600 SL1K SERIES SL2K XIR P6600 XIR P6600 XIR P6600 XIR P6600 SERIES	9	Operation Critical Wireless Bluetooth Earpiece with PTT	PMLN7851	Over-the-Ear (Swivel)	Boom	On Boom Mic	8	3	23	107 x 72 x 26	Operations Critical	Standard	30			•	
	(DC	Bluetooth Accessory Kit with Swivel Earpiece and Battery Clip	PMLN6463	Over-the-Ear (Swivel)	In-line	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•	
XIR P8200 SERIES**		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle	PMLN7181	Over-the-Ear (Swivel)	Boom	Radio only*	8		18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30			•	
XiR P8600 XiR P8600i SERIES		Operations Critical Wireless 1-Wire Surveillance Kit with Translucent Tube	PMLN7052	Clear Rubber Eartip	In-line	On Pod (order separately)					Operations Critical and Enhanced Operations Critical					•	
SL1K SL2K		Operations Critical Wireless Earbud with 11.5 inch Cable	NNTN8294	Earbud	In-line	On Pod (order separately)	10				Operations Critical and Enhanced Operations Critical					•	

\*Note: PTT on radio or with separate wireless PTT

\*\* Bluetooth is not embedded in radio. Separate external adapter is required.





COMPATIBILITY	ACCESSORY			FEATURES							VERTICAL MA	RKETS: Recomme	ndations based o	n typical use case	for each of ver	ticals listed.	
OPERATIONS CR	RITICAL WIRELESS BLU	JETOOTH® ACCESSORIES						Note: Bluetooth is embed	Ided in the radio unless of	herwise ind	licated and the	en requires a	separate ext	ernal adapteı	r.		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE (HOURS) CRAMS)	DIMENSIONS (MM) H X L X D OPERATIONS CRITICAL	TOUCH/ RANGE STANDARD (FEET LINE OF IP RATIN PAIRING SIGHT)	G INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	Care Care	Operations Critical Wireless Earbud with 45 inch Cable	NNTN8295	Earbud	In-line	On Pod (order separately)	10	Operations Critical and Enhanced Operations Critical			•	•	•		•	•	•
XiR P8200 SERIES** SERIES	55	Wireless Covert Kit (includes 2 sets of two-wire earbud (1 black and 1 white), a single-wire black earbud and a 3.5mm adapter to plug in any consumer off-the- shelf headphones)	NNTN8296	Earbud	In-line	On Pod (order separately)		Operations Critical and Enhanced Operations Critical							•		
	~~~	Swivel Earpiece with In-line microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	RLN6550	Over-the-Ear (Swivel)	Boom	Radio Only*		Operations Critical			•	•	•		•	•	•
SLIK SL2K		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio Only*		Operations Critical			•	•	•		•	•	•
ENHANCED OPE	RATIONS CRITICAL W	IRELESS		1				Note: Bluetooth is embed	Ided in the radio unless of	herwise ind	licated and the	en requires a	separate ext	ernal adapter	r.		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE (HOURS)	DIMENSIONS OPERATIONS (MM) CRITICAL / ENHANCED H X L X D OPERATIONS CRITICAL	TOUCH/ RANGE STANDARD (FEET LINE OF IP RATIN PAIRING SIGHT)	G INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
OPERATIONS CR	RITICAL WIRELESS COI	MPLETELY DISCREET KIT Must order a	all 3 items for the	e complete solu	tion - PMLN76	96, NNTN838	5 and NNTN8191										
1.	20	Completely Discreet Earpiece Kit (includes RLN4920 Phonak Inductive Neckloop and RLN4921 Phonak Phonito)	PMLN7696		On Y-adapter order separately	On Pod (order separately)		Operations Critical or Operations Critical and Enhanced Operations Critical							•		
	2	Wireless Neckloop Y-adapter and Retention Hook	NNTN8385		Separate wire	On Pod (order separately)		Operations Critical or Operations Critical and Enhanced Operations Critical							٠		
XiR P8200 SL1M SERIES* SL2M (EXCEPT XPR 6100)		Operations Critical Wireless Push-To- Talk Pod without Charger (see page 40 for power supplies)	NNTN8191	(	On Y-adapter order separately	) On PTT Pod		Operations Critical Operations Critical							•		

\*Note: PTT on radio or with separate wireless PTT

\*\* Bluetooth is not embedded in radio. Separate external adapter is required.



OMPATIBILITY	ACCESSORY		
PERATIONS CR	ITICAL WIRELESS REI	PLACEMENT PARTS	
RTABLE RADIOS	DESCRIPTION		PART NUMBER
	5	Replacement Wireless Earpiece 12 inch Cable for NNTN8189	NTN2572
	(c)	Wireless Earpiece Maintenance Kit with 10 silicone Ear Tubes, 10 Microphone Seal Strips and 2 Foam Windscreens for Comport Earpiece	NTN8821
	and the second s	Ear Strap for Comport Earpiece (pack of 10)	NTN8988
	5	Eartube for Comport Earpiece (pack of 10)	RLN5037
		Replacement Ear Tips Kit for Wireless Ear Buds (20 Small, 20 Medium, 20 Large and 10 Clips)	NNTN8361
XiR P8200 SERIES	4	Swivel clip for Operations Critical and Enhanced Operations Critical Wireless Pods	PMLN6246
ī		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (US plug)	PS000042A11
		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (AU/NZ)	PS000042A14
XiR P8600 Xir P8600i SERIES		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (EU/UK)	PS000042A13
		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (PRC)	PS000042A16
SL1K SL2K		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (Korea)	PS000042A17
		Replacement or Spare Micro-USB Plug-in Charger for Wireless Pod (EU)	PS000042A12
		Replacement Retention Hooks for NNTN8385 and PMLN7696 (pack of 10)	NNTN8457
XIR P8200 SERIES* (EXCEPT XPR 6100) SL1M SL2M	77	Replacement Phonak Phonito Intra Ear Receiver for PMLN7696	RLN4921
217IM		Replacement Phonak Inductive Neckloop for PMLN7696	RLN4920

\* Bluetooth is not embedded in radio. Separate external adapter is required.

Note: XiR P8600/XiR P8600i and SL1K/SL2K portable radios have Bluetooth embedded in the radio and do not require a separate external adapter. XiR P8200 Series require separate external adapter for Bluetooth.

COMPATIBILITY			
PORTABLE RADIOS	DESCRIPTION	REPLACEMENT PARTS	PART NUMBER
		Replacement Phonak Nano Ear Receiver, brown* for PMLN7696	GMLN5262
XiR P8200 SERIES* (EXCEPT XPR 6100) SL1M SL2M	4	Replacement Phonak Nano Ear Receiver, beige* for PMLN7696	GMLN5261
SL2M		Replacement 1.4 Volt Battery for PMLN7696 (pack of 6)	RNN4005
		Replacement Universal 5V Power Supply for XBT Headsets	RLN6498
Ő		Replacement Hygiene Kit for XBT Headsets	RLN6497
XIR P8200 SERIES*		Replacement Cooling Pads for XBT Headsets	RLN6496
	<u>.</u>	Replacement Boom Microphone for XBT Headsets	RLN6495
XiR P8600 Xir P8600i SERIES		Replacement Behind-the-Neck Replacement Band for XBT Headsets	RLN6493
		Replacement Headband Style Replacement Band for XBT Headsets	RLN6492
SL1K SL2K		Replacement Swivel Earpiece with Inline Microphone (pack of 3) for RLN6500	PRLN6550

\* Bluetooth is not embedded in radio. Separate external adapter is required.

Note: XiR P8600/XiR P8600i and SL1K/SL2K portable radios have Bluetooth embedded in the radio and do not require a separate external adapter. XiR P8200 Series require separate external adapter for Bluetooth.



COMPATIBILITY	ACCESSORY			FEATURES						
MOTOROLA ORIG	INAL <sup>®</sup> TWO-WAY RA	DIO BATTERIES The only batteries develo b test after lab test, to withstand shocks, knoc	ped, tested and ce	tified for optimal pe	erformance with y	our MOTOTRB	0 radio.			
PORTABLE RADIOS	DESCRIPTION	o test alter rab test, to withstand shocks, knoc	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MM) HXLXD	WEIGHT (GRAMS)	INTRINSIC SAFETY RATING**	IP RATING
		IMPRES Li-Ion 1600 mAh Battery Submersible (IP57)	PMNN4066	•	Li-Ion	1600	129 x 55 x 21	145		<b>● IP57</b>
XIR PI200 SERIES		IMPRES Li-Ion 1450 mAh Battery Submersible (IP57)	PMNN4069	•	Li-Ion	1450	129 x 55 x 23	155	FM	● IP57
		IMPRES Li-Ion 2250 mAh Battery Submersible (IP57)	PMNN4077	•	Li-lon	2250	129 x 55 x 23	160		● IP57
		Slim Li-lon 1600 mAh Battery Submersible (IP68)	PMNN4406		Li-Ion	1600	113 x 52 x 18	125		● IP68
KIR PESO XIR PESO SERIES		Hi-Cap Li-Ion 2450 mAh Battery Submersible (IP68)	PMNN4543		Li-lon	2450	113 x 52 x 23	149		♦ IP68
XIR P8600 XIR P8600 SERIES		IMPRES Hi-Cap Li-Ion 2450 mAh Battery Submersible (IP68) (replaces PMNN4409)	PMNN4544	•	Li-lon	2450	113 x 52 x 23	150		♦ IP68



### WHAT IS THE LONG-LIFE COLD TEMPERATURE BATTERY?

The Motorola Original® Long-Life Cold Temperature Lithium Manganese battery has up to 1000 full charge/discharge cycles and is rated to withstand extreme temperatures down to -30 degrees C. Maintenance-free and lightweight, this battery does not require reconditioning or hazardous waste disposal.




COMPATIBILITY	ACCESSORY			FEATURES						
<b>IOTOROLA ORIG</b> 10TOTRBO batterie	GINAL <sup>®</sup> TWO-WAY R es are Proven Tough, in l	ADIO BATTERIES The only batteries develo ab test after lab test, to withstand shocks, knoc	ped, tested and ce ks, drops and shak	rtified for optimal pe es and outperform t	erformance with y the other brands.	our MOTOTRE	0 radio.			
ORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	INTRINSIC SAFETY RATING	IP RATING
		IMPRES Li-Ion 2100 mAh, Slim High Density Battery (IP68)	PMNN4491	•	Li-Ion	2100	113 x 52 x 18	135		<ul> <li>IP68</li> </ul>
XiR P6600 XiR P6600 XiR P6600i SERIES		IMPRES Hi-Cap Li-Ion 3000 mAh Battery, Low Voltage (IP68)	PMNN4493	•	Li-Ion	3000	113 x 52 x 23	155		<ul> <li>IP68</li> </ul>
XiR P8600 XiR P8600 XiR P8600i SERIES		IMPRES 3000 mAh low Voltage Battery for use with Silent Alert Belt Clip (PMLN7296); Battery only	PMMN4488	•	Li-lon	3000	113 x 52 x 23	155		<ul> <li>IP68</li> </ul>
SENIES		IMPRES 1950 mAh Battery Submersible (IP68), -30°C rated	PMNN4525	•	Li-lon	1950	113 x 52 x 23	150		IP68
		IMPRES Hi-Cap Li-Ion 2350 mAh Battery Submersible, (IP67)	NNTN8129	•	Li-lon	2350	113 x 52 x 23	150	FM	● IP67
XIR P8600 SERIES		IMPRES Hi-Cap Li-Ion 2500 mAh Battery Submersible (IP57)	NNTN8560	•	Li-Ion	2500	113 x 52 x 23	195	TIA	● IP57

CAPACITY



#### **ONLY IMPRES BATTERIES CAN BE CHARGED 150 TIMES MORE THAN STANDARD BATTERIES AND LAST 43% LONGER**




#### **CHARGE CYCLES**

### **HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?**

They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery.

COMPATIBILITY	ACCESSORY			FEATURES						
MOTOROLA ORIG MOTOTRBO batteries	INAL <sup>®</sup> TWO-WAY R/ are Proven Tough, in la	ADIO BATTERIES The only batteries develo b test after lab test, to withstand shocks, knoo	ped, tested and ce ks, drops and shak	rtified for optimal p es and outperform	erformance with y the other brands.	our MOTOTRB	O radio.			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MM) H X L X D	WEIGHT (GRAMS)	INTRINSIC SAFETY RATING	IP RATING
XIR P8600i Series		IMPRES Hi-Cap Li-Ion 2900 mAh Low Voltage Battery, IP68	PMNN4489	•	Li-Ion	2900	113 x 52 x 23	210	TIA	<ul><li>♦ IP68</li></ul>
XiR P6600i Series		IMPRES Hi-Cap Li-Ion 2900 mAh Low Voltage Battery, IP68	PMNN4490	•	Li-Ion	2900	113 x 52 x 23	210	TIA	<ul> <li>IP68</li> </ul>
SL1M SL2M SL1K SL2K	0 R © (( = 2)	BT100x Li-Ion 2300 mAh Battery	PMNN4468		Li-Ion	2300	12 x 36 x 54	50		
SL1K SL2K		Replacement Battery Cover for PMNN4468	PMLN6745							
		IMPRES Li-Ion 2900 mAh Low Voltage Battery (TIA)	PMNN4511	•	Li-Ion	2900	96 x 56 x 23	155	TIA	<ul><li>♦ IP68</li></ul>
XIR E8600i SERIES		Li-Ion 1700 mAh IP68 Battery	PMNN4440		Li-Ion	1700	96 x 56 x 15	110		♦ IP68
		IMPRES Li-Ion 3000 mAh Low Voltage Battery	PMNN4502	•	Li-Ion	3000	96 x 56 x 23	155		♦ IP68
XIR P8600 EX SERIES		IMPRES 2075 mAh Submersible Li-Ion Battery, IP67	NNTN8359	•	Li-Ion	2075			ATEX	♦ IP67



batteries.

### **LOW VOLTAGE BATTERIES**

When paired with the enhanced 'e' series radios Low Voltage Batteries (PMNN4488, PMNN4489, PMNN4490, PMNN4493) deliver up to 28 hours of battery talk time. Working up to 3 shifts, these new batteries are similar size and weight as current

COMPATIBILITY	ACCESSORY			FEATURES
	<b>IONS</b> Choose from a varies to go the moment you ne	iety of solutions including single-unit, multi-un ed it.	it, travel and in-veh	hicle chargers and be confident your radio
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES CHEMISTRY POWER DIMENSIONS OF SOURCE HXLXD POCKETS
		Single-Unit Rapid Rate Charger with Power Supply, Linear PRC Plug	NNTN8224	Li-lon, 61 x 97 x 163 1 NiMh
		Single-Unit Rapid Rate Charger with Power Supply, Linear, US Plug	NNTN8226	Li-Ion, 110 VAC 61 x 97 x 163 1 NiMh
XIR P6600 XIR P6600i XIR P6600i SERIES		Single-Unit Rapid Rate Charger with Power Supply, Linear, EURO Plug	NNTN8292	Li-Ion, 220-240 VAC 61 x 97 x 163 1 NiMh
		Single-Unit Rapid Rate Charger with Power Supply, Linear, UK Plug	NNTN8293	Li-Ion, 230 VAC 61 x 97 x 163 1 NiMh
		IMPRES Single-Unit Charger, 220-240 VAC UK Plug	AZWPLN4233	<ul> <li>Li-lon, 230 VAC 61 x 97 x 163 1</li> <li>NiMh</li> </ul>
		IMPRES Single-Unit Charger, 220-240 VAC EUR Plug	AZWPLN4234	<ul> <li>Li-Ion, NiMh</li> <li>220-240 VAC</li> <li>61 x 97 x 163</li> <li>1</li> </ul>
XIR P8600Ex Series		IMPRES Single-Unit Rapid Rate Charger, 220-240 VAC AU/NZ plug	WPLN4256	<ul> <li>Li-Ion, NiMh</li> <li>220-240 VAC</li> <li>61 x 97 x 163</li> <li>1</li> </ul>
T		IMPRES Single-Unit Rapid Rate Charger, 220-240 VAC China plug	WPLN4245	Li-Ion, 220-240 VAC 61 x 97 x 163 1 NiMh
ä		IMPRES Single-Unit Rapid Rate Charger, 120 VAC US Plug	AZWPLN4232	<ul> <li>Li-Ion, 120 VAC 61 x 97 x 163 1</li> <li>NiMh</li> </ul>
XIR P8200 SERIES		IMPRES 2 Multi-Unit Fast Charger with <b>1 Display</b> , US Plug	PMPN4284	Li-Ion, 100-240 VAC 116 x 445 x 170 6
_		IMPRES 2 Multi-Unit Fast Charger with <b>1 Display</b> , KOREA Plug	PMPN4294	<ul> <li>Li-lon, NiMh</li> <li>100-240 VAC</li> <li>116 x 445 x 170</li> <li>6</li> </ul>
	S. S	IMPRES 2 Multi-Unit Fast Charger with <b>1 Display</b> , EURO Plug	PMPN4289	Li-Ion, NiMh 100-240 VAC 116 x 445 x 170 6
XiR P8600 XiR P8600i SERIES		IMPRES 2 Multi-Unit Fast Charger with <b>1 Display</b> , AU/NZ Plug	PMPN4293	<ul> <li>Li-Ion, NiMh</li> <li>100-240 VAC 116 x 445 x 170</li> <li>6</li> </ul>
		IMPRES 2 Multi-Unit Fast Charger with <b>1 Display</b> , UK Plug	PMPN4290	Li-Ion, 100-240 VAC 116 x 445 x 170 6
		IMPRES 2 Multi-Unit Fast Charger with 1 Display, China Plug	PMPN4296	Li-lon, 100-240 VAC 116 x 445 x 170 6



#### **IMPRES BATTERY MANAGEMENT TOOLS?**


With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, efficiently manage your batteries with real-time data not available with other manufacturers' batteries. Our easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

Now over-the-air capable with XiR P8600 and XiR P6600 Series models.

#### **IMPRES BATTERY FLEET MANAGEMENT SOFTWARE REPORTS**


	*		E 0	2 2						
- Bhabhad -	Antine Ballerin	- T								
· · · ·	14 4	4.0.3.	P H	7 % 1 *	<ol> <li>A. I.</li> </ol>					
the second se	Sec. A	1.1	1	69890	1.000	12110	120	line .	Income 1	Sand
In Density is the Dest	Setti Rondar	14	Disp	Rade Facility	12 Barba	Duriky	200	Careerta.	Dente	(Institute)
In Preside (NG)	001000049	Der.	multiple 2	PTA BERGHALTER	<b>414031</b>	1628	14	1111	1.5%.	811,2009
	201010-04	2948	Depth .	APR .	402/m/30A	gaphit .	291	2214	1499	pinter
el fiels herdy	1010003148	Pfulad.	pare -	API.	4/15/104	20711	140	0000		216267
Denativity in Instructure	POTENTIAL AND A	per .	- sprengtration	KONTRO SHINE	MARCAN.	Pical .		1994	104	3143008
and the second second second	00000391132	Peta	Building 1	1/15 SUID/1800/1909	201794038	NPH	766	1.304	1361	10162508
di Desalu	R01008-09	(Dave	Summing E	105,203,105/9529,100	873/954	0.08	90.	2284	144	3124700
- Stewarth	CONTRACTOR OF CONTRACT,	804	2012	384	0.04(23)	NGI	8.	pooe	140	123209
1000 Contractor	50000P4679	pen .	Bulling 2	103 200, 102/10/14 200	071734	2-14	1	pose .	1441	3011,040
In Owned's to Api (Davel	ACD400.98(22.1	Dare	Bulling 2	KTS 2000, KTB/HT/H 2000	10170-00544	lotan .	14	2014	144	831,210
In Chemistry by Health (No)	ROUTINE AND	pho.	Sine	luber	#390349	NON	Ten	D004	2492	315,000
	ROUNDAL.	Card	(press) and	KTOLING Select	10140834	10%	141	2440	190	10,0200
te mada marrito de nue Chanto	SCICILA J NT	P4.	Building 5	175.810,963/300	071488	Darrie .	144	156	15/7	10.11.20
Withold Streets By Hartford (%)	100001-4142010	Die	Suiding L	X75 8102/950/068	009022	NO.		1111	Last .	8/22/48
	SCIENCES AND	21	Delarity -	APK .	9407%7333A	20-04		Pade	1961	121210
<ul> <li>Biof Schrie</li> </ul>	SCHOOL STREET	Path	Discrete I	atr.	ALCONOM.	april .	1.	bate	141	111,000
In Denistic to health (NJ	ACCOUNT.	Plant	building 2	475 June 200, 0000	011014234	ivia .	794	2964	2004	11/18/20
	R0101744,256	84	"WHEN AND	NOTOTING .	PROMITIVE	to lat	16	2111	15.8	20,8210
Chertado to See of Last Road	COLUMN TWO	- Maria	- Advertiseline	HOURING Series	Accession.	NO8	16	1254	1188	201030
In Budy Territy By Cally of Last Teach	ELLINOPI.	240	Nump 1	481	1000034	Serie .	14	1114	141	8120008
and an and a case of the same	9006004848-2	149	(murray)	APR	407570334	aviar .	14	P600	261	1,11,210
In Andro Ferrito By Islandin (%)	R0000494817	and .	Taking ship	which and server	445054	1414	140	1886	1.05	318,7008
· Allertan	RITINKCL.	(hat	Autor: T	175 800,980,000	PRIVACE IN	Sales .	160	DICDI .	pers	RADIES
	2010102419	Pai	APArenalis	N/10/880	PRODUCES	NOT THE REAL PROPERTY AND INCOME.	144	1416	-	340,200
er banty to 0 turbe	0040094063	Park	building 3	181	WITHOUGHA	and .	144	2004	1.34	2134300
	KOUDINERS .	744	19.09	10/2/10/	production of the	Seciet .	100	1400	Jan .	H D,000
1.	COLUMN TO A	4.4.0	Paktanetta	ARC	ALTER OF	april .	1	21214	744	211,0,000
a sure of	MULTING.	10	Multime 1	v10040 Sets	diamonta.	april -	14	1814	24	104232
B Reports	ACCESSION AN	3m	14.00	P'5 8102383(000	96759234A	builet .		P180.	241	1445308
	Process 70423	p.a	Attention	AN	BUNCHION.	14/111	14	2006	1448	811/2008
S. Denka Wolkie	Constant of the	144	Subling 2	100101WB0	Press and an open a	20-08	14	1014	2400	201124 201

IMPRES battery fleet management active battery report



IMPRES battery data reader, general information screen

OMPATIBILITY	ACCESSORY			FEATURES		
	<b>ONS</b> Choose from a var to go the moment you ne	riety of solutions including single-unit, multi-un eed it.	it, travel and in-veh	icle chargers and be confide	ent your radio	
ORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES CHEMISTRY POW		NUMBER OF POCKETS
		Single-Unit Rapid Rate Desk Charger, UK Plug	PMLN7163	Li-Ion, 230 V NiMh	AC 177 x 101 x 76	1
SL1M		Single-Unit Rapid Rate Desk Charger, EU Plug	PMLN7110	Li-lon, 220-240 NiMh	VAC 177 x 101 x 76	1
SL2M	10 th 10	Single-Unit Rapid Rate Desk Charger, US/JP Plug	PMLN7115	Li-lon, 110 V NiMh	AC 177 x 101 x 76	1
		Single-Unit Rapid Rate Desk Charger, China Plug	PMLN7108A	Li-lon, 220-240 NiMh	VAC 177 x 101 x 76	1
IR PB6000 EX ERIES XIR P6600 XIR P6600i SERIES	4Þ	Display Module for IMPRES Multi-Unit Charger	RLN5382	•		
IR P8200 XIR P8600 XIR P8600 XIR P8600		Charger Insert for XiR P8600i Series IMPRES 2 Multi-Unit Charger	HW001384A01	•		3
		Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, US Plug	PS000042A11	Li-Ion 120 V	AC	1
		Micro-USB Plug-in Charger for Wireless Pod (China Plug)	PS000042A16			
		Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, EU Plug	PS000042A12	Li-lon 120 V	AC	1
4		Micro-USB Plug-in Charger for Wireless Pod (Korea Plug)	PS000042A17			
SL1K		Standard Micro-USB Single-Unit Rapid Rate, Plug-In Charger, UK Plug	PS000042A13	Li-Ion 120 V	AC	1
SL1K SL2K		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), US Plug	PMLN6701	Li-Ion 120 V	AC 52 x 93 x 113	2+1
	Þ	Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), EU Plug	PMLN6705	Li-lon 220-240	VAC 52 x 93 x 113	2+1
		Tri-Unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device), UK Plug	PMLN6704	Li-lon 230 V	AC 52 x 93 x 113	2+1



#### FEATURES

#### POWER HXLXD PMLN6703 52 x 93 x 113 2+1 Li-Ion PMLN6700 Li-lon 220-240 VAC 52 x 93 x 113 2+1 Li-lon 110-230 VAC 52 x 93 x 113 2+1 PMLN6699 PMLN6694 120 VAC 65 x 424 x 110 Li-Ion 6 PMLN6688 Li-lon 220-240 VAC 65 x 424 x 110 6 PMLN6686 Li-lon 230 VAC 65 x 424 x 110 6 PMLN6692 Li-Ion 65 x 424 x 110 6 PMLN6694 Li-Ion 65 x 424 x 110 6 PMLN6690 Li-lon 220-240 VAC 65 x 424 x 110 6 PMLN6691 Li-lon 110-230 VAC 65 x 424 x 110 6 Li-Ion, PMTN4024 120 VAC 56 x 97 x 147 1 NiMh Li-Ion, PMTN4025 230 VAC 56 x 97 x 147 1 NiMh Li-Ion, PMTN4026 230 VAC 56 x 97 x 147 1 NiMh Li-lon, AZWPLN4182 120 VAC 56 x 97 x 147 1 NiMh Li-Ion, AZWPLN4183 230 VAC 56 x 97 x 147 1 NiMh Li-Ion, AZWPLN4184 220-240 VAC 56 x 97 x 147 1 NiMh Li-Ion, NNTN7470 120 VAC 56 x 97 x 147 1 NiMh

OMPATIBILITY	ACCESSORY			FEATU	RES			
HARGER SOLUT charged and read	<b>FIONS</b> Choose from a v y to go the moment you	variety of solutions including single-unit, multi-u need it.	nit, travel and in-veh	icle charg	jers and be	e confident yo	our radio	
DRTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MM) HXLXD	NUMBE OF POCKET
		IMPRES Single Unit Rapid Rate Charger, with EURO Switch Mode Power Supply	PMLN5188	•	Li-Ion, NiMh	220-240 VAC	56 x 97 x 147	1
		IMPRES Single Unit Rapid Rate Charger, JP Plug	NECHG0001C	•	Li-Ion, NiMh	230 VAC	56 x 97 x 147	1
		IMPRES Single Unit Rapid Rate Charger, KOREA Plug	NNTN7471	•	Li-Ion, NiMh	120 VAC	56 x 97 x 147	1
		IMPRES Single Unit Rapid Rate Charger with AU/NZ Switch Mode Power Supply	PMLN5199	•	Li-Ion, NiMh	220-240 VAC	56 x 97 x 147	1
		Charger Insert for XiR E8600i Series IMPRES 2 Multi Unit Charger	HW001385A01					3
XIR E8600i SERIES		IMPRES 2 Multi-Unit Charger (Single Display), US/NA Plug Power Cord	PMPN4285	•	Li-Ion	100-240 VAC	116 x 445 x 170	6
		IMPRES 2 Multi-Unit Charger (Single Display), KOREA Plug Power Cord	PMPN4302	•	Li-Ion	100-240 VAC	116 x 445 x 170	6
	and the second	IMPRES 2 Multi-Unit Charger (Single Display), CHINA Plug Power Cord	PMPN4304	•	Li-Ion	100-240 VAC	116 x 445 x 170	6
		IMPRES 2 Multi-Unit Charger (Single Display), EU Plug Power Cord	PMPN4297	•	Li-lon	100-240 VAC	116 x 445 x 170	6
		IMPRES 2 Multi-Unit Charger (Single Display), UK/HK Plug Power Cord	PMPN4298	•	Li-lon	100-240 VAC	116 x 445 x 170	6
		IMPRES 2 Multi-Unit Charger (Single Display), AUS/NZ Plug Power Cord	PMPN4301	•	Li-Ion	100-240 VAC	116 x 445 x 170	6
XiR P6600 XiR P6600i SERIES XiR P8200	×	IMPRES Single-Unit Rapid Rate Vehicular Charger, Heavy-Duty Permanent Mount	NNTN7616*	•	Li-Ion, NiMh	12 VDC (hardwire)	200 x 83 x 97	1
XIR P8200 SERIES XIR P8600 XIR P8600i SERIES		Travel Charger, Rapid Rate with Voltage Regulated Adapter, Custom Charger Base, Mounting Bracket and Coil Cord	NNTN8525		Li-Ion, NiMh	12 VDC Cigarette Lighter Adapter	58 x 64 x 67	1

\*Must be C revision or greater for compatibility with XiR P6600/XiR P6600i Series and XiR P8600/XiR P8600i Series radios.

COMPATIBILITY	ACCESSORY	
CHARGER SOLUTI in-vehicle chargers a	<b>ONS</b> Choose from a varient of the confident your radio	ety of solutions including single-unit, mu o is charged and ready to go the momer
PORTABLE RADIOS	DESCRIPTION	
IMPRES BATTERY	MANAGEMENT TOO	LS
		IMPRES Battery Reader
XIR P6600 XIR P6600i SERIES	C-	IMPRES Battery Fleet Management Multi-Unit Charger Interface Unit
XiR P8200 SERIES	G	IMPRES Battery Fleet Management Single-Unit Charger Interface Unit
		IMPRES Battery Fleet Management Software, Asia. Download available, click <b>HERE</b>
XIR P8600 XIR P8600i XIR P8600i SERIES		IMPRES Battery Fleet Management License Key, Asia
	1	

nulti-unit, travel and ent you need it.

PART NUMBER

NNTN7392

NNTN7677

NNTN8045

NNTN7979

HKVN4039



COMPATIBILITY	ACCESSORY			FEATURE	S		
CARRY SOLUTIO	NS Carrying cases are es keep vour hands-free	available in sizes designed to fit your radio and b e, so you can concentrate on the task at hand.	pattery and permit	audio to be l	heard clea	rly.	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS NUMBER (MM) OF H X L X D POCKETS
	(†	Hard Leather Case with 2.5 inch Swivel Belt Loop for Non-Display Atex Model	PMLN6096	Hard Leather	2.5	Swivel	Non-Display
		Hard Leather Case with 2.5 inch Swivel Belt Loop for Display ATEX Model	PMLN6097	Hard Leather	2.5	Swivel	Display
XIR P8600 EX SERIES		Soft Leather Case with 2.5 inch Swivel Belt Loop for Non-Display ATEX Model	PMLN6098	Soft Leather	2.5	Swivel	Non-Display
	ġ	Soft Leather Case with 2.5 inch Swivel Belt Loop for Display ATEX Model	PMLN6099	Soft Leather	2.5	Swivel	Display
	1	Heavy-Duty Belt Clip	PMLN7128	Plastic	N/A	N/A	N/A
SL1M SL2M	Í	Swivel Carry Holster	PMLN7190	Plastic	N/A	Swivel	Display
1		Carry Holster with Belt Clip	PMLN7559	Plastic	N/A	Fixed	N/A
Xir E8600i	1	Synthetic Leather Case with 3 inch Fixed Belt Loop for Standard Battery	PMLN7536	Synthetic Leather	3	Fixed	Non-Display
SERIES	Ú	Synthetic Leather Case with 3 inch Fixed Belt Loop for High Capacity Battery	PMLN7537	Synthetic Leather	3	Fixed	Non-Display
	Í	Nylon Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5869	Nylon	3	Fixed	Display
	T.	Hard Leather Case with 2.5 inch Swivel Belt Loop (limited keypad model)	PMLN5867	Hard Leather	2.5	Swivel	Display
XIR P6600 XIR P6600i SERIES	T <sup>a</sup>	Hard Leather Case with 3 inch Swivel Belt Loop (limited keypad model)	PMLN5865	Hard Leather	3	Swivel	Display
	1	Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5863	Hard Leather	3	Fixed	Display

OMPATIBILITY	ACCESSORY			FEATURES			
ARRY SOLUTIO	NS Carrying cases are a es keep your hands-free,	vailable in sizes designed to fit your radio and l so you can concentrate on the task at hand.	pattery and permit	audio to be heard	clearly.		
DRTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXEI	DISPLAY /
I		Soft Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5016	Soft Leather	2.5	Swivel	Display
		Soft Leather Case with 3 inch Swivel Belt Loop (display model)	PMLN5017	Soft Leather	3	Swivel	Display
XIR P8200 SERIES		Soft Leather Case with 3 inch fixed Belt Loop (display model)	PMLN5018	Soft Leather	3	Fixed	Display
	Ć	Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5870	Nylon	3	Fixed	Non- Display
	Ţ	Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5868	Hard Leather	2.5	Swivel	Non- Display
XiR P6600 XiR P6600i XiR P6600i SERIES	<b>T</b>	Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5866	Hard Leather	3	Swivel	Non- Display
	1	Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5864	Hard Leather	3	Fixed	Non- Display
		Soft Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5025	Soft Leather	2.5	Swivel	Non- Display
		Soft Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5026	Soft Leather	3	Swivel	Non- Display
é		Soft Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5027	Soft Leather	3	Fixed	Non- Display
XIR PRZDO SERIES		Nylon Case with 3 inch Fixed Belt Loop (display model)	PMLN5015	Nylon	3	Fixed	Display
	Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5024	Nylon	3	Fixed	Non-Displa	
	<b>M</b>	Hard Leather Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5019	Hard Leather	2.5	Swivel	Display

COMPATIBILITY	ACCESSORY			FEATURES			
CARRY SOLUTION yet still easy to acces		ange of nylon cases, leather cases, straps, ho	lsters and clips, all	designed to keep	your radio prote	cted,	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY / NON- DISPLAY
	Ú	Hard Leather Case with 3 inch Swivel Belt Loop (display model)	PMLN5020	Hard Leather	3	Swivel	Display
I		Hard Leather Case with 3 inch Fixed Belt Loop (display model)	PMLN5021	Hard Leather	3	Fixed	Display
XIR P8200	ų,	Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5028	Hard Leather	2.5	Swivel	Non-Display
SERIES	<b>M</b>	Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5029	Hard Leather	3	Swivel	Non-Display
		Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5030	Hard Leather	3	Fixed	Non- Display
		Nylon Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5844	Nylon	3	Fixed	Display
	<b>T</b>	Hard Leather Case with 2.5 inch Swivel Belt Loop (full keypad model)	PMLN5842	Hard Leather	2.5	Swivel	Display
	<b>T</b>	Hard Leather Case with 3 inch Swivel Belt Loop (full keypad model)	PMLN5840	Hard Leather	3	Swivel	Display
XiR P8600 XiR P8600i XiR P8600i	Ű	Hard Leather Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5838	Hard Leather	3	Fixed	Display
SERIES		Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5845	Nylon	3	Fixed	Non- Display
	Ţ,	Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5843	Hard Leather	2.5	Swivel	Non- Display
	<b>T</b>	Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5846	Hard Leather	3	Swivel	Non- Display
		Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5839	Hard Leather	3	Fixed	Non- Display




		FEATURES	_	_
	PART NUMBER	MATERIAL	BELT LOOP / CLIP DIMENSION (INCHES)	SWIVEL / FIXED
	PMLN6086	Plastic	2.5	
	PMLN5610	Hard Leather	2.5	Swivel
	PMLN7296	Plastic		
	PMLN4651	Plastic	2	
	PMLN7008	Plastic	2.5	
	PMLN5610	Hard Leather	2.5	Swivel
	PMLN5611	Hard Leather	3	Swivel
lt	PMLN5022	Hard Leather	2.5	Swivel
	PMLN5023	Hard Leather	3	Swivel
	PMLN4652	Plastic	2.5	
	PMLN5956	Plastic		Swivel
	PMLN7040	Soft Leather	1.5	Swivel
	PMLN6074	Nylon		
	PMLN7076	Nylon		

COMPATIBILITY CARRY SOLUTION	ACCESSORY			FEATURES
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL
	1	Waterproof Bag with Large Strap for Securely Carrying Motorola Two-Way Radios	HLN9985	
	AND NO.	Black Leather Epaulet Strap with Clip to Secure Remote Speaker Microphone to Shirt	RLN4295	Leather
	H	1.75 inch Wide Leather Belt	4200865599	Leather
	H	Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	
XiR P6600 Xir P6600i SERIES	M	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	
		Replacement Strap for HLN6602 and RLN4570	1505596Z02	
XIR P8200 SERIES		Radio Pack Radio Utility Case	RLN4815	
		Radio Pack Extension Belt for Waists Larger than 40 inches	4280384F89	
	<b>S</b>	Adjustable Nylon Carrying Strap	NTN5243	Nylon
XIR P8600 XIR P8600i XIR P8600i SERIES		Leather Radio Strap	RLN6486	Leather
		Leather Radio Strap - XL	RLN6487	Leather
	OFC	Anti-Sway Strap for Leather Radio Straps	RLN6488	Leather
XIR P8600 EX Series		Accessory Connector Dust Cover	15012157001	Plastic
XiR P8200 SERIES		Accessory Connector Dust Cover	1571477L01	Plastic
XiR P6600i Xir E8600i SERIES	810	Accessory Connector Dust Cover	0104058J40	Plastic
XiR P8600 Xir P8600i SERIES		Accessory Connector Dust Cover	15012157001	Plastic

COMPATIBILITY ACCESSORY SCREEN PROTECTORS PORTABLE RADIOS ш Screen Protector, Clear (single pack - Qty 1) Ch 1 City Parks Contact Zone XiR P8600 XiR P8600i SERIES I-D Screen Protector, Clear (single pack - Qty 1) SL1K SL2K

OMPATIBILITY	ACCESSORY	New Address of the second s	ee ferth - VID Do	FEATURES	_	dies		
	he best possible recepti rmance over XiR P8200 S	on wherever you operate. New stubby antenr Series stubby antennas.	has for the XIR P86	500 and XIR P6	600 series ra	adios		
ORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
		UHF/GPS Combination Folded Monopole Whip Antenna for the 403-433 MHz Range	PMAE4018	UHF	403-433	•	14	Whi
	1	UHF/GPS Combination Folded Monopole Whip Antenna for the 430-470 MHz Range	PMAE4024	UHF	430-470	•	14	Whi
		UHF/GPS Combination Folded Monopole Whip Antenna for the 450-495 MHz Range	PMAE4050	UHF	450-495	•	14	Wh
		UHF/GPS Combination Folded Monopole Whip Antenna for the 495-527 MHz Range	PMAE4051	UHF	495-527	•	14	Wh
	,	VHF/GPS Combination Helical Whip Antenna for the 136-147 MHz Range	PMAD4067	VHF	136-147	•	16	Helio
XIR P8200 SERIES		VHF/GPS Combination Helical Whip Antenna for the 147-160 MHz Range	PMAD4068	VHF	147-160	•	16	Helio
		VHF/GPS Combination Helical Whip Antenna for the 160-174 MHz Range	PMAD4069	VHF	160-174	٠	16	Helio
	/	GPS/800/900 MHz Combination Helical Antenna	PMAF4003	800/900 MHz	806-941	•	18	Helio



COMPATIBILITY ANTENNAS	ACCESSORY	ACCESSORY		FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
		UHF Wideband Flexible Whip Antenna for the 403-470 MHz Range	PMAE4022	UHF	403-470		16	Whip
	/	UHF Wideband Flexible Whip Antenna for the 450-512 MHz Range	PMAE4049	UHF	450-512		16	Whip
		VHF Wideband Flexible Whip Antenna for the 136-174 MHz Range	PMAD4124/ PMAD4088	VHF	136-174		21	Whip
	/	UHF/GPS Combination Stubby Antenna for the 403-433 MHz Range	PMAE4021	UHF	403-433	•	9	Stubby
ć		UHF/GPS Combination stubby antenna for the 430-470 MHz Range	PMAE4023	UHF	430-470	•	9	Stubby
XiR P8200 Series		UHF/GPS Combination Stubby Antenna for the 450-512 MHz Range	PMAE4048	UHF	450-512	•	9	Stubby
	/	VHF Stubby Antenna for the 136-147 MHz Range	PMAD4093	VHF	136-147		11	Stubby
		VHF Stubby Antenna for the 147-160 MHz Range	PMAD4094	VHF	147-160		11	Stubby
		VHF Stubby Antenna for the 160-174 MHz Range	PMAD4095	VHF	160-174		11	Stubby
		Whip 350-400 MHz + GPS Fld Mnp Antenna 16.5cm	PMAD4112	VHF	350-400	•	16.5	Whip



	FEATURES	-	-		_
PART NUMBEF	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
PMAE4079	UHF	403-527	•	15	Whip
PMAD4117	VHF	136-155	•	15	Helical
PMAD4116	VHF	144-165	•	15	Helical
PMAD4118	VHF	152-174	•	15	Helical
PMAE4069	UHF	403-450	•	11	Stubby
PMAE4070	UHF	440-490	•	11	Stubby
PMAE4071	UHF	470-527	•	11	Stubby
PMAD4119	VHF	136-148	•	9	Stubby
PMAD4120	VHF	146-160	•	9	Stubby
PMAD4135	VHF	320-360			Stubby
PMAD4137	VHF	300-337			Stubby


COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
	/	UHF Folded Monopole Whip Antenna for ATEX Radio (403-433 MHz)	PMAE4081	UHF	403-433			Whip
	/	UHF Folded Monopole Whip Antenna for ATEX Radio (430-470 MHz)	PMAE4082	UHF	430-470			Whip
	/	UHF Stubby Antenna for ATEX Radio (403-433 MHz)	PMAE4083	UHF	403-433			Stubby
	UHF Stubby Antenna for ATEX Radio (430-470 MHz)	PMAE4084	UHF	430-470			Stubby	
	/	UHF Wideband Whip Antenna for ATEX Radio (403-470 MHz)	PMAE4085	UHF	403-470			Whip
XIR P8600 EX SERIES	/	VHF/GPS Helical Whip Antenna for ATEX Radio (136-147 MHz)	PMAD4126	VHF	136-147			Whip
	/	VHF/GPS Helical Whip Antenna for ATEX Radio (147-160 MHz)	PMAD4127	VHF	147-160			Whip
	/	VHF/GPS Helical Whip Antenna for ATEX Radio (160-174 MHz)	PMAD4128	VHF	160-174			Whip
	/	VHF Stubby Antenna for ATEX Radio (136-147 MHz)	PMAD4129	VHF	136-147		11	Stubby
	/	VHF Stubby Antenna for ATEX Radio (147-160 MHz)	PMAD4130	VHF	147-160		11	Stubby
	/	VHF Stubby Antenna for ATEX Radio (160-174 MHz)	PMAD4131	VHF	160-174		11	Stubby



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED LENGTH GPS (CM)	TYPE
XIR PB600 EX SERIES	/	VHF Wideband Antenna for ATEX Radio (136-174 MHz)	PMAD4132	VHF	136-174		Whip
ш	/	VHF Stubby Antenna (160-174 MHz)	PMAD4121	VHF	160-174		Stubby
XIR EB600i SERIES		VHF Stubby Antenna (350-380 MHz)	PMAD4136	VHF	350-380		Stubby
XiR P6600 XiR P6600i SERIES		VHF Stubby Antenna (360-400 MHz)	PMAD4133	VHF	360-400		Stubby
		VHF Whip Antenna (300-360 MHz)	PMAD4138	VHF	300-360		Whip
XIR P8600 XIR P8600i SERIES		VHF Whip Antenna (350-400 MHz)	PMAD4139	VHF	350-400		Whip

COMPATIBILITY ANTENNAS	ACCESSORY			FEATURES				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED I GPS	LENGTH (CM)	TYPE
XIR P8600 XIR P8600 XIR P8600 SERIES	/	800 MHz Flexible Whip Antenna (806-870 MHz)	PMAF4011	800/ 900 MHz	806-870		14	Whip
		900 MHz Flexible Whip Antenna (896-941 MHz)	PMAF4012	800/ 900 MHz	896-941		16.4	Whip
	1	800/900 Stubby Antenna (806-870 MHz)	PMAF4009	800/ 900 MHz	806-870			Stubby
		UHF Antenna Kit for the 403-425 MHz Range	PMAE4078	UHF	403-425		1.9	Stubby
		UHF Antenna Kit for the 420-445 MHz Range	PMAE4076	UHF	420-445		1.9	Stubby
đ		UHF Antenna Kit for the 438-470 MHz Range	PMAE4077	UHF	438-470		1.9	Stubby
SL1K SL2K		UHF Stubby Antenna Kit for the 450-490 MHz Range	PMAE4091	UHF	450–490		1.9	Stubby
		UHF Stubby Antenna Kit for the 480-527 MHz Range	PMAE4092	UHF	480–527		1.9	Stubby
		Antenna Kit for the 800 MHz Range	PMAF4017	800/ 900 MHz	806-870		1.1	Stubby





	PART NUMBER
)	32012144001
cs)	32012144002
s)	32012144003
)	32012144004
cs)	32012144005

COMPATIBILITY	ACCESSORY		
PROGRAMMING C	ABLES		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
Juint         Juint		Portable Programming Cable (USB) for XiR P6600 Series	PMKN4115
		Programming, Test, and Alignment Cable for XiR P6600 Series	PMKN4117
I		Portable Programming Cable (USB) for XiR P8200/XiR P8600 Series	PMKN4012B
XiP PE200 SERIES	_	Programming, Test, and Alignment Cable for XiR P8200/XiR P8600 Series	PMKN4013
XiR P8600 XiR P8600i SERIES	.0.	Portable Telemetry Cable	PMKN4040
		Portable to RS232 DB25M Connector Cable	PMKN4071
SL1K SL2K	$\bigcirc$	Portable Programming Cable (micro USB) for SL series	CB000262A01



## **MOTOTRBO MOBILE RADIO ACCESSORIES**



XiR M8600 SERIES XiR M8600i SERIES



XiR M8200 SERIES



XiR M6660 SERIES

#### **UNRIVALED VOICE AND DATA ON THE GO** Xir M8600 / Xir M8600i Series


The XiR M8600 series shares the same connector as the XiR M8200 series accessories enabling easy migration. This portfolio is enhanced with integrated Bluetooth<sup>®</sup>, giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 30 feet of their radio. A new IMPRES keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.

#### INTEGRATED VOICE AND DATA ON THE GO XIR M8200 SERIES

Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. XiR M8200 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.

#### XiR M6660 SERIES

The XiR M6660 features a durable telco accessory connector that enables microphones, external speakers and vehicular solutions. Many of the XiR M6660 microphones feature Intelligent Audio. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear clearly. If you're driving an empty bus that quickly fills with chattering children – you will still be able to hear important communication without taking your hands off the wheel to adjust the radio volume.



COMPATIBILITY	ACCESSORY			FEATURES	
MICROPHONE The heavy-duty m	S Keypad microphones let y nicrophone is easy to use wh	ou easily navigate menus on your XPR 4550 or nile wearing gloves and the telephone-style ha	XPR 5550, dial phone ndset enables more d	numbers and send text messag	jes.
MOBILE RADIOS	DESCRIPTION		PART NUMBER	MICROPHONE STYLE	IMPRES
	Row	IMPRES Keypad Microphone with 4-way Navigation Button	RMN5127	Keypad + Navigation	•
	Ţ	MOTOTRBO Mobile Handheld Control Head Upgrade Kit with 3M Straight Cable	PMLN7131		
XIR M8600 XIR M8600i SERIES	Q	MOTOTRBO Mobile Handheld Control Head 5 Meter Straight Extension Cable	PMKN4174		
		MOTOTRBO Mobile Handheld Control Head Upgrade Kit without Transceiver Adaptor	PMLN7209		
XiR M8200 Series		IMPRES Keypad Microphone	RMN5065	Keypad	•




	FEATURES			
1550 or XPR 5550, dial phone numbers and send text messages. Tyle handset enables more discreet communication.				
PART NUMBER	MICROPHONE STYLE	IMPRES		
RMN5052	Compact			
RMN5053	Heavy-Duty	•		
HMN4098	Telephone Style Handset	•		
RMN5054	Visor	•		
RMN5050	Desktop			
PMMN4090	Compact			
PMMN4091	Heavy-Duty			
PMMN4089	Keypad			
GMMN4065	Visor			
PMMN4098	Desktop			



ACCESSORY				
MICROPHONE ACCESSORIES				
DESCRIPTION		PART NUMBER		
d el	Microphone Hang-Up Clip (Requires installation)	HLN9073		
0	Universal Microphone Hang-Up Clip (No installation required)	HLN9414		
A	10-Foot Mobile Microphone Extension Cable	PMKN4033		
	20-Foot Mobile Microphone Extension Cable	PMKN4034		
	Compact Microphone Replacement Cable	3075336B07		
₽ ŧ	Heavy Duty Keypad Microphone Replacement Cable	3075336B10		
	CESSORIES	CESSORIES         DESCRIPTION         Microphone Hang-Up Clip (Requires installation)         Output/Sequence         Output/Sequence		

#### **HOW CAN I** COMMUNICATE **SAFELY IN MY VEHICLE?**

The IMPRES Visor Microphone mounts to your vehicle's visor for safe, convenient communication. Press the external push-to-talk button on the steering wheel to converse without taking your hands off the wheel or your eyes off the road. IMPRES Audio compensates for the distance of the visor mic from your mouth so that your radio communications are loud and clear.



	PART NUMBER
h	RLN5926
а	RLN5929
	RLN4856
	RLN4857
	RLN4836

RLN4858



#### **OPTIMIZED FOR DIGITAL**

Make sure to only use Motorola audio accessories with this digital symbol, it indicates these accessories have been optimized for performance in both digital and analog mode. All accessories with this symbol have been certified and approved for XPR<sup>™</sup> 2500 mobile radios.




### LONG RANGE WIRELESS SOLUTIONS

Designed for customers who depend on their high power mobile radio for system connection but must work outside of their vehicle. The Long Range Wireless solution allows you to maintain critical communications even on remote job site.

COMPATIBILITY	ACCESSORY			FEATURES									
LONG RANGE WI Bluetooth gateway. T never thought possibl	he Long Range Wireless R	Wireless Remote Speaker Microphone (RS SM works up to 100 meters away line-of-si	SM) pairs instantly v ght from the mobile	vith touch pairing to the mobile radio, keeping you in communio	microphone with cation where you					obile gateway mid ugh pairing quickl		ır radio, align	the two devices
MOBILE RADIOS	DESCRIPTION		PART NUMBER	WINDPORTING/ NOISE- CANCELING	ORANGE L PROGRAMMABLE BUTTON	AUDIO JACK (3.5MM)	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH / STANDARD PAIRING	RANGE (FEET LINE OF SIGHT)
		Long Range Wireless Kit with charger Includes: Long Range Wireless RSM; Mobile Microphone Bluetooth Gateway; Vehicular Charger	MDRLN6551	Windporting	Ø		28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300
XIR M8600 XIR M8600i SERIES		Mobile Microphone with Bluetooth Gateway	PMMN4097								Enhanced Operations Critical	Touch	300
Xir M8200 SERIES		Wireless RSM (Remote Speaker Microphone) with Battery and Clip	RLN6544	Windporting			28	3	158	88 x 26 x 63	Enhanced Operations Critical	Touch	300
	battery only	Wireless RSM Battery, 1750 mAh Li-Ion 3.6 VDC	PMNN4461				28	3					



COMPATIBILITY	ACCESSORY			FEATURES	
LONG RANGE WI	RELESS CHARGERS A	ND REPLACEMENT PARTS			
MOBILE RADIOS	DESCRIPTION		PART NUMBER	CHARGE TIME (HOURS)	POWER SUPPLY
		Dual Unit Charger with Power Supply	PMLN7120	3	US
		Dual Unit Charger with Power Supply	PMLN7121	3	EU
	-	Dual Unit Charger with Power Supply	PMLN7122	3	UK
		Dual Unit Charger with Power Supply	PMLN7123	3	PRC
		Dual Unit Charger with Power Supply	PMLN7124	3	AU/NZ
XIR M8600 XIR M8600i SERIES		Dual Unit Charger with Power Supply	PMLN7127	3	KOR
		Power Supply for Dual Unit Charger	25012022003		UK
XIR M8200 Series		Power Supply for Dual Unit Charger	25012022009		KOR
		Power Supply for Dual Unit Charger	25012022002		EU
		Power Supply for Dual Unit Charger	25012022006		AU/NZ
		Power Supply for Dual Unit Charger	25012022001		US/JAPAN TAIWAN
		Power Supply for Dual Unit Charger	25012022004		PRC



PART NUMBER

PMLN6716

PMLN6743

42009312001

PMLN7560

RLN6511

RLN6512

RLN6513

AARLN4885



### MAINTAIN CRITICAL COMMUNICATIONS EVEN ON REMOTE JOB SITES

### SITUATION

Keep in touch even on remote job sites when you depend on your high power mobile radio but have to work outside your vehicle. You are a utility worker and need to check the meter readings. You have to park your truck about 100 meters away from the utility box due to access restrictions, yet you stay connected to your radio with your Long Range Wireless Remote Speaker Microphone. You communicate key readings immediately to dispatch. Get your job done safely and more efficiently.

### SOLUTION

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Bluetooth microphone is compatible with MOTOTRBO XiR M8200 and XiR M8600 series mobile radios. The Long Range Wireless RSM works up to 100 meters away from the mobile radio, keeping you in communication where you never thought possible.



### HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.

### **MOTOTRBO MOBILE RADIO ACCESSORIES**

COMPATIBILITY	ACCESSORY			FEATURES												VERTICAL MAR	KETS:
OPERATIONS CRI your truck or walk aw	TICAL WIRELESS BL vay from your desk and s	UETOOTH <sup>®</sup> ACCESSORIES This portfolio till remain connected to your radio up to 30 fee	is a game changer et away.	for your busine	ess as you hav	ve the flexib	oility to leav	e									
MOBILE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH/ Standard Pairing	RANGE (FEET LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING	TRAINSPORTATION	MANU
	Q	XBT Operations Critical Wireless Behind- the-Neck Headset	RLN6490	Dual-Muff	Boom	On Ear Cup	22	7	429		Operations Critical	Standard	30	IP54		•	
	Ø.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Dual-Muff	Boom	On Ear Cup	22	7	422		Operations Critical	Standard	30	IP54		•	
XIR M8600 Xir M8600i Series		Operations Critical Wireless Push-To-Talk Pod without Charger	NNTN8191	N/A	N/A	On PTT Pod	10	3	43	70 x 41 x 25	Operations Critical	Standard	30	IP54	FM	•	

Note: XiR M8600/XiR M8600i Series mobile radios have Bluetooth embedded in the radio.





COMPATIBILITY	ACCESSORY			FEATURES										VERTICAL MA	RKETS: Recomme	ndations based or	n typical use case	e for each of ve	rticals listed.	
<b>OPERATIONS CRIT</b>	TICAL WIRELESS BLU	IETOOTH® ACCESSORIES																		
MOBILE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	e PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	HARGE WEIGHT TIME (GRAMS) HOURS)	DIMENSIONS (MM) H X L X D	OPERATIONS CRITICAL/ ENHANCED OPERATIONS CRITICAL	TOUCH/ Standard Pairing	RANGE (FEET LINE OF SIGHT)	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR Public Service	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	D EDUCATION (CAMPUSES
		Bluetooth Accessory Kit with Flexible Earpiece, Bluetooth Pod and Charging Cradle	PMLN7181	Over-the-Ear (Swivel)	Boom	Radio only*	8	18	Without Clip: 44 x 32 x 12 With Clip: 44 x 32 x 16	Operations Critical	Standard	30		•	•	•		•	•	•
		Operations Critical Wireless 1-Wire Surveillance Kit with Translucent Tube	PMLN7052	Clear Rubber Eartip	In-line	On Pod (order separately)				Operations Critical and Enhanced Operations Critical				•	•	•		•	•	•
		Operations Critical Wireless Earbud with 11.5 inch Cable	NNTN8294	Earbud	In-line	On Pod (order separately)	10			Operations Critical and Enhanced Operations Critical				•	•	•		•	•	•
XiR M8600 XiR M8600i SERIES	5.5	Operations Critical Wireless Earbud with 45 inch Cable	NNTN8295	Earbud	In-line	On Pod (order separately)	10			Operations Critical and Enhanced Operations Critical				•	•	•		•	•	•
	~~~?	Swivel Earpiece with In-Line Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	RLN6550	Over-the-Ear (Swivel)	Boom	Radio Only*				Operations Critical				•	•	•		•	•	•
		Flexible Fit Swivel Earpiece with Boom Microphone Multi-Pack (3 pack) for MOTOTRBO Bluetooth Accessory Kit	PMLN7203	Over-the-Ear (Swivel)	Boom	Radio Only*				Operations Critical				•	•	•		•	•	•

\*Note: PTT on radio or with separate wireless PTT.



COMPATIBILITY	ACCESSORY		COMPATIBILITY	ACCESSORY		
<b>OPERATIONS CRI</b>	ITICAL WIRELESS REPLACEMENT PARTS		OPERATIONS CRI	ITICAL WIRELESS RE	PLACEMENT PARTS	
MOBILE RADIOS	DESCRIPTION	PART NUMBER	MOBILE RADIOS	DESCRIPTION		PART NUMBER
	Replacement Wireless Earpiece 12 inch Cable for NNTN8189	NTN2572			Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (US plug)	PS000042A11
	Wireless Earpiece Maintenance Kit with 10 Silicone Ear Tubes, 10 Microphone Seal Strips and 2 Foam Windscreens for Comport Earpiece	NTN8821			Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (AU/NZ)	PS000042A14
	Ear Strap for Comport Earpiece (pack of 10)	NTN8988			Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (UK)	PS000042A13
XiR M8600 Xir M8600i Series	Eartube for Comport Earpiece (pack of 10)	RLN5037	XIR M8600 XIR M8600i SERIES	ŀ	Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (PRC)	PS000042A16
	Replacement Ear Tips Kit for Wireless Ear Buds (20 small, 20 medium, 20 large and 10 clips)	NNTN8361			Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (Korea)	PS000042A17
	Swivel clip for Operations Critical and Enhanced Operations Critical Wireless Pods	PMLN6246			Replacement or Spare Micro-USB Plug-In Charger for Wireless Pod (EU)	PS000042A12

COMPATIBILITY	ACCESSORY		
<b>CONTROL STATIO</b> Ideal for transportatio	N ACCESSORIES Quic on, manufacturing and pu	ckly and conveniently convert your radio int blic service operations that have dispatch r	o a base station. requirements.
MOBILE RADIOS	DESCRIPTION		PART NUMBER
		Desktop Tray with Speaker	RSN4005
<u> </u>		Desktop Tray without Speaker	GLN7318
XIR M8600 XIR M8600i SERIES	003	Adapter Cable for Control Station	HKN9088
XIR M8200 SERIES		Power Supply, 25-60W, 1-60W Cord Included	HPN4007
		Mini-UHF to PL259 Aantenna Adapter Cable	HKN9557







COMPATIBILITY	ACCESSORY	
	ND MOUNTING ACC	ESSORIES
MOBILE RADIOS	DESCRIPTION	
		In-Dash Mounting Kit - DIN
		Power Cable to Battery - 10 foot, 15 amp 14 AWG
Xir M6660 SERIES	-0	Power Cable to Battery - 10 foot, 20 amp 12 AWG
	Ø	Power Cable to Battery - 20 foot, 20 amp 10 AWG
		Ignition Sense Cable
COMPATIBILITY	ACCESSORY	

COMPATIBILITY	ACCESSORY	
EXTERNAL SPEAK speakers. Different wa	ERS Boost audio at your att speakers can be custo	control station on your desk or in your v mized to your environment.
MOBILE RADIOS	DESCRIPTION	
		13W External Speaker
XIR M8600 XIR M8600i SERIES		7.5W External Speaker
XIR M8200 SERIES	O	5W External Speaker
		7.5W External Speaker
XIR M6660 SERIES		13W External Speaker
	Ŵ,	Speaker Extension Cable

#### PART NUMBER

#### FTN6083

D HKN4137

HKN4192

HKN9327

vehicle with external

ART NUMBE

RSN4002

RSN4003

RSN4004

HSN8145

RSN4001

GMKN4084



COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	DESCRIPTION		PART NUMBER
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4073
Xir M8200 Series		Mobile Remote Mount 3-Meter Cable Kit	PMKN4074
		Mobile Remote Mount 5-Meter Cable Kit	PMKN4144
		Mobile Remote Mount 3-Meter Cable Kit	PMKN4143
XIR M8600 XIR M8600i SERIES		IMPRES Mobile MAP Non-PC Adapter	PMKN4070
		IMPRES Mobile MMP Non-PC Adapter	PMKN4072
		Power Cable to Battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG	HKN4191
	Ŷŷ	Power Cable to Battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG	HKN4192
		Power Cable to Battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG	HKN4137
XIR M8600 XIR M8600i SERIES	070	Ignition Sense Cable	RKN4136
XIR M8200 SERIES		Mobile and Repeater Rear Accessory Programming Cable	PMKN4010
		Mobile and Repeater Rear Programming, Test and Alignment Cable	PMKN4016
		Mobile Rear Accessory Connector Universal Cable	PMKN4018





PART NUMBER

HKN6184

PMLN5072

PMKN4147

PMKN4151

1580922V01

GMBN1021

PMLN4148

HLN9457

HLN9491

PMLN5620

3202607Y01

R) PMLN6544



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A va	riety of antennas ensure th	ne best possible reception wherever you oper	ate. Choose from a	UHF/VHF/	FREQUENCY	INTEGRATED	MOUNTING
	GPS/UHF ANTENNAS			(800/900 MHz)	BAND (MHz)	GPS	STYLE
		Combination GPS/UHF 403-430 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAE4035	UHF	403-430	•	Through-Hole
	······································	Combination GPS/UHF 406-420 MHz, 3.5 dB Gain, Through-Hole Mount, BNC	PMAE4036	UHF	406-420	•	Through-Hole
VIE MISSON		Combination GPS/UHF 450-470 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAE4037	UHF	450-470	•	Through-Hole
XIR M8600 XIR M8600i SERIES		Combination GPS/UHF 450-470 MHz, 5 dB Gain, Through-Hole Mount, BNC	PMAE4038	UHF	450-470	•	Through-Hole
Xir M8200 SERIES	000	Combination GPS/UHF 470-494 MHz, 3.5 dB Gain, Through-Hole Mount, BNC	HAE6025	UHF	470-494	•	Through-Hole
		Combination GPS/UHF 494-512 MHz, 3.5 dB Gain, Through-Hole Mount, BNC	HAE6023	UHF	494-512	•	Through-Hole
		Combination GPS/UHF 403-527 MHz, 2 dB Gain, Through-Hole Mount, BNC	HAE6017	UHF	403-527	•	Through-Hole
		Combination GPS/UHF 470-527 MHz, 1/4 Wave, Through-Hole Mount, BNC	HAE6018	UHF	470-527	•	Through-Hole
XiR M8600 XiR M8600i SERIES		Antenna, Mobile, Combination GPS/ GALILEO/0ZSS/GLONASS, UHF 320-360 MHz, 1/4 Wave, Through-Hole Mount, BNC	PMAD4143	UHF	320-360	•	Through-Hole
UHF ANTENNA	AS (RF ONLY)						
XIR M8500 XIR M8500		UHF Wide Area Through-Hole Mount Antenna for the 450-470 MHz Range, 3.5 dB Gain, Mini-U	HAE4011	UHF	450-470		Through-Hole
SERIES		UHF Wide Area Through-Hole Mount Antenna for the 445-470 MHz Range, 5 dB Gain, Mini-U	RAE4004ARB	UHF	445-470		Through-Hole
ULINEU		UHF Urban Roof Mount 1/4 Wave Antenna for the 403-430 MHz Range, Mini-U	HAE4002	UHF	403-430		Roof Mount
XIR M6660 SERIES	Â.	UHF Urban Roof Mount 1/4 Wave Antenna for the 450-470 MHz Range, Mini-U	HAE4003	UHF	450-470		Roof Mount
		UHF Urban Roof Mount 1/4 Wave Antenna for the 470-512 MHz Range, Mini-U	HAE4004	UHF	470-512		Roof Mount



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
UHF ANTENNAS	(RF ONLY)						
	000	UHF, 403-430 MHz, 1/4 Wave, Through- Hole Mount, BNC	RAE4151	UHF	403-430		Through-Hole
Xir M8600 Xir M8600i SERIES	000 •	UHF, 450-470 MHz, 1/4 Wave, Through- Hole Mount, BNC	RAE4152	UHF	450-470		Through-Hole
XIR M8200 SERIES		UHF, 450-470 MHz, 5 dB Gain, Through- Hole Mount, BNC	RAE4154	UHF	450-470		Through-Hole
	000	UHF, 406-420 MHz, 3.5 dB Gain, Through- Hole Mount, BNC	RAE4158	UHF	406-420		Through-Hole
XIR M6660 Series	00 ÷	UHF, 403-527 MHz, 2 dB Gain, Through- Hole Mount, BNC	HAE6021	UHF	403-527		Through-Hole
Xir M8600 Xir M8600i Series		UHF Wide Area Through-Hole Mount Antenna for the 470-494 MHz Range, 3.5 dB Gain	HAE4012	UHF	470-494		Through-Hole
XIR M8200 SERIES		UHF Wide Area Roof Mount Antenna for the 494-512 MHz Range, 3.5 dB Gain	HAE4013	UHF	494-512		Through-Hole

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
UHF ANTENNAS (	RF ONLY)						
		UHF Stubby Through-Hole Mount Antenna, 410-430 MHz	RAE4163ARB	UHF	410-430		Through-Hole
		UHF Stubby Through-Hole Mount Antenna, 430-450 MHz	RAE4164ARB	UHF	430-450		Through-Hole
		UHF Stubby Through-Hole Mount Antenna, 450-470 MHz	RAE4168ARB	UHF	450-470		Through-Hole
		UHF Antenna Kit 403-430 MHz, 1/4 Wave	PMAE4039	UHF	403-430		Through-Hole
		UHF Antenna Kit 406-420 MHz, 3.5 dB Gain	PMAE4040	UHF	406-420		Through-Hole
	de l	UHF Antenna Kit 450-470 MHz, 1/4 Wave	PMAE4041	UHF	450-470		Through-Hole
XiR M8600 XiR M8600i SERIES		UHF Antenna Kit 450-470 MHz, 3.5 dB Gain	PMAE4042	UHF	450-470		Through-Hole
Xir M8200 SERIES		UHF Antenna Kit 450-470 MHz, 5.0 dB Gain	PMAE4043	UHF	450-470		Through-Hole
JENIE3		UHF Antenna Kit 470-527 MHz, 1/4 Wave, Through-hole Mount	HAE6030	UHF	470-527		Through-Hole
		UHF Antenna Kit 403-527 MHz, 2 dB Gain, Through-Hole Mount	HAE6029	UHF	403-527		Through-Hole
		UHF Antenna Kit 470-494 MHz, 3 dB Gain, Through-Hole Mount	HAE6028	UHF	470-494		Through-Hole
		UHF Antenna Kit 494-512 MHz, 3 dB Gain, Through-Hole Mount	HAE6027	UHF	494-512		Through-Hole
		UHF/GPS Antenna, 350-400 MHz 1/4 Wave	PMAD4102	300/400	350-400		Through-Hole
XIR M860		UHF Antenna, 350-400 MHz 1/4 Wave	PMAD4107	300/400	350-400		Through-Hole
XIR M8600 XIR M8600i SERIES		UHF Antenna, 300-340 MHz, 1/4 Wave, BNC	PMAD4140	300/400	300-340		Through-Hole
		UHF Mobile Antenna, 320-360 MHz, 1/4 Wave, BNC	PMAD4141	300/400	320-360		Through-Hole

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTIN
COMBINATION	GPS/VHF ANTENNA	S					
		GPS/VHF Through-Hole Mount 1/4 Wave Antenna for the 162-174 MHz Range	RAD4217	VHF	162-174	•	Through-H
XIR M8600		GPS/VHF Through-Hole Mount Antenna for the 146-172 MHz Range, 3 dB Gain	RAD4218	VHF	146-172	•	Through-H
XiR M8600 Xir M8600i Series		Combination GPS/VHF 136-144 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4219	VHF	136-144	•	Through-H
XIR M8200 SERIES		Combination GPS/VHF 146-150.8 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4220	VHF	146-150.8	•	Through-H
	C ±+	Combination GPS/VHF 150.8-162 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4221	VHF	150.8-162	•	Through-H
	0	Combination GPS/VHF 162-174 MHz, 1/4 Wave, Through-Hole Mount, BNC	RAD4222	VHF	162-174	•	Through-F
<b>VHF ANTENNAS</b>	(RF ONLY)						
		VHF Urban Roof Mount 1/4 Wave Antenna for the 136-144 MHz Range, Mini-U	HAD4006	VHF	136-144		Roof Mo
XiR M8600 XiR M8600i SERIES	e S	VHF Urban Roof Mount 1/4 Wave Antenna for the 146-150.8 MHz Range, Mini-U	HAD4007	VHF	146-150.8		Roof Mo
<u> </u>		VHF Urban Roof Mount 1/4 Wave Antenna for the 150.8-162 MHz Range, Mini-U	HAD4008	VHF	150.8-162		Roof Mo
XIR M8200 SERIES	8	VHF Urban Roof Mount 1/4 Wave Antenna for the 162-174 MHz Range, Mini-U	HAD4009	VHF	162-174		Roof Mor
XIR M6660 SERIES		VHF Wide Area Through-Hole Mount Antenna for the 132-174 MHz Range 3 dB Gain, Mini-U	HAD4022	VHF	132-174		Through-H
		VHF, 146-150.8 MHz, 1/4 Wave, Through- Hole Mount, BNC	RAD4199	VHF	146-150.8		Through-F

COMPATIBILITY	ACCESSORY			FEATURES					
ANTENNAS									
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE		
VHF ANTENNAS (R	VHF ANTENNAS (RF ONLY)								
XIR MB600 XIR MB6000 XIR MB6000 XIR MB600 XIR MB200 XIR MB200 SERIES		VHF Antenna Kit 150.8-162 MHz, 1/4 Wave	RAD4224	VHF	150.8-162		Through-Hole		
STANDALONE GPS	ANTENNAS								
	•	Fixed Mount GPS Active Antenna	PMAN4000	N/A	N/A	•	Fixed		
XiR M8600 Xir M8600i Series		Glass Mount GPS Active Antenna	PMAN4001	N/A	N/A	•	Glass		
Xir M8200 SERIES	-	Magnetic Mount GPS Active Antenna	PMAN4002	N/A	N/A	•	Magnetic		
COMBINATION GP	COMBINATION GPS/800/900 ANTENNAS								
	-	GPS/800/900 MHz 1/4 Wave Through-Hole Mount Combination Antenna for the 806-941 MHz Range	HAF4029	800/900	806-941	•	Through-Hole		
XiR M8600 XiR M8600i SERIES		GPS/800/900 MHz Through-Hole Mount Combination Antenna for the 806-941 MHz Range, 3 dB Gain	HAF4030	800/900	806-941	•	Through-Hole		
	I	GPS/800/900 MHz Stubby Antenna for the 806-941 MHz Range	HAF4032	800/900	806-941	•	Through-Hole		
XiR M8200 SERIES	-	GPS/800/900 MHz Through-Hole Mount Antenna for the 806-941 MHz Range, 5 dB Gain	HAF4033	800/900	806-941	•	Through-Hole		
800/900 VHF ANTEN	INAS (RF ONLY)			1					
	-	Wide Area Through-Hole Mount Stubby Antenna for the 806-941 MHz Range, 3 dB Gain	HAF4013	800/900	806-941		Through-Hole		
XIR M8600 XIR M8600 SERIES		Urban Through-Hole Mount 1/4 Wave Antenna for the 806-941 MHz Range	HAF4025	800/900	806-941		Through-Hole		
XiR M8200 SERIES		Wide Area Through-Hole Mount Antenna for the 806-941 MHz Range, 3 dB Gain	HAF4026	800/900	806-941		Through-Hole		



COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
MOBILE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE	
800/900 VHF ANTE	800/900 VHF ANTENNAS (RF ONLY)							
XIR MB600 XIR MB600i SERIES XIR MB200 SERIES		Wide Area Through-Hole Mount Antenna for the 806-941 MHz Range, 5 dB Gain	HAF4027	800/900	806-941		Through-Hole	
	°00 *	Kit, Combination GPS+RF, Base Only, Through-Hole Mount, BNC	PMAN4003	N/A	N/A	•	Through-Hole	
	000 T	Kit, Combination GPS+RF, Base Only, Through-Hole Mount, Mini-U	PMAN4004	N/A	N/A	•	Through-Hole	

COMPATIBILITY	ACCESSORY						
ANTENNA ACCES	ANTENNA ACCESSORIES						
MOBILE RADIOS	DESCRIPTION						
XiR M8600 XiR M8600i SERIES	<i>c</i>	Mobile Mini-U Antenna Adapter, 8-foot cable					
XIR M8200 SERIES	$\frown$	PL259/Mini-U Antenna Adapter, 8-foot cable					



# **GLOSSARY**

#### **FREQUENCY BAND**

Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.

#### **IMPRES**

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

IMPRES Battery Fleet Management is now over the air capable with XiR P8600 and XiR P6600 radios (must use MOTOTRBO software update 2.4 or greater).

### IMPRES AUDIO (MOTOROLA EXCLUSIVE)

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

#### **IMPRES BATTERIES AND CHARGERS**

Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

#### **INTEGRATED GPS**

To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna. (The XiR P6600/XiR P6600i Series radios do not have GPS capability, but use these antennas.)

### INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE)

Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

#### **INTRINSIC SAFETY RATING**

Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment. **\*\*NOTE:** TIA = TIA4950 Intrinsic Safety Rating; FM = FM 1988 Intrinsic Safety rating Accessories with these ratings are approved for FM or TIA when connected to Intrinsically safe FM or TIA radio/battery system.

### **IP RATING**

International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection. The second digit, IPx7 or IPx8 represents increased levels of water protection.

 IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes.

• **IPx8** represents heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 1 meter for another 2 hours.

◆ IPx8+Rugged represents exceeding industry specs by heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 2 meters for another 4 hours.

#### MATERIAL

Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.

### MICROPHONE NOISE SUPPRESSION

Multi Mic Noise Suppression: Five integrated microphones and Adaptive Audio Engine automatically change the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.

### Dual Mic Noise Suppression: Dual-

microphone design tracks your voice so that you can keep your eye on what's in front of you while speaking. A digital signal processor (DSP) algorithm helps suppress background noise so you can be heard clearly regardless of the noise around you.

### Windporting (Motorola Exclusive):

Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

**Noise-cancelling** microphones negate crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

### OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL

This Bluetooth<sup>®</sup> solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted. Enhanced Operations Critical Wireless has all this, plus instant pairing with just a touch of the accessory to the radio's Bluetooth adapter, and intrinsically safe certification for hazardous environments. This means multiple workers on shifts who need graband-go device can all pair at the same time without connecting to the wrong radio.

### SIGNAL NOISE RATING

Signal-to-noise ratio (often abbreviated SNR or S/N) is a measure used in science and engineering that compares the level of a desired signal to the level of background noise. It is defined as the ratio of signal power to the noise power, often expressed in decibels.

#### **SWIVEL OR FIXED LOOP**

Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.





For more information on Motorola accessories, visit **motorolasolutions.com/mototrbo**.



Motorola Solutions Singapore Pte Ltd 80 Pasir Panjang Road #18-81 Mapletree Business City II Singapore 117372

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2019 Motorola Solutions, Inc. All rights reserved. 01-2019

