



APX™ PROJECT 25 RADIO ACCESSORIES

SAFETY WITHOUT COMPROMISE



MISSION CRITICAL PERFORMANCE THAT PUTS SAFETY FIRST



APX PORTABLE RADIO ACCESSORIES



Motorola P25 APX radios deliver what first responders need to increase their safety and improve their situational awareness.

Get the most out of your APX radio by extending its power and reliability with APX accessories. They are the only accessories, tested and certified for use with APX radios. Our accessories endure rigorous testing to help keep you safer. There's simply no substitute for APX accessories.

Hazards that can impede other batteries, don't affect ours. We build superior batteries specifically for Motorola radios, then test them in real-world conditions against other manufacturers to prove they are the toughest and most reliable around.



APX 8000

APX 8000XE

APX 7000

APX 7000XE

APX 6000

APX 6000XE

APX 4000

APX 4000

APX 3000

APX 1000

SRX 2200

MOTOROLA'S EXCLUSIVE AUDIO FEATURES ARE MADE FOR MISSION CRITICAL MOMENTS

IMPRES™ ENERGY: YOUR BATTERY SAFER, SMARTER, POWERED FOR LONGER

Only IMPRES technology gives you the most accurate information on the state of your battery so you know it's fully charged to last the entire shift. IMPRES batteries can be charged 150 more times than a standard battery.

DUAL-MIC NOISE SUPPRESSION: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.

IMPRES™ AUDIO: I HEAR YOU, HOWEVER YOU SPEAK

Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND

Reduce the effect of wind and other outdoor noise so your messages are always heard clearly.

NOISE-CANCELING AUDIO: HEAR YOU, NOT THE NOISE

Reduce the effect of background crowd noise, sounds of sirens and horns so your messages are always heard clearly.

APX PORTABLE RADIO ACCESSORIES



XE SERIES REMOTE SPEAKER MICROPHONE (RSM)

Designed by Firefighters for Firefighters. These rugged microphones have exaggerated controls you can operate with bulky gloves and an asymmetrical shape so you can find the controls you need without looking. The new XE500 RSM features a designated Channel Knob that has been designed to mimic the Channel Knob of the radio. The XE500 utilizes 5 integrated microphones and an Adaptive Audio Engine which automatically changes the level of noise suppression, microphone gain, windporting and speaker equalization to produce clear and loud audio in any environment. The strategic placement of the microphones and enhanced water drainage provide users with the flexibility to wear it straight, upside down and even sideways.

COMPATIBILITY		ACCESSORY				FEATURES										MARKET ¹					
XE REMOTE SPEAKER MICROPHONE (RSM)																					
APX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ²	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING*	INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE/EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
XE RSM																					
APX 8000		Xtreme Temperature Cable High Impact Green Housing	NNTN8575A	•	Dual Mic Noise Suppression							IP68	FM UL [†]	75 x 100 x 33		•					•
APX 8000XE		Xtreme Temperature Cable Black Housing	NNTN8575ABLK	•	Dual Mic Noise Suppression							IP68	FM UL [†]	75 x 100 x 33		•					•
APX 7000		Xtreme Temperature Cable Black Housing	NNTN8575ABLK	•	Dual Mic Noise Suppression							IP68	FM UL [†]	75 x 100 x 33		•					•
APX 7000XE		Xtreme Temperature Cable Black Housing	NNTN8575ABLK	•	Dual Mic Noise Suppression							IP68	FM UL [†]	75 x 100 x 33		•					•
XE500 RSM																					
APX 6000		XE500 High Impact Green, Channel Knob, Xtreme Temperature Cable	PMMN4106A	•	Multi Mic Noise Suppression							IP68	UL [†]	75 x 98 x 33		•					•
APX 6000XE		XE500 Black Housing, Channel Knob, Xtreme Temperature Cable	PMMN4106ABLK	•	Multi Mic Noise Suppression							IP68	UL [†]	75 x 98 x 33		•					•

¹ These are recommended uses based on typical use case for each market listed.

² Two settings switch for volume – high and low.

[†] UL: For detailed Hazardous Location Certification, refer to pages 51-58.

* International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

APX PORTABLE RADIO ACCESSORIES

APX™ XP REMOTE SPEAKER MICROPHONE

DUAL MIC NOISE SUPPRESSION

This Remote Speaker Microphone with its thin design and optimized ergonomics is ideal for police officers and other public safety users.

With Dual Mic Noise Suppression, you will be heard despite traffic noise and sirens in the background.

When it gets dirty, just wash the microphone head to ensure your communication is not compromised.

WIRELESS REMOTE SPEAKER MICROPHONE

Secure pairing is easier than ever with voice prompts as there is no need to navigate menus or enter codes.

Removing the cord from the RSM makes getting ready for work quicker than ever. No more worrying about getting tangled with the seatbelt or other equipment.

This wireless RSM features a large, but recessed push-to-talk and emergency buttons to ensure that users have easy access to controls but don't have to worry about accidental activation. Additional features include volume control, an audio jack, 360 degree rotatable clip, as well as a task light that allows you to read items such as a driver's license in the dark.

COMPATIBILITY		ACCESSORY			FEATURES										MARKET ¹								
APX PORTABLE RADIOS		REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ²	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE	EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200			IMPRES XP RSM with Dual Mic Noise Suppression, Volume Control, 1-Programmable Button and Orange Button. Rugged, Submersible (IP68)	NMN6271	●	Dual Mic Noise Suppression					1		IP68		95 x 69 x 27	●			●	●	●		●
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200			IMPRES XP RSM with Dual Mic Noise Suppression, 3.5mm threaded jack, Volume Control, 1-Programmable Button and Orange Button (IP55)	NMN6274	●	Dual Mic Noise Suppression					1	3.5 mm	IP55		95 x 69 x 27	●			●	●	●		●
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200			XP RSM Replacement Cable with Audio Jack	NNTN6610																			
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200			XP RSM Replacement Cable without Audio Jack	NNTN6611																			
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200			Wireless RSM with Battery, Clip (RLN6544) and Dual Unit Charger (PMLN7120)	RLN6554		Windporting					1	3.5 mm	IP55		88 x 63 x 26	●		●	●	●	●		●

² Two settings switch for volume – high and low.

¹ These are recommended uses based on typical use case for each market listed.

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

WINDPORTING (MOTOROLA EXCLUSIVE) OR NOISE-CANCELLING: Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission. Noise-cancelling microphones negates crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

AUDIO JACK: Connect a variety of comfortable earpiece styles to the remote speaker microphone for a more discreet communication option.

ORANGE BUTTON: This essential programmable button on top of the microphone is easily activated if you are in trouble. This button can also be set for any programmable feature on the radio, such as emergency.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

VOLUME CONTROL: Conveniently access the volume control. Toggle switch allows you to easily adjust between high and low volume as needed.

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all directions, IP55 protects against driving rain, IP57 resists submersion in 1 meter of fresh water for 30 minutes and IP68 exceeds industry specs. Product is Ruggedized

and is heated at 27°C higher than the water temperature for 2 hours then immediately immersed to a depth of 1 meter for another 2 hours.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY	FEATURES												MARKET ¹							
REMOTE SPEAKER MICROPHONES (RSM) Our robust portfolio includes Remote Speaker Microphones and secondary audio accessories engineered to give you clearer communications even in loud environments.			All remote speaker microphones are built with top quality materials including durable Kevlar® cables that survive tough working conditions.																			
APX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ²	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING ³	INTRINSIC SAFETY RATING	SIZE (WITHOUT CLIP), (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		IMPRES Display RSM with Audio Jack, Channel Selector, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4104	●	Windporting			●	●	2	8-Pin	IP68	FM UL [†]	68 x 106 x 31	●	●	●	●	●	●	●	●
		IMPRES Display RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4103	●	Windporting			●		2	8-Pin	IP68	FM UL [†]	68 x 106 x 31	●	●	●	●	●	●	●	●
		IMPRES RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4101	●	Windporting					2	8-Pin	IP68	FM UL [†]	68 x 106 x 31	●	●	●	●	●	●	●	●
		IMPRES RSM Windporting, Rugged (IP68)	PMMN4083	●	Windporting					0		IP68	FM	60 x 78 x 28	●	●	●	●	●	●	●	●
		IMPRES RSM with 3.5mm Threaded and NON-Threaded Audio Jack and Orange Button. Noise Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4084	●	Noise-Canceling					0	3.5 mm	IP54	FM	60 x 78 x 28	●		●	●	●	●	●	●
		IMPRES Windporting RSM with Volume Toggle Switch, Orange Button, 3.5mm NON-Threaded Jack (IP55)	PMMN4099	●	Windporting					1	3.5 mm	IP55	UL [†]	60 x 78 x 28	●		●	●	●	●	●	●
		Windporting RSM, small, submersible (IP57), Coyote Brown	NNTN8235		Windporting					0		IP57	FM UL [†]	55 x 60 x 27								
	Windporting RSM with NON-Threaded 3.5mm Audio Jack, small (IP54), Coyote Brown	NNTN8236		Windporting					0	3.5 mm	IP54	FM UL [†]	55 x 60 x 27									
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		IMPRES RSM with NON-Threaded Audio Jack, Orange Button, Noise Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4062	●	Noise-Canceling					0	3.5 mm	IP54	FM UL [†]	60 x 78 x 28	●		●	●	●	●	●	●
	IMPRES RSM with Volume Toggle Switch, Orange Button and 1-Programmable Button, Windporting (IP57)	PMMN4065	●	Windporting					1		IP57	FM UL [†]	60 x 78 x 28	●		●	●	●	●	●	●	
	IMPRES RSM with NON-Threaded Audio Jack, Windporting (IP55)	PMMN4069	●	Windporting					0	3.5 mm	IP55	FM UL [†]	60 x 78 x 28	●		●	●	●	●	●	●	










¹ These are recommended uses based on typical use case for each market listed.

² Two settings switch for volume – high and low.

[†] UL: For detailed Hazardous Location Certification, refer to pages 51-58.

³ International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY		
REMOTE SPEAKER MICROPHONE ACCESSORIES AND REPLACEMENT PARTS			
APX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES ACCESSORIES AND REPLACEMENT PARTS	DESCRIPTION	PART NUMBER
XE RSM REPLACEMENT PARTS			
APX 8000		Xtreme Temperature Replacement Cable for XE RSM (NNTN8203 and NNTN8575 series)	30009402002
APX 8000XE		XE RSM Clip Assembly with brass insert designed to work with the Boston Leather Straps (AY000223A01, AY000229A01) requires Clip Button NNTN8749	NNTN8271
APX 7000			
APX 7000XE			
APX 6000		XE500 RSM Clip Assembly with brass insert designed to work with the Boston Leather Straps (AY000223A01, AY000229A01) requires Clip Button NNTN8749	PMLN7633
APX 6000XE			
		Clip Button	NNTN8749
ACCESSORIES AND REPLACEMENT PARTS			
		Dual Unit Charger, rapid rate charger, 120V (US Plug)	PMLN7120
APX 8000		Vehicular Charger	PMLN6716
APX 7000			
APX 7000XE		Wireless RSM with Battery and Clip	RLN6544
APX 6000		Wireless RSM Battery, 1750 mA Li-Ion	PMNN4461
APX 6000XE			
APX 4000		D Ring Swivel Clip (12 pack)	NNTN4990
APX 3000			
SRX 2200			

*This cable has not been certified with the APX 8000XE

FIRE MARKET SOLUTION














The XE and XE500 RSM clip paired with a clip button allows easy and secure access to your RSM when used with a Boston Radio Strap with Button Back Holder.

APX WIRELESS RSM

Every feature on this RSM has been purposefully designed. Large, yet recessed push-to-talk and emergency buttons are easy to access and designed to prevent accidental activation. Additional features include a volume control, audio jack and task light that allows you to read items such as a driver's license in the dark. This RSM features all of the advanced capabilities of Mission Critical Wireless including enhanced security, fast push-to-talk and quick touch pairing with voice prompts that confirm pairing actions. This RSM also features a removable and rechargeable battery. Charge the RSM on the go with the vehicular charger or in the office with the dual-unit desk charger.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES		
REMOTE SPEAKER MICROPHONE ACCESSORIES AND REPLACEMENT PARTS						
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONE ACCESSORIES AND REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	CONNECTOR TYPE	INTRINSIC SAFETY RATING
APX 8000		Receive-Only Earpiece with Comfort Eartube, FM approved	RLN4941†	Clear Rubber Eartip	3.5mm	FM
		Receive-Only Earpiece with Comfort Eartube	PMLN7560	Clear Rubber Eartip	3.5mm	
APX 8000XE		Receive-Only Earbud, FM and UL approved	AARLN4885	Foam Earbud	3.5mm	FM UL†
APX 7000		EP7 Sonic Defender, use with RLN4941	RLN6511 RLN6512 RLN6513			
APX 7000XE		Receive-Only Earpiece with translucent tube and rubber eartip	PMLN7560	Clear Rubber Eartip	3.5mm	
APX 6000		D-Shell Rx-Only Earpiece	PMLN4620	Over-the-Ear	3.5mm	FM UL†
APX 6000XE		Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	3.5mm	FM UL†
APX 4000		Receive and Transmit Boomless Temple Transducer (for HMN4104, HMN4103 and HMN4101 only)	RMN5116	Over-the-Head	8-Pin	FM UL†
APX 3000		Receive-Only Earpiece with translucent tube and rubber eartip (for HMN4104, HMN4103 and HMN4101 only)	RLN6424	Clear Rubber Eartip	8-Pin	FM UL†
APX 1000		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 25dB. (Pack of 50 pairs)	5080384F72	Foam Eartip		
SRX 2200		Replacement Rubber Eartip for RLN6424 (Pack of 25)	5080370E97			

NOTE: See page 24 for high noise earpiece solutions.






† UL: For detailed Hazardous Location Certification, refer to pages 51-58.

WHICH MICROPHONES ARE 50% LOUDER AND CLEARER?

APX Remote Speaker Microphones and Public Safety Microphones deliver audio that is clearer, easier to understand, and up to 50% louder. That's because they have the same speaker found in APX portable radios for the best-in-class accessory audio available.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			
REMOTE SPEAKER MICROPHONE ACCESSORIES AND REPLACEMENT PARTS				
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES ACCESSORIES AND REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	CONNECTOR TYPE
APX 8000XE		Display RSM Interface Cable, 5-Pin Nexus Female Receptacle	PMKN4107	5-Pin Nexus Female
APX 7000 APX 7000XE		Display RSM Interface Cable 4-Pin Nexus Male Plug	PMKN4112	4-Pin Nexus Male
APX 6000 APX 6000XE		Display RSM Interface Cable, 12-Pin Hirose Male Connector	PMKN4113	12-Pin Hirose Male
APX 4000 APX 3000 APX 1000		Replacement Coil Cord Kit for HMN4104, 4103 and 4101	3075336B17	
SRX 2200		Replacement Coil Cord Kit for PMMN4062, PMMN4065, PMMN4069, PMMN4083 and PMMN4099.	RLN6075	

WHICH MICROPHONE IS RIGHT FOR ME?

WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND

If you work outdoors in demanding weather, a Windporting microphone is right for you. It reduces the effects of wind and other sounds whenever you use the microphone. It also prevents water from clogging the microphone for clear transmissions.


NOISE-CANCELING AUDIO: I HEAR YOU, NOT THE NOISE

Talking in a crowd or near heavy equipment? A Noise-Canceling microphone reduces background sounds. To optimize noise reduction, hold the microphone in the correct position directly in front of your mouth, facing the source of the noise.

DUAL MIC NOISE SUPPRESSION: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.



COMPATIBILITY	ACCESSORY	FEATURES											MARKET ¹						
PUBLIC SAFETY MICROPHONES														Our robust portfolio includes Public Safety Microphones and secondary audio accessories engineered to give you clearer communications even in loud environments.					
APX PORTABLE RADIOS	PUBLIC SAFETY MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ²	ORANGE PROGRAMMABLE BUTTON	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING*	INTRINSIC SAFETY RATING	SIZE (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
 APX 7000 700/800 MHz only		IMPRES Windporting Public Safety Microphone (30 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55). VHF not supported.	PMMN4061	●	Windporting	Hi/Low		1	3.5 mm	IP55	FM UL [†]	60 x 78 x 28	●				●		
 APX 6000 700/800 MHz only		IMPRES Windporting Public Safety Microphone (24 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55). VHF not supported.	PMMN4060	●	Windporting	Hi/Low		1	3.5 mm	IP55	FM UL [†]	60 x 78 x 28	●				●		
 APX 3000 700/800 MHz only		IMPRES Windporting Public Safety Microphone (18 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55). VHF not supported.	PMMN4059	●	Windporting	Hi/Low		1	3.5 mm	IP55	FM UL [†]	60 x 78 x 28	●				●		






¹ These are recommended uses based on typical use case for each market listed.

² Two settings switch for volume – high and low.

[†] UL: For detailed Hazardous Location Certification, refer to pages 51-58.

* International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.




















APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			FEATURES		
COMMPORT™ Integrated microphone/receiver lets you talk discreetly and hear clearly and still be aware of everything around you, from traffic noise to other responders.						
APX PORTABLE RADIOS	EARPIECES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Integrated Ear Microphone/Receiver System with Palm PTT (Includes adapter BDN6783)	RLN6480	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Palm
		Integrated Ear Microphone/Receiver System with PTT on Adapter (Includes adapter BDN6783)	RLN6482	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	On Adapter
		Integrated Ear Microphone/Receiver System with Snap-On-Side PTT (Includes adapter BDN6783)	RLN6481	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Side
		Integrated Ear Microphone/Receiver System with Ring PTT (Includes adapter BDN6783)	RLN6483	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Ring
		Integrated Ear Microphone/Receiver System with Body PTT (Includes adapter BDN6783)	RLN6484	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Body






HOW DOES COMMPORT™ WORK?


The miniature microphone and receiver connect to your APX radio and fasten securely and comfortably to your ear. Unlike bone conduction or boom mic technology, the CommPort System picks up sound waves as they cross the face so you hear and can be heard virtually in any environment.







COMPATIBILITY	ACCESSORY			
COMMPORT™				
APX PORTABLE RADIOS	ACCESSORIES AND REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	
 APX 7000  APX 7000XE  APX 6000  APX 6000XE  APX 4000  APX 3000  SRX 2200		Replacement Palm PTT for RLN6480	NKN6510	
			Replacement Cable for RLN6481	NKN6508
			Replacement Snap-On-Side PTT for RLN6482	NKN6525
			Replacement Ring PTT for RLN6483	NKN6512
			Replacement Remote Body PTT for RLN6484	NNTN4188
			Ear Microphone Assembly	NTN8819
			CommPort Maintenance Kit (Includes 10 replacement ear tubes, 10 microphone seals and 2 windscreens)	NTN8821
			Adhesive Pads for secure attachment to ear (Pack of 90)	NTN8986
			Ear Straps for secure attachment to ear (pack of 10)	NTN8988
			Replacement Ear Tubes (pack of 10)	RLN5037
			Replacement Collar Clip	4285838B01
			Back Cover Clip	4202006A01



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY	FEATURES							MARKET ¹						
EAR MICROPHONE SYSTEM																
APX PORTABLE RADIOS	EAR MICROPHONE SYSTEM	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
		IMPRES Ear Microphone with Bone Conduction and programmable button, black	PMLN5653	●	In-Ear Mic	In-Ear Mic	Large, Ring-guarded, Recessed		FM APPROVED FOR APX™ 7000, APX 7000XE, APX 6000, APX 6000XE	●		●	●			
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200 APX 1000		Earguard with Adjustable Loop	0180300E25													
		Earholder, Black, Small	0180358B32													
		Earholder, Black, Medium	0180358B33													
		Earholder, Black, Large	0180358B34													
		Earholder, Clear, Medium	0180358B36													
		Earholder, Clear, Large	0180358B37													



COMPATIBILITY		ACCESSORY	FEATURES							MARKET ¹						
SURVEILLANCE KITS AND EARPIECES																
Transmit and receive discreetly with a variety of surveillance kits that feature a streamlined design and rugged cables that withstand tough conditions. A quick-disconnect, durable and comfortable translucent tube enables easy sharing between shifts.							Two-wire kits have one wire for receiving transmissions and one wire with a combined microphone and push-to-talk. Three-wire kits feature separate wires for receiving transmissions, push-to-talk and microphone.									
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000 APX 7000 APX 7000XE		1-Wire Receive-only earpiece, black	PMLN6125	●	Ear Hanger				FM UL [†]	●		●	●			
APX 6000 APX 6000XE		1-Wire Receive-only earpiece, beige	PMLN6126	●	Ear Hanger				FM UL [†]	●		●	●			
APX 4000 APX 3000 APX 1000 SRX 2200		IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127	●	Ear Hanger				FM UL [†]	●		●	●			
		IMPRES 2-Wire Surveillance Kit, programmable button, beige	PMLN6128	●	Ear Hanger	Mic and PTT combined on a single wire		Mic and PTT combined on a single wire	FM UL [†]	●		●	●			

[†] UL: For detailed Hazardous Location Certification, refer to pages 51-58.

¹ These are recommended uses based on typical use case for each market listed.

IMPRES AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.
























MICROPHONE AND PTT: Some accessories have a microphone on the same wire as push-to-talk (2-Wire surveillance kit) or on a separate wire (3-Wire surveillance kits). Microphones

are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognized testing organization as intrinsically safe. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.










APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES						MARKET [†]							
SURVEILLANCE KITS																	
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION	
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129	●	Clear Rubber Eartip				FM UL [†]	●		●	●				
		IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130	●	Clear Rubber Eartip	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire		FM UL [†]	●		●	●	●			
 APX 7000  APX 7000XE  APX 6000  APX 6000XE  APX 4000  APX 3000  APX 1000  SRX 2200		IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123	●	Clear Rubber Eartip				FM UL [†]	●		●	●				
		IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124	●	Clear Rubber Eartip	Separate wire	Separate wire		FM UL [†]	●		●	●	●			
			2-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6038		Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire			●		●	●			
			3-Wire Surveillance Kit, with Extra Loud Earpiece, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6039		Ear Hanger	Separate wire	Separate wire			●		●	●			
			2-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6032		Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire			●		●	●			
			3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6031		Ear Hanger	Separate wire	Separate wire			●		●	●			
			1-Wire Receive-Only Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6664		Ear Hanger				FM approved with APX6000/6000XE APX7000/7000XE	●		●	●			
			1-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6726		Ear Hanger				FM approved with APX6000/6000XE APX7000/7000XE UL [†]	●		●	●			
			1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6727		Ear Hanger				FM approved with APX6000/6000XE APX7000/7000XE UL [†]	●		●	●			

[†] UL: For detailed Hazardous Location Certification, refer to pages 51-58.

[†] These are recommended uses based on typical use case for each market listed.

APX PORTABLE RADIO ACCESSORIES












COMPATIBILITY		ACCESSORY						MARKET [†]							
SURVEILLANCE KITS															
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		1-Wire Receive-Only Surveillance Kit with Translucent Tube, Beige, 3.5mm Threaded. Requires BDN6783	RLN5314	Clear rubber eartip			UL [†]	●		●	●				
		1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783	RLN5313	Clear rubber eartip			UL [†]	●		●	●				
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		2-Wire Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783	RLN5312	Clear rubber eartip	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire		●		●	●				
		1-Wire Receive-Only Surveillance Kit with Volume Control and Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6666	Ear Hanger			FM approved with APX6000/6000XE APX7000/7000XE	●		●	●				
		1-Wire Receive-Only Surveillance Kit with Volume Control and Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6728	Ear Hanger			FM approved with APX6000/6000XE APX7000/7000XE	●		●	●				
 APX 7000  APX 7000XE  APX 6000  APX 6000XE  APX 4000  APX 3000  APX 1000  SRX 2200		2-Wire Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6667	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE APX7000/7000XE	●		●	●				
		2-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6729	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE APX7000/7000XE UL [†]	●		●	●				
		2-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6669	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE APX7000/7000XE	●		●	●				
		2-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6731	Ear Hanger	Mic & PTT combined on a single wire	Mic & PTT combined on a single wire	FM approved with APX6000/6000XE APX7000/7000XE UL [†]	●		●	●				
		3-Wire Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6668	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE APX7000/7000XE UL [†]	●		●	●				
		3-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6730	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE APX7000/7000XE UL [†]	●		●	●				
		3-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6670	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE APX7000/7000XE	●		●	●				
		3-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6732	Ear Hanger	Separate wire	Separate wire	FM approved with APX6000/6000XE APX7000/7000XE UL [†]	●		●	●				

[†] UL: For detailed Hazardous Location Certification, refer to pages 51-58.

[†] These are recommended uses based on typical use case for each market listed.









APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY	FEATURES				
SURVEILLANCE KIT ACCESSORIES AND REPLACEMENT PARTS						
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS	
APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		Completely Discreet Earpiece Kit with Neckloop, Beige, Includes RLN4921, RLN4920 and RNN4005	RLN4922			
		Phonak Nano Ear Receiver, Beige (Neckloop must be ordered separately)	GMLN5261			
		Phonak Nano Ear Receiver, Brown (Neckloop must be ordered separately)	GMLN5262			
		Replacement Earwax guards. 5 per pack. Compatible with RLN4922	RLN4919			
		Optional Retention Hooks, Pack of 10	NNTN8457			
		Phonak Phonito Intra Ear Receiver Included in the RLN4922	RLN4921			
		Phonak Inductive Neckloop Included in the RLN4922	RLN4920			
		1.4 Volt Battery – Pack of 6	RNN4005			
			Low Noise Kit with Quick Disconnect translucent tube and clear rubber eartip	RLN6242	Clear rubber eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
			Replacement standard clear rubber eartip, Pack of 50	RLN6282	Clear rubber eartip	PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130
		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 25dB.* Pack of 50 pairs.	5080384F72	Foam eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130	
		Low Noise Kit with 1 clear rubber eartip	RLN5886	Clear rubber eartip	RLN5882, RLN5883, PMLN5111, PMLN5112, PMLN6125, PMLN6126	
		High Noise Kit* with 2 foam earplugs	RLN5887	Foam eartip		
		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™ foam eartip	RLN5882, RLN5883, PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130	
		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply™ foam eartip		
		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply™ foam eartip		

* For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 25dB.



COMPATIBILITY	ACCESSORY	FEATURES			
SURVEILLANCE KIT ACCESSORIES AND REPLACEMENT PARTS					
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		Small Clear Comfortable Earpiece, right ear	RLN4760	Clear comfortable earpiece	
		Medium Clear Comfortable Earpiece, right ear	RLN4761	Clear comfortable earpiece	
		Large Clear Comfortable Earpiece, right ear	RLN4762	Clear comfortable earpiece	
		Small Clear Comfortable Earpiece, left ear	RLN4763	Clear comfortable earpiece	
		Medium Clear Comfortable Earpiece, left ear	RLN4764	Clear comfortable earpiece	
		Large Clear Comfortable Earpiece, left ear	RLN4765	Clear comfortable earpiece	
	SURVEILLANCE KIT AUDIO ADAPTERS				
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		3.5mm Threaded Audio Adapter	BDN6783 [†]	BDN6664, BDN6665, BDN6666, BDN6667, BDN6668, BDN6669, BDN6726, BDN6727, BDN6728, BDN6729, BDN6730, BDN6731, BDN6732, BDN6670	
		6 Pin Hirose Keyload & Audio Adapter, FM/IS rated	NNTN7869	ZMN6031, ZMN6032, ZMN6038, ZMN6039	

[†] UL: For detailed Hazardous Location Certification, refer to pages 55-62.

APX PORTABLE RADIO ACCESSORIES



XBT HEAVY-DUTY WIRELESS HEADSET IN USE








It's the middle of a shift and with machinery running at full speed, your workplace is a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS™ situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

COMPATIBILITY		ACCESSORY		FEATURES								MARKET ¹							
HEADSETS																			
APX PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	MICROPHONE	PTT	INTRINSIC SAFETY RATING	WEIGHT	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION	
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		IMPRES Temple Transducer with boom microphone and inline push-to-talk 7580384M19 - Replacement rubber temple cover (1 pair)	PMLN5101	●	Behind-the-Head	Bone Conduction		Boom	In-line	FM UL [†]	Lightweight	●		●		●	●	●	
		Earset D-Shell	PMLN5096		Over-the-Ear	Single-Ear		Boom	In-line	UL [†]	Lightweight								
		Ultra Lite Headset	PMLN5102		Over-the-Head	Single-Ear		Boom	In-line	UL [†]	Lightweight								
		Heavy-Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN5275		Behind-the-Head	Dual-Ear	●	Boom	In-line	FM UL [†]	Heavy-Duty						●	●	●
		Heavy-Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN6852		Behind-the-Head	Dual-Ear	●	Boom	On Ear Cup		Heavy-Duty						●	●	●
		Heavy-Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN6853		Behind-the-Head	Dual-Ear	●	Boom	On Ear Cup	FM UL [†]	Heavy-Duty						●	●	●
		Heavy-Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN7466		Over-the-Head	Dual-Ear	●	Boom	On Ear Cup		Heavy-Duty						●	●	●
		Heavy-Duty Over-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN7467		Over-the-Head	Dual-Ear	●	Boom	On Ear Cup		Heavy-Duty						●	●	●
APX 8000 APX 8000XE		Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic REX4648 - replacement foam earpad and microphone cover kit	RMN5058		Over-the-Head	Single-Ear		Boom	In-line	FM UL [†]	Lightweight			●		●	●	●	
APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490		Behind-the-Neck	Dual-Ear	●	Boom	Radio, headset or wireless PTT pod		Heavy-Duty					●		●	
		XBT Operations Critical Wireless Headband Style Headset	RLN6491		Over-the-Head	Dual-Ear	●	Boom	Radio, headset or wireless PTT pod		Heavy-Duty					●		●	

[†] UL: For detailed Hazardous Location Certification, refer to pages 51-58.

¹ These are recommended uses based on typical use case for each market listed.




















APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY			FEATURES					
3M PELTOR HEAVY DUTY HEADSETS										
APX PORTABLE RADIOS	3M PELTOR HEAVY DUTY HEADSETS	DESCRIPTION AND ADAPTER TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	NOISE CANCELLING MICROPHONE	PTT (APX)
DIRECT CONNECT										
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		MT Series Over-The-Head Headset, direct radio connect	RMN5137	MT7H79A-C5063-34	Over-The-Head	Connects directly to Radio	Dual-Ear	25dB	Boom	On Ear Cup
		MT Series Neckband Headset, direct radio connect	RMN5138	MT7H79B-C5063-34	Neckband	Connects directly to Radio	Dual-Ear	24dB	Boom	On Ear Cup
		MT Series Hard Hat Attached Headset, direct radio connect	RMN5139	MT7H79P3E-C5063-34	Hard Hat Attached	Connects directly to Radio	Dual-Ear	21dB	Boom	On Ear Cup
PTT ADAPTER CONFIGURATIONS										
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		MT Series Over-the-Head Headset with Nexus connector	PMLN6088	MT7H79A-34	Over-the-Head	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095
		MT Series Neckband Headset with Nexus connector	RLN6477	MT7H79B-34	Neckband	Nexus	Dual-Ear	24dB	Boom	Requires PTT Adapter PMLN6095
		MT Series Hard Hat Attached with Nexus connector	RMN4051	MT7H79P3E-34	Hard Hat Attached	Nexus	Dual-Ear	21dB	Boom	Requires PTT Adapter PMLN6095
		TacticalPro Series Over-The-Head Headset with Nexus connector	RMN4052	MT15H7A-34	Over-The-Head	Nexus	Dual-Ear	26dB	Boom	Requires PTT Adapter PMLN6095
		TacticalPro Series Neckband Headset with Nexus connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095
		TacticalPro Series Hard Hat Attached with Nexus connector	RMN4053	MT15H7P3E-34	Hard Hat Attached	Nexus	Dual-Ear	22dB	Boom	Requires PTT Adapter PMLN6095
		PTT Nexus Adapter	PMLN6095	FL5063-34						
RSM CONFIGURATIONS										
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		HT Series Listen Only Over-The-Head Headset with 3.5mm NON threaded connector	RMN4055	HTM79A-34	Over-The-Head	3.5mm NON threaded	Dual-Ear	25dB	(Listen-Only)	APX radio requires RSM: PMMN4062, PMMN4069 or PMMN4084
		HT Series Listen Only Neckband Headset with 3.5mm NON threaded connector	RMN5132	HTM79B-34	Neckband	3.5mm NON threaded	Dual-Ear	24dB	(Listen-Only)	
		HT Series Listen Only Hard Hat Attached Headset with 3.5mm NON threaded connector	RMN5133	HTM79P3E-34	Hard Hat Attached	3.5mm NON threaded	Dual-Ear	23dB	(Listen-Only)	



COMPATIBILITY		ACCESSORY		
REPLACEMENT PARTS				
APX PORTABLE RADIOS	REPLACEMENT PARTS	DESCRIPTION	PART NUMBER	PELTOR PART NUMBER
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
		Hygiene Tape for Microphone	RLN6542	HYM1000
		Boom Microphone Wind Screen	RLN6543	M40/1
		Metal Boom with Microphone	RMN5131	MT7N

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY			FEATURES				MARKET ¹									
HEARING PROTECTION																		
APX PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION				
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6511		Comply™ Foam Ear tip		Noise Reduction					●	●	●				
		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6512		Comply™ Foam Ear tip		Noise Reduction					●	●	●				
		Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6513		Comply™ Foam Ear tip		Noise Reduction					●	●	●				
TACTICAL SOLUTIONS																		
		Tactical PTT/VOX Interface Module	PMLN6765					●	●	●	●	●		●				
		Tactical PTT Only Interface Module	PMLN6827					●	●	●	●	●		●				
		Tactical Boomless Temple Transducer (requires Interface Module PMLN6765 or PMLN6827)	PMLN6766		Over-the-head	Bone Conduction	Noise Cancelling	●		●	●	●		●				
		Tactical Throat Microphone (requires Interface Module PMLN6765 or PMLN6827)	PMLN6828		Neckband	Earbud	Noise Cancelling	●		●	●	●		●				
		Tactical Ear Microphone (requires Interface Module PMLN6765 or PMLN6827)	PMLN6829		In-Ear	In-Ear	Noise Cancelling	●	●			●		●				
		Tactical Temple Transducer / Boom Mic (requires Interface Module PMLN6765 or PMLN6827)	PMLN6833		Over-the-head	Bone Conduction	Noise Cancelling	●			●	●		●				
		Tactical Remote Body PTT (for use with Interface Module PMLN6765 or PMLN6827)	PMLN6767					●	●	●	●	●		●				
		Tactical Remote Ring PTT (for use with Interface Module PMLN6765 or PMLN6827)	PMLN6830						●		●			●				

¹ These are recommended uses based on typical use case for each market listed.

WHAT ARE THE EP7 SONIC DEFENDERS ULTRA EARPLUGS?

RLN6511, RLN6512, RLN6513

The EP7 Sonic Defenders Ultra Earplugs provide extra comfort and/or noise protection for users wearing surveillance accessories or users wearing heavy duty headsets / helmets. With a foam-tipped stem design and soft memory-foam Comply™ Canal Tips, these comfortable earplugs protect your hearing without blocking your ability to hear routine sounds or conversations. Safe sounds are allowed to pass through into the ear canal, while potentially harmful noises (above 85dB) are reduced through a filter.

Filter caps are included and can be inserted for additional hearing protection or removed for use with surveillance kits.* With a patented EarLock® technology to hold them in place, all-day comfort, and a low-profile design, these earplugs can be worn while wearing a helmet or mask, or while using a phone or heavy duty headset. Lanyard is included in each earplug kit, as shown in picture.

*EP7 earpiece will not provide full 28dB Noise Reduction when the noise-reducing filter is removed.

Motorola's Tactical Solution offers a high performance interface enhanced by high speed DSP (Digital Signal Processor) which only detects the human voice.

Providing steady and trouble free transmission without clipping your message even in the noisiest environments.

Combined with various headset assures efficient and safer operation in a variety of work environments.

APX PORTABLE RADIO ACCESSORIES

HOW DO MISSION CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio and are ideal for surveillance operations. They look CONSUMER, but are mission critical in performance and provide exceptional flexibility, high security, superior audio performance and a new dimension of freedom. Carry your radio in a backpack, bag or purse without being constrained by wires. YOUR RADIO, UNLEASHED.



COMPATIBILITY		ACCESSORY												FEATURES	MARKET ¹					
MISSION CRITICAL WIRELESS ACCESSORIES (MCW) This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 30 feet.																				
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE (MILLIMETERS)	RANGE (FEET LINE OF SIGHT)	IP RATING*	INTRINSIC SAFETY RATING ²	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000 APX 8000XE APX 7000 APX 7000XE		Mission Critical Wireless Earpiece with 12" cable and push-to-talk pod	NTN2570	Over-the-Ear (CommPort™)	Directional, above the Earpiece	●	10	3	43	70 x 41 x 25	30	IP54	FM	●	●	●	●	●		●
APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Mission Critical Wireless push-to-talk pod	NTN2571	N/A	N/A	●	10	3	43	70 x 41 x 25	30	IP54	FM	●	●	●	●	●		●
		Mission Critical Wireless Remote Control Keyfob with programmable buttons	NNTN8442	N/A	N/A	●	10	3	26	67 x 32 x 16	30	IP54		●			●			

¹ These are recommended uses based on typical use case for each market listed.

² Accessory solution is FM certified when used with an FM certified radio system and FM certified adapter if required.

* International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort™ style earpiece.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort™ style earpiece is ideal for lower noise environments.

APX PORTABLE RADIO ACCESSORIES


COMPATIBILITY	ACCESSORY	FEATURES				
MISSION CRITICAL WIRELESS ACCESSORIES This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 30 feet.						
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		1- Wire Surveillance kit with Translucent Acoustic tube for Wireless PTT Pods	PMLN7052	Clear Rubber Eartip	In-line	On Pod, ordered separately
		1- Wire Earbud for Wireless Push-to-Talk pod with 11.5" cable, Black	NNTN8294	Earbud	In-line	On Pod, ordered separately
		1- Wire Earbud for Wireless Push-to-Talk pod with 45" cable, Black	NNTN8295	Earbud	In-line	On Pod, ordered separately
		Covert Audio Kit for Mission Critical Wireless PTT Pod	NNTN8296	1 earbud and 2 earbud headsets	In-line	On Pod, ordered separately
		Y-Adapter and Retention Hook for Mission Critical Wireless Push-to-Talk Pod	NNTN8385		Directional, on separate wire	On Pod, ordered separately
		Neckloop for Discreet Earpiece Kit	RLN4920			
		Accessory Kit, Completely Discreet Wireless Surveillance Kit. Includes: Wireless Neckloop, Y-adapter and retention hook(NNTN8385), Completely Discreet Earpiece Kit (RLN4922) and Mission Critical Wireless push-to-talk pod (NTN2571)	NNTN8434			
		Commercial 3.5mm Earbud Headset Adapter, 10 per pack	NNTN8737			
		Replacement Wireless Earpiece 12 inch cable	NTN2572	Over-the-Ear (CommPort™)	Directional above the ear comport mic	On Pod, ordered separately
		Mission Critical Wireless Covert Pack-N-Go Kit, Basic. Kit includes: NNTN8296 Basic Mission Critical Wireless Covert Kit, NTN2571 Mission Critical Wireless Push-to-Talk (PTT) Pod and NNTN8442 Mission Critical Wireless Remote Control Unit	RLN6489	Earbud and earbud headset	On Y-Adapter or in-line on earbuds	On PTT and MCW Keyfob
		Mission Critical Wireless Covert Pack-N-Go Kit, Advanced. Kit includes: All contents of Covert Pack-n-Go Kit plus RLN4922 Completely Discreet Earpiece Kit and NNTN8385 Wireless Neckloop Y-adapter	RLN6501	Completely Discreet Earpiece, earbud and earbud headset	On Y-Adapter or in-line on earbuds	On PTT and MCW Keyfob

COMPATIBILITY	ACCESSORY	FEATURES				
MISSION CRITICAL WIRELESS ACCESSORIES This portfolio is a game changer, giving you the flexibility to remove the radio from your belt and stay connected within 30 feet.						
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Wireless Earpiece Maintenance Kit with 10 silicone ear tubes, 10 microphone seal strips and 2 foam windscreens for NTN2572 Over-the-Ear earpiece	NTN8821	Over-the-Ear (CommPort™)		
		Ear strap for CommPort™ earpiece to secure earpiece to ear (10 per pack)	NTN8988	Over-the-Ear (CommPort™)		
		Eartubes for CommPort™ earpiece (10 per pack)	RLN5037	Over-the-Ear (CommPort™)		
		Replacement ear tips kit for wireless ear buds (20 Small, 20 Medium, 20 Large and 10 clips)	NNTN8361	Earbud		
		Replacement Swivel Clip for Wireless PTT Pod	PMLN6246			
		Replacement or spare micro-usb plug-in charger (US)	PMPN4027			















WHAT MAKES THE COVERT PACK-AND-GO KIT A MUST-HAVE?

Organize and stow all your APX wireless accessories on the go, all in one place. Keep this durable kit in a backpack or messenger bag and you'll always have the right accessories on hand. With a dozen secure straps and deep mesh pockets, you can access exactly what you need when an operation happens.



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES								
MOTOROLA IMPRES 2 BATTERIES												
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING*	
APX 8000 APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES 2 Li-Ion 3400mAh Battery, Rugged IP68, replaced the NNTN7038 3100mAh	PMNN4486	●	Li-Ion	3400	15.5	86 x 59 x 42	185		IP68 Rugged	
		IMPRES 2 Li-Ion 2550mAh Battery, Rugged IP68, replaced the NNTN4403 2200mAh Battery	PMNN4485	●	Li-Ion	2550	11.5	86 x 59 x 37	150		IP68 Rugged	
		IMPRES 2 Li-Ion 4850mAh Battery, Rugged IP68, -30°C Rated, replaced the NNTN7034 4400mAh Battery	PMNN4487	●	Li-Ion	4850	21	130 x 59 x 42	320		IP68 Rugged	
		IMPRES 2 Li-Ion 5100mAh Battery, Rugged IP68	PMNN4494	●	Li-Ion	5100	21.5	130 x 59 x 42	320		IP68 Rugged	
		IMPRES 2 Li-Ion 2650mAh Battery, Rugged IP68	NNTN8930	●	Li-Ion	2650	13.5	86 x 59 x 42	165	UL†	IP68 Rugged	
APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES 2 Li-Ion 4500mAh Battery, Rugged IP68	NNTN8921	●	Li-Ion	4500	18.5	130 x 59 x 42	320	UL†	IP68 Rugged	
APX 8000XE		IMPRES 2 Li-Ion 3400 mAh, Rugged IP68	PMNN4504	●	Li-Ion	3400	10	86 x 59 x 42	185	UL†	IP68 Rugged	
		IMPRES 2 Li-Ion 4850 mAh, Rugged IP68, -30°C Rated	PMNN4505	●	Li-Ion	4850	14.5	130 x 59 x 42	320	UL†	IP68 Rugged	
MOTOROLA IMPRES TWO-WAY BATTERIES The only batteries developed, tested and certified for optimal performance with your APX radio. APX batteries are Proven Tough, in lab test after lab test, to withstand shocks, knocks, drops and shakes and outperform the other brands.												
APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES Li-Ion 2350 mAh, Intrinsically Safe - FM, Submersible, Rugged Battery-IP68	NNTN8092	●	Li-Ion	2350	11	86 x 59 x 42	160	FM	IP68	
		IMPRES Li-Ion 4300 mAh Intrinsically Safe - FM, Submersible, Rugged Battery-IP68	NNTN7033	●	Li-Ion	4300	19.5	130 x 59 x 42	285	FM	IP68	
		IMPRES NiMH 2300 mAh, Submersible Battery-IP67	NNTN7037	●	NiMH	2300	10.5	136 x 59 x 40	335		IP67	






IMPRES 2 A NEW GENERATION. COMPLETELY RE-ENERGIZED.

With IMPRES 2 chargers, you can charge IMPRES 2 batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery. IMPRES 2 batteries have been improved inside and out, so your team can tackle whatever the day brings. With higher capacity, you'll get more talk time. With better water resistance, you'll never think twice about submersion. And with the ability to charge up to 60% more times than standard Lithium Ion batteries, you'll reduce costs.

* International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27°C colder than the product for 2 hours.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES							
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE	DIMENSIONS (MILLIMETERS) (H x W x D)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING*
APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES NiMH 2300 mAh, Submersible Rugged Battery-IP68	NNTN7573	●	NiMH	2300	10.5	136 x 59 x 40	335		IP68
		IMPRES NiMH 2200 mAh Intrinsically Safe - FM, Submersible Battery-IP67	NNTN7036	●	NiMH	2200	10.5	136 x 59 x 40	335	FM	IP67
		IMPRES NiMH 2200 mAh Intrinsically Safe - FM, Submersible Rugged Battery-IP68	NNTN7035	●	NiMH	2200	10.5	136 x 59 x 40	335	FM	IP68
		APX Clamshell Battery Pack (requires 12 AA Alkaline batteries, not included), Submersible Battery-IP57	PMNN4439		AA Alkaline/ Li-Ion	Alkaline: 2700 Li-Ion: 6100	Alkaline: 12 Li-Ion: 27	165 x 60 x 60	Alkaline: 476 Li-Ion: 380		
SRX 2200		Military, Li-Ion 3100 mAh, Submersible, Rugged Battery-IP68, Coyote Brown	NNTN8182		Li-Ion	3100	14	86 x 59 x 42	185		IP68
APX 4000 APX 3000 APX 1000		IMPRES Li-Ion 2000 mAh Slim, Submersible, Battery-IP67	NNTN8128	●	Li-Ion	2000	8.5	115 x 52 x 18	160		IP67
		APX 4000 two knob radio IMPRES Hi-Cap Li-Ion 2500 mAh battery Submersible (IP57)	NNTN8560	●	Li-Ion	2500	11	113 x 52 x 23	195	UL†	IP57
		IMPRES Li-Ion 2350 mAh Submersible, Battery-IP67	PMNN4424	●	Li-Ion	2350	10.5	115 x 52 x 23	170		IP67
		IMPRES Li-Ion 2800 mAh Submersible, Battery-IP67	PMNN4448	●	Li-Ion	2800	13	115 x 52 x 23	170		IP67
		IMPRES Li-Ion 2350 mAh Intrinsically Safe - FM, Submersible, Battery-IP67	NNTN8129	●	Li-Ion	2350	10.5	115 x 52 x 23	170	FM	IP67
APX 3000		IMPRES Li-Ion 1300 mAh Slim, Submersible, Battery-IP67	NNTN8305	●	Li-Ion	1300	6	115 x 52 x 14	98		IP67

* International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection, while the second digit, IPx7 represents withstanding submersion in 1 meter of fresh water for 30 minutes. Rugged batteries exceed industry standards (IPx7) for submersibility and provide a higher level of water protection – MIL-STD-810E, Method 512.3 (Immersion). These batteries meet the incremental requirement of submersion in 1 meter of fresh water that is 27C colder than the product for 2 hours.

† UL: For detailed Hazardous Location Certification, refer to pages 51-58.



HOW DO IMPRES BATTERIES AND CHARGERS SAVE MONEY?


They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES battery. **YOUR BATTERY. SAFER, STRONGER, POWERED FOR LONGER.**

KNOCKS. DROPS. SHOCKS. VIBRATION. STATIC.

If your radio gets banged on a ride, rattled by heavy equipment or shocked by static electricity, our batteries will stay true and stand tough. These rigorous lab tests prove that Motorola radio batteries perform robustly and reliably, despite the toughest conditions. What's more, we stand behind every battery we build.

See www.motorolasolutions.com/proventough for details.


PROVEN TOUGH BATTERY TESTING PASS RATE



APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES							
CHARGER SOLUTIONS Choose from a variety of solutions including single-unit, unique dual-unit, multi-unit, travel and vehicular chargers and be confident your radio is charged and ready to go the moment you need it.											
PORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETERS) (H x W x D)	NUMBER OF POCKETS	RECONDITIONING CAPABLE	CHARGING CURRENT (MAX.)	NUMBER OF DISPLAYS
DESKTOP, SINGLE AND MULTI-UNIT CHARGERS											
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES 2 Single-Unit Fast Charger, 115V (US Plug)	NNTN8860	●	Li-Ion, NiMH	115VAC	60 x 97 x 163	1	●	Fast	
		IMPRES 2 Single-Unit Fast Charger, 100-240V (US Plug) (33004209T04 US Cord, 3004209T01 EU Cord, 3004209T02 UK Cord)	NNTN8863	●	Li-Ion, NiMH	100-240VAC	60 x 97 x 163	1	●	Fast	
APX 4000 APX 3000 APX 1000		IMPRES Single-Unit Rapid Rate Charger, 120V (US Plug)	WPLN4232	●	Li-Ion, NiMH	120VAC	60 x 97 x 163	1	●	Rapid Rate	
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES Dual-Unit Rapid Rate Charger with 2 Displays, 120V (US plug)	NNTN7593	●	Li-Ion, NiMH	120VAC	64 x 142 x 208	2	●	Rapid Rate	2
		IMPRES 2 Multi-Unit Fast Charger with 6 Displays and 6 Integrated USB Charging Ports, 100-240V (US Plug) (33004209T04 US Cord, 3087791G04 EU Cord, 3087791G07 UK Cord)	NNTN8844	●	Li-Ion, NiMH	100-240VAC	153 x 445 x 292	6	●	Fast	6
APX 4000 APX 3000 APX 1000		IMPRES Multi-Unit Rapid Rate Charger with 6 Displays, 120V (US plug)	WPLN4219	●	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	●	Rapid Rate	6
		IMPRES Multi-Unit Rapid Rate Charger with 1 Display, 120V (US plug)	WPLN4212	●	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	●	Rapid Rate	1
SRX 2200		Military, IMPRES Multi-Unit Rapid Rate, Charger, 120V (US Plug) with Pocket Inserts	NNTN8185	●	Li-Ion, NiMH	120VAC	153 x 445 x 292	6	●	Rapid Rate	
VEHICULAR, TRAVEL CHARGERS AND VEHICULAR ADAPTER (VA)											
APX 8000 APX 8000XE APX 7000 APX 7000XE	APX 6000 APX 6000XE SRX 2200		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7624	●	Li-Ion, NiMH	12VDC hardwire	82 x 97 x 200	1		Rapid Rate
APX 4000 APX 3000 APX 1000			IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7616	●	Li-Ion, NiMH	12VDC hardwire	82 x 97 x 200	1		Rapid Rate
APX 8000 APX 8000XE APX 7000 APX 7000XE	APX 6000 APX 6000XE SRX 2200		Travel Charger with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	RLN6434		Li-Ion, NiMH	12VDC cigarette lighter adapter	67 x 67 x 70	1		
APX 4000 APX 3000 APX 1000			Travel Charger with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord	NNTN8525		Li-Ion, NiMH	12VDC cigarette lighter adapter	64 x 67 x 57	1		
APX 6000 APX 6000XE SRX 2200 VHF IS NOT SUPPORTED		APX Vehicular Adapter includes fused power cable, 2 keys for the lock, screws for attaching VA to the trunnion & quick start guide. Trunnion mounting bracket NTN8940 must be ordered separately.	NNTN8527*		Li-Ion		254 x 137 x 84	1		Rapid Rate	
		Trunnion Mounting Bracket	NTN8940								

*Radios require firmware version, R13.00.00 or later.



CHARGE FAST. RESPOND FASTER.

With IMPRES 2 chargers, you can charge IMPRES 2 batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery.










Get a detailed look at performance while your batteries charge. A built-in diagnostic tool, integrated in the multi-unit charger, provides important usage data, such as a battery's ability to hold a charge and its time in service. Use the information to manage your fleet more efficiently, and replace low capacity batteries before it's too late.


IMPRES BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES Display chargers tell you exactly how much capacity is in an IMPRES battery before you attach it to your radio and exactly when an IMPRES battery has reached the end of service life.

BATTERY WARRANTY: Take advantage of the longest warranty in the industry. Our warranty protects against any defects in workmanship for **four years** – twice as long as most leading competitive batteries.

NUMBER OF POCKETS: APX multi-unit chargers let you simultaneously charge up to 6 radios and/or batteries.

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY	
CHARGER SOLUTIONS			
APX PORTABLE RADIOS	CHARGER ACCESSORIES	DESCRIPTION	PART NUMBER
SINGLE AND MULTI-UNIT CHARGER ACCESSORIES			
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		Display Module for IMPRES Multi-Unit Charger	RLN5382
		Wall Mount Bracket for IMPRES Multi-Unit Charger	NLN7967
APX 7000 APX 7000XE APX 6000		Insert for WPLN4108/4130 XTS Multi-Unit Charger (6 per pack)	NNTN7686
APX 6000XE SRX 2200		Insert for NTN1873/WPLN4111 XTS Single-Unit Charger	NNTN7687
APX 3000 APX 4000 APX 1000		Insert for WPLN4108/4130 XTS Multi-Unit Charger (6 per pack)	NNTN8170
		Insert for NTN1873/WPLN4111 XTS Single-Unit Charger	NNTN8169
IMPRES BATTERY MANAGEMENT TOOLS			
		IMPRES Battery Reader	NNTN7392
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		IMPRES Battery Fleet Management Software (http://www.motorolasolutions.com/US-EN/Business+Product+and+Services/Accessories/Two-Way+Radio+Accessories/Batteries/IMPRES)	NNTN7676
		IMPRES Battery Fleet Management License Key	HKVN4036
		IMPRES Battery Fleet Management Multi-Unit Charger Interface Unit	NNTN7677
		IMPRES Battery Fleet Management Single-Unit Charger Interface Unit	NNTN8045
KEYLOAD CABLES			
APX 7000 APX 7000XE APX 6000 APX 6000XE	APX 4000 APX 3000 SRX 2200	Keyloader Cable, KVL3000 & KVL4000	WPLN6904
APX 8000XE		Keyload RS-232 Cable	WPLN6905
		Keyload Cable	CKN6904



HOW DO I KNOW MY BATTERIES WILL LAST AN ENTIRE SHIFT?

With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, you can efficiently manage batteries with real-time data not available from other manufacturers.

These easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

APX PORTABLE RADIO ACCESSORIES

CARRY SOLUTIONS

Motorola Carry Solutions were developed to meet the demands of public safety and other users who operate in the most rigorous of environments. A variety of carrying accessories are available for comfort and convenience.

LEATHER CARRY CASES

Motorola Leather Carry Cases constructed of top-grain leather are designed to withstand the harsh conditions of public safety users.

















COMPATIBILITY	ACCESSORY	FEATURES						
CARRY SOLUTIONS Carry cases and holders are available in sizes designed to fit your radio and battery and permit audio to be heard clearly. Our carry accessories keep your hands-free, so you can concentrate on the task at hand.								
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
APX 7000		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5331	Plastic	3	Fixed		
APX 7000XE		Carry Holder for 1.5, 2.5 and 3.5 Model Radios only	PMLN6102	Plastic	3	Fixed		
APX 6000		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5709	Plastic	2.5	Fixed		
APX 8000XE APX 6000XE		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5880	Plastic	3	Fixed		
APX 3000		Covert Carry Holster	PMLN6327	Plastic	3	Fixed		
		Leather Carry Case with 3" Fixed Belt Loop	PMLN5323	Hard Leather	3	Fixed	●	NNTN7038 NNTN8092 NNTN8930 PMMN4403 PMMN4485 PMMN4486
		Leather Carry Case with 3" Fixed Belt Loop	PMLN5326	Hard Leather	3	Fixed	●	NNTN7033 NNTN7034 NNTN8921 PMMN4487 PMMN4494
		Leather Carry Case with 3" Fixed Belt Loop	PMLN5329	Hard Leather	3	Fixed	●	NNTN7035 NNTN7036 NNTN7037 NNTN7573
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5324	Hard Leather	2.75	Swivel	●	NNTN7038 NNTN8092 NNTN8930 PMMN4403 PMMN4485 PMMN4486
















COMPATIBILITY	ACCESSORY	FEATURES						
CARRY SOLUTIONS								
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5327	Hard Leather	2.75	Swivel	●	NNTN7033 NNTN7034
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5330	Hard Leather	2.75	Swivel	●	NNTN7035 NNTN7036 NNTN7037 NNTN7573
		Dual Display Radio Flip Leather Carry Case with 2.75" Swivel Belt Loop	PMLN5560	Hard Leather	2.75	Swivel	●	NNTN7038 NNTN8092 PMMN4403
APX 8000 APX 8000XE APX 7000 APX 7000XE		Molded Nylon carry case with quick disconnect swivel and adjustable lanyard	PMLN6802	Nylon		Swivel		
		Leather Carry Case with 3" Fixed Belt Loop	NNTN8112	Hard Leather	3	Fixed	●	NNTN7038 NNTN8092 PMMN4403
		Leather Carry Case with 3" Fixed Belt Loop	NNTN8114	Hard Leather	3	Fixed	●	NNTN7033 NNTN7034
		Leather Carry Case with 3" Fixed Belt Loop	NNTN8116	Hard Leather	3	Fixed	●	NNTN7035 NNTN7036 NNTN7037 NNTN7573

MATERIAL: Choose from comfortable and flexible nylon cases, rugged, durable hard leather cases or carry holsters.













SWIVEL OR FIXED LOOP: Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.

APX PORTABLE RADIO ACCESSORIES





COMPATIBILITY		ACCESSORY			FEATURES				
CARRY SOLUTIONS									
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES	
 APX 7000XE		Leather Carry Case and 2.75" Swivel Belt Loop	NNTN8111	Hard Leather	2.75	Swivel		NNTN7038 NNTN8092 PMMN4403	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	NNTN8113	Hard Leather	2.75	Swivel	●	NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	NNTN8115	Hard Leather	2.75	Swivel	●	NNTN7035 NNTN7036 NNTN7037 NNTN7573	
		Boston Leather Carry Case with D Rings – Requires an Audio Accessory, Radio strap holds down radio by strapping over the Audio Accessory connector, used with Boston Leather radio straps	AY000222A01	Hard Leather				●	
 APX 8000  APX 6000		Leather Carry Case with 3" Fixed Belt Loop for	PMLN5658	Hard Leather	3	Fixed	●	NNTN7038 NNTN8092 PMMN4403 PMNN4485 PMNN4486 NNTN8930 (for APX 6000)	
		Leather Carry Case with 3" Fixed Belt Loop	PMLN5660	Hard Leather	3	Fixed	●	NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921 (for APX 6000)	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5657	Hard Leather	2.75	Swivel	●	NNTN8092 PMNN4485 PMNN4486 NNTN8930 (for APX 6000)	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5659	Hard Leather	2.75	Swivel	●	NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921 (for APX 6000)	
 APX 8000XE  APX 6000XE		Leather Carry Case with 3" Fixed Belt Loop	PMLN5876	Hard Leather	3	Fixed	●	NNTN7038 NNTN8092 PMMN4403 PMNN4485 (for APX 6000XE) PMNN4486 (for APX 6000XE) NNTN8930 (for APX 6000XE) PMNN4504 (for APX 8000XE)	

COMPATIBILITY		ACCESSORY			FEATURES				
CARRY SOLUTIONS									
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES	
 APX 8000XE  APX 6000XE		Leather Carry Case with 3" Fixed Belt Loop	PMLN5879	Hard Leather	3	Fixed	●	NNTN7033 NNTN7034 PMNN4487 (for APX 6000XE) PMNN4494 (for APX 6000XE) NNTN8921 (for APX 6000XE) PMNN4505 (for APX 8000XE)	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5875	Hard Leather	2.75	Swivel	●	NNTN7038 NNTN8092 PMMN4403 PMNN4485 (for APX 6000XE) PMNN4486 (for APX 6000XE) NNTN8930 (for APX 6000XE) PMNN4504 (for APX 8000XE)	
		Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5877	Hard Leather	2.75	Swivel	●	NNTN7033 NNTN7034 PMNN4487 (for APX 6000XE) PMNN4494 (for APX 6000XE) NNTN8921 (for APX 6000XE) PMNN4505 (for APX 8000XE)	
		Leather Carry Case with 2.5" Swivel Belt Loop	PMLN6085	Hard Leather	2.5	Swivel			
 APX 4000  APX 1000		Carry case for APX 4000 two knob radios	PMLN7182	Hard Leather	2.5	Swivel	●		
 SRX 2200		Replacement belt loop for PMLN7182	PMLN7229						
		Nylon, Coyote brown carry pouch designed to fit with the elite special ops "MOLLE" vest (sold separately)	NNTN8269	Nylon	Up to 5	Fixed			
 APX 7000		Nylon Carry Case with 3" Fixed Belt Loop for NNTN7038, PMMN4403 and NNTN8092 Batteries	PMLN5322	Nylon	3	Fixed	●	NNTN7038 PMMN4403 NNTN8092	
		Nylon Carry Case with 3" Fixed Belt Loop for NNTN7033 and NNTN7034 Batteries	PMLN5325	Nylon	3	Fixed	●	NNTN7033 NNTN7034	
		Nylon Carry Case with 3" Fixed Belt Loop for NNTN7035, NNTN7036, NNTN7037 and NNTN7573 Batteries	PMLN5328	Nylon	3	Fixed	●	NNTN7035 NNTN7036 NNTN7037 NNTN7573	














APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY			FEATURES				
CARRY SOLUTIONS									
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/FIXED	D-RINGS		
APX 8000 APX 7000		Carry Case for APX Radio with Clamshell Battery	PMLN6712	Nylon	Up to 5	Fixed	●		
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE		2.5" Hard Plastic Belt Clip (not compatible with UHF Portable Radios)	NTN8266	Plastic	2.5				
		3" Hard Plastic Belt Clip	HLN6875	Plastic	3				
		Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	Nylon					
		Break-a-Way Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	RLN4570	Nylon					
		Replacement Strap for HLN6602 and RLN4570	1505596Z02	Nylon					
 APX 4000  APX 1000		2" Hard Plastic Belt Clip	PMLN4651	Plastic	2				
		2.5" Hard Plastic Belt Clip	PMLN7008	Plastic	2.5				
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 1000		Replacement 2.5" Leather Swivel Belt Loop	PMLN5407	Hard Leather	2.5	Swivel			
			Replacement 2.75" Leather Swivel Belt Loop	PMLN5408	Hard Leather	2.75	Swivel		
				Replacement 3" Leather Swivel Belt Loop	PMLN5409	Hard Leather	3	Swivel	



COMPATIBILITY		ACCESSORY			FEATURES			
CARRY SOLUTIONS								
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/FIXED	D-RINGS	
APX 7000		Replacement Carry Case Strap with Snaps, Long. Used with NNTN8111, NNTN8112, NNTN8113, NNTN8114, NNTN8115 and NNTN8116	PMLN5800	Leather				
APX 8000 APX 8000XE APX 7000 APX 7000XE		1.75" Wide Leather Belt	4200865599	Leather				
			Adjustable Nylon Carrying Strap	NTN5243	Nylon			
APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		Boston Leather Fireman's Radio Strap	RLN6486	Leather				
		Boston Leather Fireman's Radio Strap - XL	RLN6487	Leather				
		Boston Leather Fireman's Radio Strap with button back holder	AY000223A01	Leather				
		Boston Leather Fireman's Radio Strap with button back holder - XL	AY000229A01	Leather				
		Boston Leather Anti-Sway Strap for Boston Leather Fireman's Radio Strap	RLN6488	Leather				

APX PORTABLE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY		FEATURES					
ANTENNAS									
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	INTRINSIC SAFETY RATING
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		700/800 MHz, GPS Whip Antenna	NAF5085	700/800	764-870	●	20	Whip	UL†
		UHF, GPS Whip Antenna	PMAE4065	UHF	380-520	●	14.2	Whip	UL†
APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		VHF, GPS Whip Antenna	NAR6593	VHF	136-174	●	20	Whip	UL†
APX 4000		900 MHz, GPS Antenna	PMAF4008	800/900	896-941	●	6	Whip	
		800/900 MHz, GPS Combination Helical Antenna	PMAF4003	800/900	806-941	●	18	Helical	UL†
APX 8000/8000XE APX 7000 APX 6000/6000XE APX 4000 APX 1000		1/4 Wave, 700/800 MHz, GPS Stubby Antenna	NAR6595	700/800	764-870	●	9.8	Stubby	UL†
APX 6000 APX 6000XE APX 4000 APX 1000		UHF Range 1, GPS Stubby Antenna	FAF5259	UHF	380-470	●	9.3	Stubby	UL†
		UHF Range 2, GPS Stubby Antenna	FAF5260	UHF	470-520	●	9.3	Stubby	UL†
APX 8000 APX 8000XE APX 7000 APX 7000XE		VHF, 700/800 MHz Dual Band, GPS Whip Antenna	NAR6594	VHF, 700/800	136-174; 764-870	●	20	Whip	UL†
		VHF, UHF Dual Band, GPS Whip Antenna	PMAT4001	VHF, UHF	136-174; 380-520	●	21.8	Whip	UL†
		UHF 700/800 MHz Dual Band, GPS Whip Antenna	PMAS4001	UHF, 700/800	380-520; 764-870	●	19.7	Whip	UL†
APX 7000 (700/800 MHz only) APX 6000 (700/800 MHz only)		GPS Antenna (Directly connected to radio when a public safety microphone is used)	NAG4000	700/800		●	7	Stubby	
		700/800 Public Safety Microphone Only Stubby Antenna	PMAF4002	700/800	764-870			9	Stubby
APX 8000		VHF, 700/800, UHF Range 1, UHF Range 2 GPS (radio only)	KT000026A01	VHF, 700/800		●		Whip	UL†
APX 3000		Flexible Antenna, 700/800 MHz Includes one flexible antenna spacer	PMAF4006	700/800	764-870	●	41	Flexible	
		Flexible Antenna, UHF Includes three flexible antenna spacers	PMAE4080	UHF	308-470	●	77	Flexible	
		Flexible Antenna, VHF Includes two flexible antenna spacers	PMAD4125	VHF	136-174			44	Flexible
PROGRAMMING CABLES									
APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE APX 4000 APX 3000 APX 1000 SRX 2200		Programming and Test Cable	PMKN4013						
		Programming Cable	PMKN4012						

† UL: For detailed Hazardous Location Certification, refer to pages 51-58.



APX HAZLOC RATINGS FOR ACCESSORIES

UL

APX 1000 / APX 4000 2-KNOB

Radio Models for HAZLOC are listed by UL to standards ANSI/TIA 4950 and CAN/CSA C22.2 NO. 157-92. Classification Rating Division 1, Class I, Groups C, D; Class II Group E, F, G; Class III. T3C. Tamb = -25°C to +60°C. Intrinsically Safe when used with Motorola Battery NNTN8560, 7.4V.

UL

APX 6000 / APX 6000Li / APX 6000XE / SRX 2200

Radio Models for HAZ LOC are listed by UL to standards: ANSI/TIA 4950-A and CAN/CSA C22.2 NO. 157-92 Classification Rating Class I, Division 1, Groups C, D; Class II, Division 1, Group E, F, G; Class III, Hazardous (Classified) Locations.

ANSI/ISA 12.12.01-2015 and CAN/CSA C22.2 No.213-15 Class I, Division 2, Groups A, B, C, D; T3C. Tamb = -25° C to +60° C. Intrinsically Safe when used with Motorola Battery: NNTN8921A NNTN8930A 7.4V

APX 7000 / APX 7000XE

Radio Models for HAZ LOC are listed by UL to standards: ANSI/TIA 4950-A and CAN/CSA C22.2 NO. 157-92 Classification Rating Class I, Division 1, Group D; Class II, Division 1, Group E, F, G; Class III, Hazardous (Classified) Locations.









ANSI/ISA 12.12.01-2015 and CAN/CSA C22.2 No.213-15 Class I, Division 2, Groups A, B, C, D; T3C. Tamb = -25° C to +60° C. Intrinsically Safe when used with Motorola Battery: NNTN8921A NNTN8930A 7.4V










UL

APX 8000XE













Land Mobile Radio Models for use in HAZ LOC are listed by UL to non-incendive standards: ISA 12.12.01-2015 and CAN/CSA C22.2 No. 213-15 as safe for use in Class I, Division 2, Groups A,B,C,D; Class II, Division 2, Groups F,G; Class III, Division 2 Hazardous (Classified) Locations. Non-Incendive (Non Incendiaire) when used with Motorola Battery: PMNN4504A (Rated 7.4 V, 3400 mAh) or PMNN4505A (Rated 7.4 V, 4850 mAh)

APX HAZLOC RATINGS FOR ACCESSORIES





SURVEILLANCE KITS				
MODEL NUMBER OF INTRINSIC SAFETY MANUAL		MN001121A01-AC	PMLN7376C	PMLN7375A
DESCRIPTION	PART NUMBER	APX 1000 APX 4000 2-KNOB	APX 6000, APX 6000LI, APX 6000XE, SRX 2200, APX 7000, APX 7000XE	APX 8000XE
3.5mm Threaded Audio Adapter	BDN6783B		●	
 3-Wire Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6668A		●	
 1-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6726A		●	
1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6727A		●	
 2-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6729A		●	
 3-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6730A		●	
 2-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6731A		●	
 3-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6732A		●	
 Receive-Only Earbud, FM and UL approved	AARLN4885B		●	
 Receive-Only Earpiece with translucent tube and rubber eartip (for HMN4104, HMN4103 and HMN4101 only)	RLN6424A			●

SURVEILLANCE KITS					
MODEL NUMBER OF INTRINSIC SAFETY MANUAL			MN001121A01-AC	RE-CERTIFICATION PMLN7376C	PMLN7375A
DESCRIPTION	PART NUMBER	APX 1000 APX 4000 2-KNOB	APX 6000, APX 6000LI, APX 6000XE, SRX 2200, APX 7000, APX 7000XE	APX 8000XE	
 Receive and Transmit Boomless Temple Transducer (for HMN4104, HMN4103 and HMN4101 only)	RMN5116A			●	
 IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123A	●	●		
 IMPRES 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124A	●	●		
 1-Wire Receive-only earpiece, black	PMLN6125A	●	●		
 1-Wire Receive-only earpiece, beige	PMLN6126A	●	●		
 IMPRES 2-Wire Surveillance Kit, programmable button, black	PMLN6127A	●	●		
 IMPRES 2-Wire Surveillance Kit, programmable button, beige	PMLN6128A	●	●		
 IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129A	●	●	●	
 IMPRES 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130A	●	●		








APX HAZLOC RATINGS FOR ACCESSORIES

REMOTE SPEAKER MICROPHONES (RSM)			MN001121A01-AC	PMLN7376C	PMLN7375A
MODEL NUMBER OF INTRINSIC SAFETY MANUAL		PART NUMBER	APX 1000 APX 4000 2-KNOB	APX 6000, APX 6000LI, APX 6000XE, SRX 2200, APX 7000, APX 7000XE	APX 8000XE
DESCRIPTION					
	IMPRES RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4101B			●
	IMPRES Display RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4103B			●
	IMPRES Display RSM with Audio Jack, Channel Selector, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4104B			●
	Xtreme Temperature Cable High Impact Green Housing	NNTN8575A			●
	Xtreme Temperature Cable Black Housing	NNTN8575ABLK			●
	XE500 High Impact Green, Channel Knob, Xtreme Temperature Cable	PMMN4106A		●	●
	XE500 Black Housing, Channel Knob, Xtreme Temperature Cable	PMMN4106ABLK		●	●
	Windporting RSM, small, submersible (IP57), Coyote Brown	NNTN8235A		●	
	Windporting RSM with NON-Threaded 3.5mm Audio Jack, small (IP54), Coyote Brown	NNTN8236A		●	
	IMPRES Windporting Public Safety Microphone (18 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55). VHF not supported	PMMN4059A		●	
	IMPRES Windporting Public Safety Microphone (24 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55). VHF not supported.	PMMN4060A		●	
	IMPRES Windporting Public Safety Microphone (30 inch cable) with 3.5mm NON-Threaded Audio Jack, Volume Control, Orange Button. PSM Antenna required. Large (IP55). VHF not supported.	PMMN4061A		●	








REMOTE SPEAKER MICROPHONES (RSM)					
MODEL NUMBER OF INTRINSIC SAFETY MANUAL		MN001121A01-AC	PMLN7376C	PMLN7375A	
DESCRIPTION	PART NUMBER	APX 1000 APX 4000 2-KNOB	APX 6000, APX 6000LI, APX 6000XE, SRX 2200, APX 7000, APX 7000XE	APX 8000XE	
	IMPRES RSM with NON-Threaded Audio Jack, Orange Button, Noise Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4062A		●	
	IMPRES RSM with Volume Toggle Switch, Orange Button and 1-Programmable Button, Windporting (IP57)	PMMN4065A	●	●	
	IMPRES RSM with NON-Threaded Audio Jack, Windporting (IP55)	PMMN4069A		●	
	IMPRES Windporting RSM with Volume Toggle Switch, Orange Button, 3.5mm NON-Threaded Jack (IP55)	PMMN4099A			●












APX HAZLOC RATINGS FOR ACCESSORIES

EARPIECES AND HEADSETS				
MODEL NUMBER OF INTRINSIC SAFETY MANUAL		MN001121A01-AC	PMLN7376	PMLN7375A
DESCRIPTION	PART NUMBER	APX 1000 APX 4000 2-KNOB	APX 6000, APX 6000LI, APX 6000XE, SRX 2200, APX 7000, APX 7000XE	APX 8000XE
 D-Shell Rx-Only Earpiece	PMLN4620B		●	
 Earset D-Shell	PMLN5096A		●	
 Heavy-Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN5275C	●	●	
 Heavy-Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB	PMLN6853A		●	
 Receive-Only Earpiece with Comfort Eartube, FM and UL approved	RLN4941A	●	●	●
 1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783	RLN5313B		●	●
 Receive-Only Flexible Earpiece	WADN4190B	●		



BATTERIES				
MODEL NUMBER OF INTRINSIC SAFETY MANUAL		MN001121A01-AC	PMLN7376C	PMLN7375A
DESCRIPTION	PART NUMBER	APX 1000 APX 4000 2-KNOB	APX 6000, APX 6000LI, APX 6000XE, SRX 2200, APX 7000, APX 7000XE	APX 8000XE
 APX 4000 two knob radio IMPRES Hi-Cap Li-Ion 2500 mAh battery Submersible (IP57)	NNTN8560A	●		
 IMPRES 2 Li-Ion 2650mAh Battery, Rugged IP68	NNTN8930A		●	
 IMPRES 2 Li-Ion 4500mAh Battery, Rugged IP68	NNTN8921A		●	
 IMPRES 2 Li-Ion 3400 mAh, Rugged IP68	PMNN4504A			●
 IMPRES 2 Li-Ion 4850 mAh, Rugged IP68, -30°C Rated	PMNN4505A			●

APX HAZLOC RATINGS FOR ACCESSORIES

ANTENNAS		MN001121A01-AC	PMLN7376D	PMLN7375A
MODEL NUMBER OF INTRINSIC SAFETY MANUAL				
DESCRIPTION	PART NUMBER	APX 1000 APX 4000 2-KNOB	APX 6000, APX 6000LI, APX 6000XE, SRX 2200, APX 7000, APX 7000XE	APX 8000XE
 700/800 MHz, GPS Whip Antenna	NAF5085A	•	•	
 VHF, GPS Whip Antenna	NAR6593A	•	•	
 VHF, 700/800, UHF Range 1, UHF Range 2, GPS (radio only)	KT000026A01			•
 1/4 Wave, 700/800 MHz Stubby/GPS Antenna	NAR6595A	•	•	•
 1/4 Wave, 700/800 MHz, GPS Stubby Antenna	PMAE4065A	•	•	
 UHF Range 1, GPS Stubby Antenna	FAF5259A	•	•	
 UHF Range 2, GPS Stubby Antenna	FAF5260A	•	•	
 VHF, UHF Dual Band, GPS Whip Antenna	PMAT4001A		•	
 VHF, 700/800 MHz Dual Band, GPS Whip Antenna	NAR6594A		•	
 UHF 700/800 MHz Dual Band, GPS Whip Antenna	PMAS4001A		•	•
 900MHz, GPS Antenna	PMAF4003A	•		



APX MOBILE RADIOS ACCESSORIES



APX 7500 WITH O5 CONTROL HEAD



APX 6500 WITH O5 CONTROL HEAD



APX 4500 WITH O2 CONTROL HEAD



APX 1500 WITH O2 CONTROL HEAD

COMMUNICATE SAFELY AND EASILY WHEREVER YOU GO


You count on your mobile radio to function clearly and easily so you can concentrate on the mission and communicate safely.

Get the most out of your APX radio by extending its power and reliability with APX accessories. Every mobile microphone, speaker, alarm and control station accessory is best-in-class technology, designed and optimized specifically for your APX mobile. There's simply no substitute for APX accessories.












APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY
---------------	-----------

LONG RANGE WIRELESS get ready in seconds without having to worry about the wires getting in the way. No more getting tangled with your seatbelt. Work, safer, smarter and more comfortable in demanding environments.

APX PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Long Range Wireless Mobile Accessory Kit, includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Vehicular Charger (PMMN6716)	RLN6551
		Long Range Wireless Mobile Accessory Kit (No Power Charger), includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097C), Charger must be purchased separately	RLN6552

ACCESSORIES AND REPLACEMENT PARTS

	Dual Unit Charger, rapid rate charger, 120V (US Plug)	PMLN7120
	Vehicular Charger	PMLN6716
	Wireless RSM with Battery and Clip	RLN6544
	Mobile Microphone with Bluetooth Gateway	PMMN4097
	Wireless RSM Battery, 1750 mA Li-Ion	PMNN4461
	D Ring Swivel Clip (12 pack)	NNTN4990
	Receive-Only Earpiece with Comfort Eartube, FM and UL [†] approved	RLN4941
	Receive-Only Earpiece with Comfort Eartube	PMLN7560
	Receive-Only Earbud, Single Wire, Threaded 3.5 mm connector	BDN6781
	Receive-Only Earbud, FM and UL [†] approved	AARLN4885
	EP7 Sonic Defender, use with RLN4941	RLN6511 RLN6512 RLN6513

† UL: For detailed Hazardous Location Certification, refer to pages 51-58.

















LONG RANGE WIRELESS REMOTE SPEAKER MICROPHONE (RSM)

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Long Range Wireless RSM works up to 100 meters away line-of-sight from the mobile radio, keeping you in communication where you never thought possible. Plug and play – Just attach the mobile gateway microphone to your radio, align the two devices where indicated by the blue dot and you are ready to go. Voice prompts will walk you through pairing quickly.

















APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY	FEATURES			
MICROPHONES Access critical features directly on the Keypad microphone. Navigational buttons and a full keypad allow users to navigate radio menus, dial phone numbers and send text messages. Three programmable buttons are available for additional customization.					
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Keypad Microphone	HMN4079	Keypad + Navigation	
		Standard Palm Microphone	HMN1090	Standard	
		Water Resistant Palm Microphone	HMN1089	Standard	
 APX 7500 SERIES		Water Resistant Palm Microphone for Motorcycle Mounted Mobiles	HMN1079	Standard	
 APX 7500 SERIES		Telephone Keypad Handset with Hang-Up Cup	HMN4097	Telephone + Keypad	
			Hang-Up Handset with Armored Cable	HKN1018	Telephone
 APX 6500 SERIES		Handset with Hang-Up Cup	HLN1457	Telephone	
 APX 4500 SERIES			Desktop Microphone	RMN5070	Desktop
 APX 1500 SERIES		IMPRES Visor Microphone, requires PTT Switch GLN7278 or RLN5926	RMN5054	Visor	●













IMPRES™ AUDIO ACCESSORIES

Mission critical voice transmissions have to be heard over engine, siren, road and wind noise. Fortunately, Motorola's exclusive IMPRES audio accessories are designed to optimize its output based on the accessory in use. IMPRES Visor Microphones are able to pick up and transmit the user's voice consistently to the receiving user regardless of how close they are speaking into the microphone.

COMPATIBILITY	ACCESSORY		
MOBILE MICROPHONE ACCESSORIES			
MOBILE RADIOS	MOBILE MICROPHONE ACCESSORIES	DESCRIPTION	PART NUMBER
		Microphone Hang-Up Clip	HLN5391
	 APX 7500 SERIES		Microphone Extension Cable, 2-Foot. Not compatible with HMN4097 handset or HMN4079 Keypad
		Microphone Extension Cable, 10-Foot. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4033
		Microphone Extension Cable, 20-Foot. Not compatible with HMN4097 handset or HMN4079 Keypad	PMKN4034
 APX 6500 SERIES		Emergency Push Button, can be used with the Visor Microphone	HLN5131
 APX 4500 SERIES			Emergency Footswitch, can be used with the Visor Microphone
 APX 1500 SERIES		Footswitch Push-To-Talk, can be used with the Visor Microphone	GLN7278
			Push Button Push-To-Talk, can be used with the Visor Microphone
		Replacement Cable for HMN4079	3075336B10
CONTROL STATION ACCESSORIES			
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Desktop Tray with Speaker	HLN6042
		Power Supply, 25-60W, for low power radios (cord included)	HPN4007
		110V Line Cord, Replacement Cable for HPN4007	3060665A04















APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY			
	INSTALLATION AND MOUNTING ACCESSORIES Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount the radio under your dash, in your dash, between the seats or on the floor. Remote mount kits allow the radio to be mounted in the trunk when dash space is limited.			
MOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	DESCRIPTION	PART NUMBER	
 APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		High Power Trunnion Kit; Quick Release with Lock	HLN7003	
			Mid Power Trunnion Kit; Standard Installation Bracket	HLN7002
			Mid Power Trunnion Lock	HLN6372
			Remote Mount Control Head Trunnion Compatible with 02/05 and 07 control heads.	HKN6186
			Low Profile Remote Mount Control Head Trunnion Kit	HLN7031
			Motorcycle Enclosure, Black	HLN7022

COMPATIBILITY	ACCESSORY		
	EXTERNAL ALARM ACCESSORIES External alarm accessories enable additional switching power when external accessories are attached.		
MOBILE RADIOS	EXTERNAL ALARM ACCESSORIES	DESCRIPTION	PART NUMBER
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		External Alarm Buzzer	HLN6953
		External Alarm Relays	HLN6969



COMPATIBILITY	ACCESSORY			
	SPEAKERS AND SIRENS Boost audio at your control station on your desk or in your vehicle with external speakers.			
MOBILE RADIOS	SPEAKERS AND SIRENS	DESCRIPTION	PART NUMBER	
 APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		Remote Mount, Water Resistant Speaker, 7.5 Watt Rated Audio	HSN4038	
			Remote Mount, Water Resistant Speaker, 15 Watt Rated Audio	HSN4040
			Non-Water Resistant Speaker, 13 Watt Rated Audio	HSN4032
			Siren Speaker, Round with Chrome Finish	TDN6251
			Siren Speaker, Rectangular with White Finish	TDN6252
			Siren Speaker, Round with Grey Finish	TDN6254
			Siren Speaker, Under Hood with Grey Finish	TDN6253
	REPLACEMENT SIREN ACCESSORIES			
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Status/Message Direct Entry Keypad, 8 Buttons	H1338	
		Mobile Siren	HLN1439	











APX MOBILE RADIO ACCESSORIES





HOW CAN I COMMUNICATE SAFELY ON THE ROAD?

The IMPRES visor microphone with the external push-button or footswitch PTT lets you communicate hands-free so you can communicate safely and easily without taking your eyes off the road. IMPRES audio helps ensure your voice is heard regardless of how closely you are speaking into the microphone or how much engine, siren or road noise is in the background.




COMPATIBILITY	ACCESSORY		
SIREN ACCESSORIES			
MOBILE RADIOS	SIREN ACCESSORIES	DESCRIPTION	PART NUMBER
 APX 7500 SERIES		Siren Switchbox	HLN6819
 APX 6500 SERIES		Mode Direct Entry Keypad, 8-Buttons	H1835
 APX 4500 SERIES		Siren Cable, O3 Siren to Switchbox	HKN6146
 APX 1500 SERIES		Siren Cable, Direct Keypad for O3 Control Head	HKN6145














COMPATIBILITY	ACCESSORY		
SIREN ACCESSORIES			
MOBILE RADIOS	SIREN ACCESSORIES	DESCRIPTION	PART NUMBER
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Direct Entry Keypad Cable, DEK to O5 Control Head, rear connector	HKN6189
		Siren Cable, O5 Siren to Switchbox	HKN4363
UNIVERSAL RELAY CONTROLLER			
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Universal Relay Controller for O9 Control Head, 10 DC Outputs, 15 Amps per Channel	PMUN1046
		Universal Relay Controller to Transceiver Cable	3064153H05




APX MOBILE RADIO ACCESSORIES

COMPATIBILITY		ACCESSORY	
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
CONTROL HEAD CABLES			
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		03 Handheld Control Head Extension Cable, 17-Foot	PMLN4958
		03 Handheld Control Head Accessory Cable	PMLN4959
		Control Head Cable with Connections for Power, Speaker and Headset Jack	HKN6187
		Control Head Cable with Connections for Power and Speaker	HKN6188
REMOTE MOUNT CABLES			
 APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		Remote Mount Cable, 131-Foot	HKN6164
		Remote Mount Cable, 115-Foot	HKN6165
		Remote Mount Cable, 75-Foot	HKN6166
		Remote Mount Cable, 50-Foot	HKN6167
		Remote Mount Cable, 30-Foot	HKN6168
		Remote Mount Cable, 17-Foot	HKN6169
	Remote Mount Cable, 10-Foot	HKN6170	
		Cable, Remote Control Head Vehicular Interface Port Connector for 05 Control Head	HKN6196
Cable, Remote Control Head Mobile Accessory Port Connector for 05 Control Head		HKN6961	
APX 7500 SERIES		Motorcycle Remote Cable for 05 Control Head	3075217A02



COMPATIBILITY		ACCESSORY	
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
POWER CABLES			
 APX 7500 SERIES		Mid Power, Dash Mount Power Cable, 10-Foot	HKN4191
		Mid Power, Remote Mount Power Cable, 20-Foot	HKN4192
 APX 6500 SERIES		Mid Power, Rear Ignition Cable, Dash Mount	HLN6863
		High Power, Remote Mount Power Cable 20-Foot	HKN6110
 APX 4500 SERIES  APX 1500 SERIES		Motorcycle Power Cable	HKN6032
		DATA CABLES	
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		RS232 Cable for Rear Accessory Port, Dash Mount Only, 6-Foot	HKN6160
		RS232 Cable for Rear Accessory Port, Remote Mount Only, 20-Foot	HKN6161
		RS232 Cable for Mobile Microphone Port	HKN6183
		RS232 Cable for J600 Transceiver Interconnect Board, 22-Foot	HKN6122
		KEYLOAD CABLES	
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		Keyloader Cable, KVL3000 and KVL4000	TKN8531
		Keyload Adapter for Mobile Microphone Port	HKN6182
PROGRAMMING CABLES			
APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES		USB Cable, Rear Accessory Port, Remote Mount, 15-Foot (for use with customer program software)	HKN6172
		USB Cable, Rear Accessory Port, Dash Mount, 6-Foot (for use with customer program software)	HKN6163
APX 7500 SERIES APX 6500 SERIES		Programming Cable	HKN6184








APX MOBILE RADIO ACCESSORIES








ANTENNAS








For optimum range and quality, it is important to match the mobile radio's frequency with the proper Motorola antenna. These are available as standard 1/4 wave models or can include 3dB, 3.5dB or 5dB signal gain.

COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS A variety of antennas ensure the best possible reception wherever you operate. Choose from antennas with integrated GPS to standalone RF antennas.						
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
VHF ANTENNAS (RF ONLY)						
 APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		VHF 1/4 Wave Antenna, 136-144 MHz	HAD4006	VHF	136-144	Through-hole
		VHF 1/4 Wave Antenna, 144-150.8 MHz	HAD4007	VHF	144-150.8	Through-hole
		VHF 1/4 Wave Antenna, 150.8-162 MHz	HAD4008	VHF	150.8-162	Through-hole
		VHF 1/4 Wave Antenna, 162-174 MHz	HAD4009	VHF	162-174	Through-hole

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.













COMPATIBILITY	ACCESSORY			FEATURES		
ANTENNAS						
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
VHF ANTENNAS (RF ONLY)						
 APX 7500 SERIES  APX 6500 SERIES  APX 4500 SERIES  APX 1500 SERIES		VHF 1/4 Wave Antenna, 136-162 MHz	HAD4016	VHF	136-162	Through-hole
		VHF 1/4 Wave Antenna, 146-174 MHz	HAD4017	VHF	146-174	Through-hole
		VHF Wideband Antenna, 136-174 MHz	HAD4021	VHF	136-174	Through-hole
		VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	HAD4022	VHF	136-174	Through-hole
		VHF Wideband Antenna 3.0 dB Gain, 136-174 MHz	RAD4010ARB	VHF	136-174	Through-hole








APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY	FEATURES				
ANTENNAS A variety of antennas ensure the best possible reception wherever you operate. Choose from antennas with integrated GPS to standalone RF antennas.						
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
VHF ANTENNAS (RF ONLY)						
 <p>APX 7500 SERIES</p>		VHF 1/4 Wave Antenna, 136-144 MHz	RAD4002ARB	VHF	136-144	Motorcycle
		VHF 1/4 Wave Antenna, 144-150.8 MHz	RAD4003ARB	VHF	144-150.8	Motorcycle
		VHF 1/4 Wave Antenna, 150.8-162 MHz	RAD4004ARB	VHF	150.8-162	Motorcycle
		VHF 1/4 Wave Antenna, 162-174 MHz	RAD4005ARB	VHF	162-174	Motorcycle
UHF ANTENNAS (RF ONLY)						
 <p>APX 7500 SERIES</p>  <p>APX 6500 SERIES</p>  <p>APX 4500 SERIES</p>  <p>APX 1500 SERIES</p>		UHF 1/4 Wave Antenna, 380-433 MHz	HAE6012	UHF	380-433	Through-hole
		UHF 1/4 Wave Antenna, 450-470 MHz	HAE4003	UHF	450-470	Through-hole
		UHF 1/4 Wave Antenna, 450-470 MHz	HAE4004	UHF	450-470	Through-hole
		UHF 3 dB Gain Antenna, 450-495 MHz	HAE4012	UHF	450-495	Through-hole
		UHF 3 dB Gain Antenna, 494-512 MHz	HAE4013	UHF	494-512	Through-hole
		UHF 3.5 dB Gain Antenna, 380-433 MHz	HAE6010	UHF	380-433	Through-hole

COMPATIBILITY	ACCESSORY	FEATURES				
ANTENNAS						
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
UHF ANTENNAS (RF ONLY)						
 <p>APX 7500 SERIES</p>  <p>APX 6500 SERIES</p>  <p>APX 4500 SERIES</p>  <p>APX 1500 SERIES</p>		UHF 3.5 dB Gain Antenna, 450-470 MHz	HAE4011	UHF	450-470	Through-hole
		UHF 5 dB Gain Antenna, 380-433 MHz	HAE6011	UHF	380-433	Through-hole
		UHF 5 dB Gain Antenna, 455-470 MHz	RAE4014ARB	UHF	455-470	Through-hole
		UHF 5 dB Gain Antenna, 494-512 MHz	RAE4016ARB	UHF	494-512	Through-hole
		UHF 2 dB Gain Wideband Antenna, 380-470 MHz	HAE6013	UHF	380-470	Through-hole
		UHF 2 dB Gain Wideband Antenna, 450-512 MHz	HAE6015	UHF	450-512	Through-hole
		UHF 2 dB Gain Wideband Antenna, 380-520 MHz	HAE6031	UHF	380-520	Through-hole
		UHF Wideband Low Profile Antenna, 450-512 MHz	HAE6016	UHF	450-512	Through-hole
		UHF 1/4 Wave Antenna, 380-433 MHz	HAE6014	UHF	380-433	Motorcycle
		UHF 1/4 Wave Antenna, 425-470 MHz	HAE6032	UHF	425-470	Motorcycle

APX MOBILE RADIO ACCESSORIES

COMPATIBILITY	ACCESSORY	FEATURES				
ANTENNAS A variety of antennas ensure the best possible reception wherever you operate. Choose from antennas with integrated GPS to standalone RF antennas.						
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
UHF ANTENNAS (RF ONLY)						
 <p>APX 7500 SERIES</p>		UHF 1/4 Wave Antenna, 450-482 MHz	HAE6033	UHF	450-482	Motorcycle
		UHF 1/4 Wave Antenna, 482-512 MHz	HAE6034	UHF	482-512	Motorcycle
		UHF 1/4 Wave Low Profile Antenna, 450-512 MHz	HAE6035	UHF	450-512	Motorcycle
700/800 MHZ ANTENNAS (RF ONLY)						
 <p>APX 7500 SERIES</p>  <p>APX 6500 SERIES</p>  <p>APX 4500 SERIES</p>  <p>APX 1500 SERIES</p>		1/4 Wave Antenna, 762-870 MHz	HAF4016	700/800	762-870	Through-hole
		3 dB Gain Low Profile Antenna, 762-870 MHz	HAF4013	700/800	762-870	Through-hole
		3 dB Gain Elevated Feed Antenna, 762-870 MHz	HAF4014	700/800	762-870	Through-hole
		3 dB Gain Collinear Antenna, 762-870 MHz	HAF4017	700/800	762-870	Through-hole

COMPATIBILITY	ACCESSORY	FEATURES				
ANTENNAS						
MOBILE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	MOUNTING STYLE
700/800 MHZ ANTENNAS (RF ONLY)						
 <p>APX 7500 SERIES</p>		3 dB Gain Antenna, 762-870 MHz	HAF4015	700/800	762-870	Motorcycle
		Low Profile Antenna, 762-780 MHz	HAF4018	700/800	762-870	Motorcycle
GPS ANTENNAS						
<p>APX 7500 SERIES APX 6500 SERIES APX 4500 SERIES APX 1500 SERIES</p>		GPS Roof Mount Antenna SMA Male connector with RG-174 17ft cable	HAG4000	GPS Only		Roof Mount
		GPS Glass Mount Antenna SMA Male connector with RG-174 17ft cable	PMAN4001	GPS Only		Glass Mount
 <p>APX 7500 SERIES</p>		GPS Motorcycle Antenna	HAG4001	GPS Only		Motorcycle





For more information on Motorola mission critical accessories,
visit motorolasolutions.com/apx.

Motorola Solutions, Inc. 1301 E. Algonquin Road, Schaumburg, Illinois 60196 U.S.A. motorolasolutions.com

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2016 Motorola Solutions, Inc. All rights reserved. 09-2016

