



MOTOROLA SOLUTIONS

**DP4401E (PBER302CE)
DP4601E (PBER302FE)
DP4801E (PBER302HE)**

136-174 MHz

EU Declaration of Conformity

Déclaration UE de Conformité

EU-Konformitätserklärung

Dichiarazione di conformità UE

Deklaracja zgodności UE

Declaración UE de conformidad



EU Declaration of Conformity (DoC-15120300208-H)

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration is in conformity with the relevant Union harmonization legislation:

2014/53/EU Radio Equipment Directive (RED)
2013/35/EU Electromagnetic Fields Directive (EMF)
2011/65/EU Restriction of Hazardous Substances Directive (RoHS)
2012/19/EU Waste Electrical and Electronic Equipment Directive (WEEE)

Object of the Declaration: MOTOTRBO™ Portable Radio

DP4401E (PBER302CE)
DP4601E (PBER302FE)
DP4801E (PBER302HE)

136-174MHz, 5W, 12.5/20/25kHz
Bluetooth®/Wi-Fi®/GNSS

National Licensed Frequencies Only

This DoC supersedes DOC-15120300208-G

Placed On The Market By: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Conformity is shown by compliance with the applicable requirements of the following standards:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 219 V2.1.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V1.9.2
EN 301 489 - 5 V1.3.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Compliant with the ICNIRP (1998) Occupational / Controlled Exposure Limits
EN 50566:2017

KRAKOW, 05-FEB-2021

Jacek Drabik
Country Manager Motorola Solutions Poland,
Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Friedrich Bollmann
Product Safety and Regulatory Compliance,
Motorola Solutions Germany GmbH, Berlin

Document Keeper: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland



Rev. 1 Addendum to EU Declaration of Conformity (DoC-15120300208-H)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
ANTENNA	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
PMAD4147A	136-174MHZ
AUDIO	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6719A	EARPIECE W/3.5MM THREADED PLUG
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6781A	EARBUD, SINGLE SPEAKER
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8382B	IMPRES INC RSM, IP57
NNTN8383B	IMPRES INC RSM, AUDIO JACK
NNTN8459A	1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5097A	IMPRES 3 WIRE SURVEILLANCE-BLACK
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET



Rev. 1 Addendum to EU Declaration of Conformity (DoC-15120300208-H)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
PMLN5106A	IMPRES 3 WIRE SURVEILLANCE-BEIGE
PMLN5111A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- BLACK . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5112A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- Beige . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5275C	HEAVY DUTY HEADSET
PMLN5973A	Ear Rcvr w Inline Mic/PTT, Magone
PMLN5974A	Lt Wt Hs w Boom Mic & PTT
PMLN5975A	Swivel Earpiece w Mic/PTT
PMLN5976A	Earset w Boom Mic/PTT
PMLN5979A	Breeze HS w Boom Mic & PTT
PMLN6069A	Earbud w Inline Mic/PTT
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6765A	TACTICAL GCAI PTT/VOX INTERFACE MODULE
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN6833A	TACTICAL HEAVY-DUTY TEMPLE TRANSDUCER WITH NOISE CANCELLING BOOM MICROPHONE (REQUIRES INTERFACE MODULE PMLN6827)



Rev. 1 Addendum to EU Declaration of Conformity (DoC-15120300208-H)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
PMLN6852A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI
PMLN6853A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK
PMLN7396A	RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK
PMMN4024A	REMOTE SPEAKER MICROPHONE
PMMN4025A	IMPRES REMOTE SPEAKER MIC
PMMN4040A	SUBMERSIBLE REMOTE SPEAKER MIC
PMMN4046A	IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57
PMMN4050A	IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5313A	RECEIVE NLY SURV KIT (BLACK) /NOISE
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5878A	CORE 1 WIRE SURVEILLANCE - BLACK
RLN5879A	1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.
RLN5880A	IMPRES 2 WIRE SURVEILLANCE -BLACK
RLN5881A	IMPRES 2 WIRE SURVEILLANCE - BEIGE
RLN5882A	IMPRESS 2 WIRE, BLACK, LONG CORD
RLN5883A	IMPRESS 2 WIRE, BEIGE, LONG CORD
RLN5886A	LOW NOISE KIT
RLN5887A	HIGH NOISE KIT
RLN6074A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A



Rev. 1 Addendum to EU Declaration of Conformity (DoC-15120300208-H)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
AUDIO	
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6279A	STANDARD EARPIECE-BLACK
RLN6280A	STANDARD EARPIECE-BEIGE
RLN6284A	EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE
RLN6285A	EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK
RLN6288A	EARPIECE W/HIGH NOISE KIT ASSM-BEIGE
RLN6289A	EARPIECE W/HIGH NOISE KIT ASSM-BLACK
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052A	TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5131A	METAL BOOM WITH MICROPHONE
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
BATTERY	
NNTN8129AR	IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T
PMNN4412AR	BATTÄ-Ä½STD IP67 NIMH1300M1400T



Rev. 1 Addendum to EU Declaration of Conformity (DoC-15120300208-H)

The listed accessories are approved for use with the object of this declaration.

<u>PART NUMBER</u>	<u>DESCRIPTION (FOR INFORMATION ONLY)</u>
BATTERY	
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4525A	Batt, Li-Ion 2000T IP68
PMNN4544A	Battery IMPRES Li-ion IP68 2450T
CABLE	
PMKN4012B	DMR PORTABLE PROGRAMMING CABLE
PMKN4013C	PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)
PMKN4040A	DMR PORTABLE TELEMETRY CABLE
PMKN4126A	TEST ALIGNMENT, TTR AND PROGRAMMING CABLE
OTHERS	
3087791G04	EURO LINE CORD FOR SMART MUC
3087791G07	UK LINE CORD FOR SMART MUC
PMLN7324A	Generic Option Board

SOFTWARE

The installed radio software is under the full control of the manufacturer with no access by the user and is in compliance with the relevant directives.

EU Declarations of Conformity are available at: <https://www.motorolasolutions.com/emea-compliance>

Electromagnetic Energy (EME) Test Laboratory

Conformity of models listed with occupational Exposure Level Values (ELVs) in Directive 2013/35/EU

This declaration confirms compliance of Motorola Solutions' portable device(s) model(s) with approved accessories

<u>Model Number</u>	<u>Type Designator</u>	<u>Description</u>
MDH56JDC9RA1AN (PMUD2906C)	PBER302CE	DP4401e, VHF 136-174 MHz, 5W, 12.5/20/25kHz plain, BT/GNSS/Wi-Fi
MDH56JDC9VA1AN (PMUD2905C)	PBER302C	DP4400e, VHF 136-174 MHz, 5W, 12.5/20/25kHz plain
MDH56JDN9RA1AN (PMUD2904C)	PBER302HE	DP4801e, VHF 136-174 MHz, 5W, 12.5/20/25kHz FKP, display, BT/GNSS/Wi-Fi
MDH56JDN9VA1AN (PMUD2917C)	PBER302H	DP4800e, VHF 136-174 MHz, 5W, 12.5/20/25kHz FKP, display
MDH56JDQ9RA1AN (PMUD2918C)	PBER302FE	DP4601e, VHF 136-174 MHz, 5W, 12.5/20/25kHz LKP, display, BT/GNSS/Wi-Fi
MDH56JDQ9VA1AN (PMUD2903C)	PBER302F	DP4600e, VHF 136-174 MHz, 5W, 12.5/20/25kHz LKP, display

with the occupational ICNIRP¹ limits for radio frequency (RF) energy exposure. The ICNIRP guidelines were developed by an independent scientific organization after thorough evaluations of relevant research studies, and have been endorsed by the World Health Organization (WHO). The ICNIRP guidelines are also referenced in the European Directive 2013/35/EU,² forming the basis of the applicable RF exposure framework for workers.

The applicable exposure limit is specified in terms of the Specific Absorption Rate (SAR), measured in units of watts per kilogram (W/kg). SAR tests of these Motorola Solutions devices indicate that they conform with the applicable SAR limits defined in harmonized³ standard EN50360,⁴ and EN50566,⁵ using operating configuration(s) while transmitting at nominal power, with results scaled to the highest certified power level in all tested frequency bands.

SAR tests, performed at a laboratory certified to the ISO/IEC Guide 17025,⁶ show that these Motorola Solutions' portable device model(s), in all tested operating modes (on the body, on the sides of the head, and in front of the face as applicable), at the highest certified power level(s), conform(s) with the ICNIRP limits for professional devices and occupational users,⁷ and both the health and the sensory ELVs defined in Directive 2013/35/EU.⁸

Sincerely,



Tiong Nguk Ing on behalf of Pei Loo Tey
Penang EME Laboratory Manager
DATE : 16-MAY-2018

¹ICNIRP (1998): International Commission on Non Ionizing Radiation Protection, "Guidelines for Limiting Exposure to Time-Varying Electric, Magnetic, and Electromagnetic Fields (Up to 300 GHz)" Health Physics, vol. 75, no. 4, pp. 494-522.

²Directive 2013/35/EU of the European Parliament and of the Council of 26 June 2013 on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (electromagnetic fields) (20th individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) and repealing Directive 2004/40/EC.

³Directive 2014/53/EU of The European Parliament and of the Council of 16 April 2014 on the Harmonisation of the Laws of the Member States Relating to the Making Available on The Market of Radio Equipment and Repealing Directive 1999/5/EC.

⁴EN50360:2017 Product standard to demonstrate the compliance of wireless communication devices, with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 300 MHz to 6 GHz: devices used next to the ear.

⁵EN50566:2017 Product standard to demonstrate the compliance of wireless communication devices with the basic restrictions and exposure limit values related to human exposure to electromagnetic fields in the frequency range from 30 MHz to 6 GHz: hand-held and body mounted devices in close proximity to the human body.

⁶ISO/IEC 17025 General requirements for the competence of testing and calibration laboratories.

⁷Implicit whole-body SAR compliance with the 0.4 W/kg limit is shown using the threshold (16.8 W) derived from Table B.1 in EN 62311:2008.

⁸The Specific Absorption (SA) sensory limits defined in Directive 2013/35/EU apply only to ultra-short-pulsed radio-frequency waveforms capable of inducing the microwave hearing effect, e.g., powerful RADAR emissions, but not the Motorola Solutions radio(s) referenced herein.

Déclaration UE de Conformité (DoC-15120300208-H)

La présente déclaration de conformité est établie sous la seule responsabilité du fabricant. L'objet de la déclaration décrit ci-dessus est conforme à la législation d'harmonisation de l'Union applicable:

Directive 2014/53/UE (RED)
Directive 2013/35/UE (EMF)
Directive 2011/65/UE (RoHS)
Directive 2012/19/UE (WEEE)

Objet de la déclaration: MOTOTRBO™ Portable Radio

DP4401E (PBER302CE)
DP4601E (PBER302FE)
DP4801E (PBER302HE)

136-174MHz, 5W, 12.5/20/25kHz
Bluetooth®/Wi-Fi®/GNSS

Féquences nationales sous licence uniquement

Cette déclaration de conformité remplace DOC-15120300208-G

Mis sur le marché par: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Par conformité, nous faisons référence à la conformité avec les exigences applicables des normes suivantes :

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 219 V2.1.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V1.9.2
EN 301 489 - 5 V1.3.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Conforme à la directive ICNIRP (1998) sur les limites d'exposition contrôlée ou à usage professionnel
EN 50566:2017

Détenteur du document: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Nous confirmons l'exactitude de cette traduction. Celle-ci est valable uniquement si elle est fournie avec la version anglaise d'origine signée.

Rev. 1 Complément à Déclaration UE de Conformité (DoC-15120300208-H)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
ANTENNE	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
PMAD4147A	136-174MHZ
AUDIO	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6719A	EARPIECE W/3.5MM THREADED PLUG
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6781A	EARBUD, SINGLE SPEAKER
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8382B	IMPRES INC RSM, IP57
NNTN8383B	IMPRES INC RSM, AUDIO JACK
NNTN8459A	1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5097A	IMPRES 3 WIRE SURVEILLANCE-BLACK
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET

Rev. 1 Complément à Déclaration UE de Conformité (DoC-15120300208-H)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
PMLN5106A	IMPRES 3 WIRE SURVEILLANCE-BEIGE
PMLN5111A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- BLACK . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5112A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- Beige . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5275C	HEAVY DUTY HEADSET
PMLN5973A	Ear Rcvr w Inline Mic/PTT, Magone
PMLN5974A	Lt Wt Hs w Boom Mic & PTT
PMLN5975A	Swivel Earpiece w Mic/PTT
PMLN5976A	Earset w Boom Mic/PTT
PMLN5979A	Breeze HS w Boom Mic & PTT
PMLN6069A	Earbud w Inline Mic/PTT
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6765A	TACTICAL GCAI PTT/VOX INTERFACE MODULE
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN6833A	TACTICAL HEAVY-DUTY TEMPLE TRANSDUCER WITH NOISE CANCELLING BOOM MICROPHONE (REQUIRES INTERFACE MODULE PMLN6827)

Rev. 1 Complément à Déclaration UE de Conformité (DoC-15120300208-H)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
PMLN6852A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI
PMLN6853A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK
PMLN7396A	RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK
PMMN4024A	REMOTE SPEAKER MICROPHONE
PMMN4025A	IMPRES REMOTE SPEAKER MIC
PMMN4040A	SUBMERSIBLE REMOTE SPEAKER MIC
PMMN4046A	IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57
PMMN4050A	IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5313A	RECEIVE NLY SURV KIT (BLACK) /NOISE
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5878A	CORE 1 WIRE SURVEILLANCE - BLACK
RLN5879A	1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.
RLN5880A	IMPRES 2 WIRE SURVEILLANCE -BLACK
RLN5881A	IMPRES 2 WIRE SURVEILLANCE - BEIGE
RLN5882A	IMPRESS 2 WIRE, BLACK, LONG CORD
RLN5883A	IMPRESS 2 WIRE, BEIGE, LONG CORD
RLN5886A	LOW NOISE KIT
RLN5887A	HIGH NOISE KIT
RLN6074A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A

Rev. 1 Complément à Déclaration UE de Conformité (DoC-15120300208-H)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
AUDIO	
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6279A	STANDARD EARPIECE-BLACK
RLN6280A	STANDARD EARPIECE-BEIGE
RLN6284A	EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE
RLN6285A	EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK
RLN6288A	EARPIECE W/HIGH NOISE KIT ASSM-BEIGE
RLN6289A	EARPIECE W/HIGH NOISE KIT ASSM-BLACK
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052A	TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5131A	METAL BOOM WITH MICROPHONE
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
BATTERIE	
NNTN8129AR	IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T
PMNN4412AR	BATTÃ-Â½STD IP67 NIMH1300M1400T

Rev. 1 Complément à Déclaration UE de Conformité (DoC-15120300208-H)

Les accessoires énumérés sont autorisés à être utilisés dans le cadre de cette déclaration.

<u>NUMÉRO DE PIÈCE</u>	<u>DESCRIPTION (POUR INFORMATION SEULEMENT)</u>
BATTERIE	
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4525A	Batt, Li-Ion 2000T IP68
PMNN4544A	Battery IMPRES Li-ion IP68 2450T

CÂBLE	
PMKN4012B	DMR PORTABLE PROGRAMMING CABLE
PMKN4013C	PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)
PMKN4040A	DMR PORTABLE TELEMETRY CABLE
PMKN4126A	TEST ALIGNMENT, TTR AND PROGRAMMING CABLE

AUTRES COMMENTAIRES	
3087791G04	EURO LINE CORD FOR SMART MUC
3087791G07	UK LINE CORD FOR SMART MUC
PMLN7324A	Generic Option Board

LOGICIEL

Le logiciel radio installé est sous l'entière responsabilité du fabricant, sans aucun accès par l'utilisateur et est conforme aux directives applicables.

EU-Konformitätserklärung (DoC-15120300208-H)

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller. Der oben beschriebene Gegenstand der Erklärung erfüllt die einschlägigen Harmonisierungsrechtsvorschriften der Union:

Richtlinie 2014/53/EU (RED)
Richtlinie 2013/35/EU (EMF)
Richtlinie 2011/65/EU (RoHS)
Richtlinie 2012/19/EU (WEEE)

Gegenstand der Erklärung: MOTOTRBO™ Portable Radio

DP4401E (PBER302CE)
DP4601E (PBER302FE)
DP4801E (PBER302HE)

136-174MHz, 5W, 12.5/20/25kHz
Bluetooth®/Wi-Fi®/GNSS

Ausschließlich lizenzierte nationale Frequenzen

Diese Konformitätserklärung ersetzt die DOC-15120300208-G

Auf den Markt gebracht durch: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Die Konformität wird durch die Einhaltung der geltenden Anforderungen der folgenden Standards gezeigt:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 219 V2.1.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V1.9.2
EN 301 489 - 5 V1.3.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Konform mit den ICNIRP (1998) Grenzwerten berufsbedingter/kontrollierter Exposition
EN 50566:2017

Dokumentverwaltung: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Wir bestätigen die Richtigkeit dieser Übersetzung. Sie ist nur gültig, wenn sie mit der signierten englischen Originalversion bereitgestellt wurde.

DE

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15120300208-H)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
ANTENNE	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
PMAD4147A	136-174MHZ
AUDIOZUBEHÖR	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6719A	EARPIECE W/3.5MM THREADED PLUG
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6781A	EARBUD, SINGLE SPEAKER
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8382B	IMPRES INC RSM, IP57
NNTN8383B	IMPRES INC RSM, AUDIO JACK
NNTN8459A	1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5097A	IMPRES 3 WIRE SURVEILLANCE-BLACK
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15120300208-H)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
PMLN5106A	IMPRES 3 WIRE SURVEILLANCE-BEIGE
PMLN5111A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- BLACK . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5112A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- Beige . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5275C	HEAVY DUTY HEADSET
PMLN5973A	Ear Rcvr w Inline Mic/PTT, Magone
PMLN5974A	Lt Wt Hs w Boom Mic & PTT
PMLN5975A	Swivel Earpiece w Mic/PTT
PMLN5976A	Earset w Boom Mic/PTT
PMLN5979A	Breeze HS w Boom Mic & PTT
PMLN6069A	Earbud w Inline Mic/PTT
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6765A	TACTICAL GCAI PTT/VOX INTERFACE MODULE
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN6833A	TACTICAL HEAVY-DUTY TEMPLE TRANSDUCER WITH NOISE CANCELLING BOOM MICROPHONE (REQUIRES INTERFACE MODULE PMLN6827)

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15120300208-H)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
PMLN6852A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI
PMLN6853A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK
PMLN7396A	RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK
PMMN4024A	REMOTE SPEAKER MICROPHONE
PMMN4025A	IMPRES REMOTE SPEAKER MIC
PMMN4040A	SUBMERSIBLE REMOTE SPEAKER MIC
PMMN4046A	IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57
PMMN4050A	IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5313A	RECEIVE NLY SURV KIT (BLACK) /NOISE
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5878A	CORE 1 WIRE SURVEILLANCE - BLACK
RLN5879A	1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.
RLN5880A	IMPRES 2 WIRE SURVEILLANCE -BLACK
RLN5881A	IMPRES 2 WIRE SURVEILLANCE - BEIGE
RLN5882A	IMPRESS 2 WIRE, BLACK, LONG CORD
RLN5883A	IMPRESS 2 WIRE, BEIGE, LONG CORD
RLN5886A	LOW NOISE KIT
RLN5887A	HIGH NOISE KIT
RLN6074A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15120300208-H)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AUDIOZUBEHÖR	
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6279A	STANDARD EARPIECE-BLACK
RLN6280A	STANDARD EARPIECE-BEIGE
RLN6284A	EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE
RLN6285A	EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK
RLN6288A	EARPIECE W/HIGH NOISE KIT ASSM-BEIGE
RLN6289A	EARPIECE W/HIGH NOISE KIT ASSM-BLACK
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052A	TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5131A	METAL BOOM WITH MICROPHONE
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
AKKU	
NNTN8129AR	IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T
PMNN4412AR	BATTÄ-Ä½STD IP67 NIMH1300M1400T

Rev. 1 Zusatz zu EU-Konformitätserklärung (DoC-15120300208-H)

Die aufgeführten Zubehörteile sind zur Verwendung mit dem Gegenstand dieser Erklärung zugelassen.

<u>TEILNUMMER</u>	<u>BESCHREIBUNG (NUR ZUR INFORMATION)</u>
AKKU	
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4525A	Batt, Li-Ion 2000T IP68
PMNN4544A	Battery IMPRES Li-ion IP68 2450T

KABEL	
PMKN4012B	DMR PORTABLE PROGRAMMING CABLE
PMKN4013C	PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)
PMKN4040A	DMR PORTABLE TELEMETRY CABLE
PMKN4126A	TEST ALIGNMENT, TTR AND PROGRAMMING CABLE

ANDERE	
3087791G04	EURO LINE CORD FOR SMART MUC
3087791G07	UK LINE CORD FOR SMART MUC
PMLN7324A	Generic Option Board

SOFTWARE

Die installierte Funkgerätesoftware unterliegt der vollständigen Kontrolle des Herstellers ohne Zugriff durch den Benutzer und entspricht den dazugehörigen Richtlinien.

Dichiarazione di conformità UE (DoC-15120300208-H)

La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante. L'oggetto della dichiarazione di cui sopra è conforme alla pertinente normativa di armonizzazione dell'Unione:

Direttiva 2014/53/UE (RED)
Direttiva 2013/35/UE (EMF)
Direttiva 2011/65/UE (RoHS)
Direttiva 2012/19/UE (WEEE)

Oggetto della dichiarazione: MOTOTRBO™ Portable Radio

DP4401E (PBER302CE)
DP4601E (PBER302FE)
DP4801E (PBER302HE)

136-174MHz, 5W, 12.5/20/25kHz
Bluetooth®/Wi-Fi®/GNSS

Solo frequenze nazionali con licenza

Questa Dichiarazione di conformità sostituisce DOC-15120300208-G

Commercializzato da: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

La conformità è dimostrata dalla rispondenza ai requisiti applicabili dei seguenti standard:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 219 V2.1.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V1.9.2
EN 301 489 - 5 V1.3.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Conforme ai limiti di esposizione per scopi professionali/controllati dello standard ICNIRP (1998)
EN 50566:2017

Riferimento del documento: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Si conferma la correttezza di questa traduzione. è valida solo se fornita con la versione originale in inglese firmata.

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15120300208-H)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
ANTENNA	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
PMAD4147A	136-174MHZ
AUDIO	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6719A	EARPIECE W/3.5MM THREADED PLUG
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6781A	EARBUD, SINGLE SPEAKER
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8382B	IMPRES INC RSM, IP57
NNTN8383B	IMPRES INC RSM, AUDIO JACK
NNTN8459A	1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5097A	IMPRES 3 WIRE SURVEILLANCE-BLACK
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15120300208-H)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
PMLN5106A	IMPRES 3 WIRE SURVEILLANCE-BEIGE
PMLN5111A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- BLACK . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5112A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- Beige . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5275C	HEAVY DUTY HEADSET
PMLN5973A	Ear Rcvr w Inline Mic/PTT , Magone
PMLN5974A	Lt Wt Hs w Boom Mic & PTT
PMLN5975A	Swivel Earpiece w Mic/PTT
PMLN5976A	Earset w Boom Mic/PTT
PMLN5979A	Breeze HS w Boom Mic & PTT
PMLN6069A	Earbud w Inline Mic/PTT
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6765A	TACTICAL GCAI PTT/VOX INTERFACE MODULE
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN6833A	TACTICAL HEAVY-DUTY TEMPLE TRANSDUCER WITH NOISE CANCELLING BOOM MICROPHONE (REQUIRES INTERFACE MODULE PMLN6827)

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15120300208-H)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
AUDIO	
PMLN6852A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI
PMLN6853A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK
PMLN7396A	RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK
PMMN4024A	REMOTE SPEAKER MICROPHONE
PMMN4025A	IMPRES REMOTE SPEAKER MIC
PMMN4040A	SUBMERSIBLE REMOTE SPEAKER MIC
PMMN4046A	IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57
PMMN4050A	IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5313A	RECEIVE NLY SURV KIT (BLACK) /NOISE
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5878A	CORE 1 WIRE SURVEILLANCE - BLACK
RLN5879A	1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.
RLN5880A	IMPRES 2 WIRE SURVEILLANCE -BLACK
RLN5881A	IMPRES 2 WIRE SURVEILLANCE - BEIGE
RLN5882A	IMPRESS 2 WIRE, BLACK, LONG CORD
RLN5883A	IMPRESS 2 WIRE, BEIGE, LONG CORD
RLN5886A	LOW NOISE KIT
RLN5887A	HIGH NOISE KIT
RLN6074A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A

Rev. 1 Allegato al Dichiarazione di conformità UE (DoC-15120300208-H)

Gli accessori elencati sono approvati per l'uso con l'oggetto della presente dichiarazione.

<u>NUMERO DI PARTE</u>	<u>DESCRIZIONE (SOLO PER INFORMAZIONI)</u>
BATTERIA	
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4525A	Batt, Li-Ion 2000T IP68
PMNN4544A	Battery IMPRES Li-ion IP68 2450T

CAVO	
PMKN4012B	DMR PORTABLE PROGRAMMING CABLE
PMKN4013C	PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)
PMKN4040A	DMR PORTABLE TELEMETRY CABLE
PMKN4126A	TEST ALIGNMENT, TTR AND PROGRAMMING CABLE

ALTRO	
3087791G04	EURO LINE CORD FOR SMART MUC
3087791G07	UK LINE CORD FOR SMART MUC
PMLN7324A	Generic Option Board

SOFTWARE

Il software della radio installato è sotto il completo controllo del costruttore senza accesso da parte dell'utente ed è conforme alle direttive pertinenti.



Deklaracja zgodności UE (DoC-15120300208-H)

Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta.
Wymieniony poniżej przedmiot niniejszej deklaracji jest zgodny z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego:

Dyrektywa 2014/53/UE (RED)
Dyrektywa 2013/35/UE (EMF)
Dyrektywa 2011/65/UE (RoHS)
Dyrektywa 2012/19/UE (WEEE)

Przedmiot deklaracji: MOTOTRBO™ Portable Radio

DP4401E (PBER302CE)
DP4601E (PBER302FE)
DP4801E (PBER302HE)

136-174MHz, 5W, 12.5/20/25kHz
Bluetooth®/Wi-Fi®/GNSS

Wyłącznie krajowe licencjonowane częstotliwości

Niniejsza deklaracja zgodności zastępuje DOC-15120300208-G

Wprowadzony do obrotu przez: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Odwołania do norm, w odniesieniu do których deklarowana jest zgodność:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 219 V2.1.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V1.9.2
EN 301 489 - 5 V1.3.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017

Zgodność z wytycznymi określonymi przez Międzynarodową Komisję Ochrony przed Promieniowaniem Niejonizującym ICNIRP (1998)

EN 50566:2017

Właściciel dokumentu: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Potwierdzamy poprawność niniejszego tłumaczenia. Obowiązuje jedynie z podpisanym oryginałem w języku angielskim.

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15120300208-H)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)**ANTENA**

PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
PMAD4147A	136-174MHZ

AUDIO

BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6719A	EARPIECE W/3.5MM THREADED PLUG
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6781A	EARBUD, SINGLE SPEAKER
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8382B	IMPRES INC RSM, IP57
NNTN8383B	IMPRES INC RSM, AUDIO JACK
NNTN8459A	1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5097A	IMPRES 3 WIRE SURVEILLANCE-BLACK
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15120300208-H)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

<u>NUMER KATALOGOWY</u>	<u>OPIS (TYLKO INFORMACYJNIE)</u>
AUDIO	
PMLN5106A	IMPRES 3 WIRE SURVEILLANCE-BEIGE
PMLN5111A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- BLACK . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5112A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- Beige . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5275C	HEAVY DUTY HEADSET
PMLN5973A	Ear Rcvr w Inline Mic/PTT, Magone
PMLN5974A	Lt Wt Hs w Boom Mic & PTT
PMLN5975A	Swivel Earpiece w Mic/PTT
PMLN5976A	Earset w Boom Mic/PTT
PMLN5979A	Breeze HS w Boom Mic & PTT
PMLN6069A	Earbud w Inline Mic/PTT
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6765A	TACTICAL GCAI PTT/VOX INTERFACE MODULE
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN6833A	TACTICAL HEAVY-DUTY TEMPLE TRANSDUCER WITH NOISE CANCELLING BOOM MICROPHONE (REQUIRES INTERFACE MODULE PMLN6827)

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15120300208-H)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

AUDIO

PMLN6852A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI
PMLN6853A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK
PMLN7396A	RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK
PMMN4024A	REMOTE SPEAKER MICROPHONE
PMMN4025A	IMPRES REMOTE SPEAKER MIC
PMMN4040A	SUBMERSIBLE REMOTE SPEAKER MIC
PMMN4046A	IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57
PMMN4050A	IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5313A	RECEIVE NLY SURV KIT (BLACK) /NOISE
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5878A	CORE 1 WIRE SURVEILLANCE - BLACK
RLN5879A	1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.
RLN5880A	IMPRES 2 WIRE SURVEILLANCE -BLACK
RLN5881A	IMPRES 2 WIRE SURVEILLANCE - BEIGE
RLN5882A	IMPRESS 2 WIRE, BLACK, LONG CORD
RLN5883A	IMPRESS 2 WIRE, BEIGE, LONG CORD
RLN5886A	LOW NOISE KIT
RLN5887A	HIGH NOISE KIT
RLN6074A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A

Rev. 1 Uzupełnienie do Deklaracja zgodności UE (DoC-15120300208-H)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

AUDIO

RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6279A	STANDARD EARPIECE-BLACK
RLN6280A	STANDARD EARPIECE-BEIGE
RLN6284A	EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE
RLN6285A	EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK
RLN6288A	EARPIECE W/HIGH NOISE KIT ASSM-BEIGE
RLN6289A	EARPIECE W/HIGH NOISE KIT ASSM-BLACK
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052A	TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5131A	METAL BOOM WITH MICROPHONE
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE

BATERIA

NNTN8129AR	IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T
PMNN4412AR	BATTÄ-Ä½STD IP67 NIMH1300M1400T

Rev. 1 Uzupelnienie do Deklaracja zgodności UE (DoC-15120300208-H)

Wymienione akcesoria są dopuszczone do użytku z przedmiotem niniejszej deklaracji.

NUMER KATALOGOWY OPIS (TYLKO INFORMACYJNIE)

BATERIA

PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4525A	Batt, Li-Ion 2000T IP68
PMNN4544A	Battery IMPRES Li-ion IP68 2450T

KABEL

PMKN4012B	DMR PORTABLE PROGRAMMING CABLE
PMKN4013C	PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)
PMKN4040A	DMR PORTABLE TELEMETRY CABLE
PMKN4126A	TEST ALIGNMENT, TTR AND PROGRAMMING CABLE

INNE

3087791G04	EURO LINE CORD FOR SMART MUC
3087791G07	UK LINE CORD FOR SMART MUC
PMLN7324A	Generic Option Board

OPROGRAMOWANIE

Zainstalowane oprogramowanie radiowe pozostaje pod pełną kontrolą producenta bez możliwości ingerencji przez użytkownika. Oprogramowanie jest w zgodności z odnośnymi wymaganiami unijnego prawodawstwa harmonizacyjnego.



Declaración UE de conformidad (DoC-15120300208-H)

La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante. El objeto de la declaración descrito anteriormente es conforme con la legislación de armonización pertinente de la Unión:

Directiva 2014/53/UE (RED)
Directiva 2013/35/UE (EMF)
Directiva 2011/65/UE (RoHS)
Directiva 2012/19/UE (WEEE)

Objeto de la declaración: MOTOTRBO™ Portable Radio

DP4401E (PBER302CE)
DP4601E (PBER302FE)
DP4801E (PBER302HE)

136-174MHz, 5W, 12.5/20/25kHz
Bluetooth®/Wi-Fi®/GNSS

Frecuencias con licencia únicamente nacional

Esta Declaración de conformidad reemplaza a DOC-15120300208-G

introducido en el mercado por: Motorola Solutions Systems Polska Sp. z o.o. , Ul.Czerwone Maki 82, 30-392 Krakow, Poland

La conformidad se acreditará mediante el cumplimiento de los requisitos aplicables de los siguientes estándares:

EN 300 086 V2.1.2
EN 300 113 V2.2.1
EN 300 219 V2.1.1
EN 300 328 V2.1.1
EN 303 413 V1.1.1

EN 301 489 - 1 V1.9.2
EN 301 489 - 5 V1.3.1
EN 301 489 - 17 V3.1.1
EN 301 489 - 19 V2.1.1

EN 62368-1:2014+AC:2015+A11:2017
Cumple con ICNIRP (1998) sobre límites de exposición ocupacional/controlada
EN 50566:2017

Custodio de la documentación: Motorola Solutions Systems Polska Sp. z o.o., Ul.Czerwone Maki 82, 30-392 Krakow, Poland

Confirmamos la exactitud de esta traducción. Solo es válida si se proporciona con la versión original en inglés firmada.

Rev. 1 Anexo a Declaración UE de conformidad (DoC-15120300208-H)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
ANTENA	
PMAD4116A	VHF HELICAL ANTENNA (144-165 MHZ)
PMAD4117A	VHF HELICAL ANTENNA (136-155 MHZ)
PMAD4118A	VHF HELICAL ANTENNA (152-174 MHZ)
PMAD4119A	VHF STUBBY ANTENNA (136-148 MHZ)
PMAD4120A	VHF STUBBY ANTENNA (146-160 MHZ)
PMAD4121B	VHF STUBBY ANTENNA (160-174 MHZ)
PMAD4147A	136-174MHZ
AUDIO	
BDN6664A	RECEIVE ONLY EARPIECE BGE 1-WIRE
BDN6665A	REC ONLY EARPC, EXT LOUD, BGE
BDN6666A	EARPIECE W/VOL CNTRL
BDN6719A	EARPIECE W/3.5MM THREADED PLUG
BDN6726A	RECEIVE ONLY EARPC BLK, 1-WIRE
BDN6727A	REC ONLY EARPC, EXT LOUD, BLK
BDN6728A	REC ONLY EARPC W/VOL CONTL, BLK
BDN6781A	EARBUD, SINGLE SPEAKER
NNTN8294A	OPERATIONS CRITICAL 1-WIRE EARBUD 29CM CORD BLACK
NNTN8295A	OPERATIONS CRITICAL 1-WIRE EARBUD 116CM CORD BLACK
NNTN8382B	IMPRES INC RSM, IP57
NNTN8383B	IMPRES INC RSM, AUDIO JACK
NNTN8459A	1 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE, BLACK
PMLN4620B	D-SHELL RECEIVE ONLY EARPIECE (ONE SIZE) FOR REMOTE SPEAKER MICROPHONE
PMLN5096B	D-STYLE EARSET
PMLN5097A	IMPRES 3 WIRE SURVEILLANCE-BLACK
PMLN5101A	IMPRES TEMPLE TRANSDUCER
PMLN5102A	ULTRA LITE HEADSET

Rev. 1 Anexo a Declaración UE de conformidad (DoC-15120300208-H)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
PMLN5106A	IMPRES 3 WIRE SURVEILLANCE-BEIGE
PMLN5111A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- BLACK . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5112A	IMPRES 3 WIRE SURVEILLANCE KIT WITH TRANSLUCENT TUBE- Beige . LONG CORD. ONE PROGRAMMABLE BUTTON.
PMLN5275C	HEAVY DUTY HEADSET
PMLN5973A	Ear Rcvr w Inline Mic/PTT, Magone
PMLN5974A	Lt Wt Hs w Boom Mic & PTT
PMLN5975A	Swivel Earpiece w Mic/PTT
PMLN5976A	Earset w Boom Mic/PTT
PMLN5979A	Breeze HS w Boom Mic & PTT
PMLN6069A	Earbud w Inline Mic/PTT
PMLN6088A	MT SERIES OVER-THE HEAD HEADSET WITH NEXUS CONNECTOR
PMLN6095A	PTT NEXUS ADAPTER FOR MT SERIES HEADSETS
PMLN6123A	IMPRES 3 WIRE W/ TRANS TUBE-BLK
PMLN6124A	IMPRES 3 WIRE W/ TRANS TUBE-BGE
PMLN6125A	1 WIRE SURVEILLANCE KIT-BLK
PMLN6126A	1 WIRE SURVEILLANCE KIT -BGE
PMLN6127A	IMPRES 2 WIRE SURVEILLANCE -BLK
PMLN6128A	IMPRES 2 WIRE SURVEILLANCE-BGE
PMLN6129A	IMPRES 2 WIRE W/TRANS TUBE-BLK
PMLN6130A	IMPRES 2 WIRE W/TRANS TUBE-BGE
PMLN6765A	TACTICAL GCAI PTT/VOX INTERFACE MODULE
PMLN6767A	TACTICAL REMOTE BODY PTT (FOR USE WITH INTERFACE MODULE PMLN6827)
PMLN6827A	PTT INTERFACE MODULE
PMLN6830A	TACTICAL REMOTE PTT RING SWITCH
PMLN6833A	TACTICAL HEAVY-DUTY TEMPLE TRANSDUCER WITH NOISE CANCELLING BOOM MICROPHONE (REQUIRES INTERFACE MODULE PMLN6827)

Rev. 1 Anexo a Declaración UE de conformidad (DoC-15120300208-H)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
PMLN6852A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI
PMLN6853A	NEXT GEN BTH HEAVY DUTY HEADSET GCAI TIA4950
PMLN7181A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC
PMLN7203A	FLEXIBLE-FIT SWIVEL EARPIECE W/ BOOM MIC, MULTIPACK
PMLN7396A	RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK
PMMN4024A	REMOTE SPEAKER MICROPHONE
PMMN4025A	IMPRES REMOTE SPEAKER MIC
PMMN4040A	SUBMERSIBLE REMOTE SPEAKER MIC
PMMN4046A	IMPRES LARGE RSM W/ VOLUME, EMERGENCY, PROGRAMMABLE BUTTON, IP57
PMMN4050A	IMPRES LARGE RSM WITH EARJACK, NOISE CANCELING
PMMN4083A	IMPRES LARGE RSM APX IP68 DELTA T (GCAI)
RLN4885B	RECEIVE-ONLY COVERED EARBUD WITH COILED CORD
RLN4922A	COMPLETELY DISCREET EARPIECE KIT
RLN4941A	RECEIVER-ONLY EARPIECE WITH TRANSLUCENT TUBE
RLN5313A	RECEIVE NLY SURV KIT (BLACK) /NOISE
RLN5314A	RECEIVE ONLY SURV KIT (BEIGE)/NOISE
RLN5878A	CORE 1 WIRE SURVEILLANCE - BLACK
RLN5879A	1 WIRE SURVEILLANCE KIT RECEIVE-ONLY EARPIECE.BEIGE.
RLN5880A	IMPRES 2 WIRE SURVEILLANCE -BLACK
RLN5881A	IMPRES 2 WIRE SURVEILLANCE - BEIGE
RLN5882A	IMPRESS 2 WIRE, BLACK, LONG CORD
RLN5883A	IMPRESS 2 WIRE, BEIGE, LONG CORD
RLN5886A	LOW NOISE KIT
RLN5887A	HIGH NOISE KIT
RLN6074A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4024 & PMMN4040A

Rev. 1 Anexo a Declaración UE de conformidad (DoC-15120300208-H)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
AUDIO	
RLN6075A	RSM REPLACEMENT COIL CORD KIT FOR PMMN4025
RLN6279A	STANDARD EARPIECE-BLACK
RLN6280A	STANDARD EARPIECE-BEIGE
RLN6284A	EARPIECE W/ ACOUSTIC TUBE ASSM-BEIGE
RLN6285A	EARPIECE W/ ACOUSTIC TUBE ASSM-BLACK
RLN6288A	EARPIECE W/HIGH NOISE KIT ASSM-BEIGE
RLN6289A	EARPIECE W/HIGH NOISE KIT ASSM-BLACK
RLN6477A	MT SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN4051B	MT SERIES HARD HAT ATTACHED HEADSET WITH NEXUS CONNECTOR
RMN4052A	TACTICALPRO SERIES OVER-THE-HEAD HEADSET WITH NEXUS CONNECTOR
RMN4053B	TACTICALPRO SERIES HARD HAT HEADSET WITH NEXUS CONNECTOR
RMN4055B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN4056B	HT SERIES LISTEN ONLY OVER-THE-HEAD HEADSET WITH 3.5MM THREADED CONNECTOR
RMN4057B	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM THREADED CONNECTOR
RMN5058A	CORE LIGHTWEIGHT HEADSET W/PTT & VOX
RMN5131A	METAL BOOM WITH MICROPHONE
RMN5132A	HT SERIES LISTEN ONLY NECKBAND HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5133A	HT SERIES LISTEN ONLY HARD HAT HEADSET WITH 3.5MM NON THREADED CONNECTOR
RMN5135A	TACTICALPRO SERIES NECKBAND HEADSET WITH NEXUS CONNECTOR
RMN5137A	MT SERIES OVER-THE HEAD HEADSET, DIRECT RADIO CONNECT
RMN5138A	MT SERIES NECKBAND HEADSET, DIRECT RADIO CONNECT
RMN5139A	MT SERIES HARD HAT ATTACHED HEADSET, DIRECT RADIO CONNECT
WADN4190B	RECEIVE-ONLY FLEXIBLE EARPIECE
BATERÍA	
NNTN8129AR	IMPRES HI-CAP LI-ION FM BATTERY 2300M2350T
PMNN4412AR	BATTÃ-Â½STD IP67 NIMH1300M1400T

Rev. 1 Anexo a Declaración UE de conformidad (DoC-15120300208-H)

Los accesorios listados están aprobados para su uso con el objeto de esta declaración.

<u>NÚMERO DE PIEZA</u>	<u>DESCRIPCION (SOLO PARA INFORMACION)</u>
BATERÍA	
PMNN4488A	BELIZE/ANDORRA UHC + VIBRATOR 2950M3000T
PMNN4489A	BELIZE TIA4950 IMPRES HIGH CAP LI ION BATTERY 2850M2900T
PMNN4525A	Batt, Li-Ion 2000T IP68
PMNN4544A	Battery IMPRES Li-ion IP68 2450T

CABLE	
PMKN4012B	DMR PORTABLE PROGRAMMING CABLE
PMKN4013C	PROGRAMMING, TEST AND ALIGNMENT CABLE (M3 7-MAY-09)
PMKN4040A	DMR PORTABLE TELEMETRY CABLE
PMKN4126A	TEST ALIGNMENT, TTR AND PROGRAMMING CABLE

OTROS	
3087791G04	EURO LINE CORD FOR SMART MUC
3087791G07	UK LINE CORD FOR SMART MUC
PMLN7324A	Generic Option Board

SOFTWARE

El software de radio instalado se encuentra bajo el control total del fabricante sin acceso por parte del usuario y cumple con las directivas pertinentes.