Data Sheet

VB400 body-worn camera

Take control of the situation



GENERAL INFORMATION

The VB400 is suited to applications where shift-long battery life and high-quality video evidence capture is required. Rugged build quality. High performance. Multiple ways to connect. Delivering the features you need to take control of every situation.

Management	VideoManager EX 12.1 or later
Software	Requires VideoManager EX License

SIZE AND WEIGHT

Dimensions	2.7 x 3.5 x 1.04 in (68 x 89 x 26.6 mm)
Weight	5.7 oz (162 g), plus mounting

BATTERY	
Battery	Integral, not user serviceable
Battery Type	Lithium-Polymer
Battery Recharging	Typically recharges in less than 8 hours
Run Time	Actual battery runtime is dependent on camera configuration

AUDIO	
Audio Capture	Dual Microphone
Configurable Audio Policy	Enable audio recording for: All footage All footage except footage captured during pre-record No footage

CAMERA		
Switches	Five software-configurable switches (top switch, two small front switches, large central switch and side-mounted slide switch)	
Lens Capture Angle	120° horizontal, 65° vertical, 140° diagonal	
Day / Night Operation	Supports low light conditions to 0.2 lux	
Notification	Configurable LEDs, audible and vibration alerts and notifications	
CAMERA FEATURES		
Peer-assisted Recording	Triggers the camera to start recording when other VB400s are within a configurable radius	
Pre / Post-Record Facility	Full-shift pre / post-record, with up to 2 minute pre / post-recording buffer	
RFID Assignment	Use RFID to allocate cameras to users This enables efficient pooled issue of cameras, or RFID controlled personal allocation	
Bookmark Footage	Instantly mark important video footage by pressing a configured switch or button	
Recording Status User Notification	Vibration, visual and audible notification	
GPS	Integral GPS receiver. Mark video streams and recordings with location, and provide location data to management software.	
Bluetooth®	BT 2.1 + EDR, BLE 4.2	



VIDEO AND RECORDING

Video Recording Format	H.264 format with H.265 in future release
Resolution	1920 x 1080 p, 1280 x 720 p and 640 x 360 p
Frame Rate	25 or 30 frames per second
Recording Storage Capacity	64 GB


APPROVALS AND ENVIRONMENTAL


Ingress Protection	IP67
Environmental Temperature Operational Rating	Operating: -4°F to +122°F; (-20°C to +50°C) Charging: +32°F to +77°F (0°C to +25°C)
Drop Tested	Tested to MIL STD 810G

WI-FI® FEATURES	
Wi-Fi Specifications	802.11 a/b/g/n (2.4GHz & 5GHz)
Wi-Fi Security	WPA2-PSK
Wi-Fi Streaming	640 x 360 25 or 30 fps

SECURITY	
Network Data Security on USB Storage Media	VB400 does not appear as a USB storage device, and cannot receive files whilst connected to a Wi-Fi network
Digital Evidence Integrity Chain	Full audit trail with generated check-sums and watermarked evidential outputs
Audit Trail	Usage, operations and recording details all audit-logged and indexed
Video Downloading Protected by Encryption	AES, encrypted keys specific to base station
Recordings View, Copy and Deletion Ability	The VB400 wearer cannot access, view or delete any recordings directly from the device
Storage Media Access	Sealed unit with no user access to storage media
Compliance	NDAA / TAA compliant Manufactured in Canada CMVP validated FIPS 140-2 cryptography








View on Back Face


Threaded Insert (Fixing Attachment) View on Right Face


View on Left Face



Slide Switch

View on Top Face





2



VB400 (VB-440-64-KF-N) - SUITABLE FOR DIRECTLY ATTACHING TO THE KLICK FAST FIXING OPTIONS



Features include:

Wi-Fi streaming, Built-in GPS functionality, Bluetooth sensor monitoring, Ruggedized exterior, 64GB storage, Slimline battery (up to 12hrs recording time), 1 year manufacturer's warranty.

Please note: Requires VideoManager EX Enterprise License. Please speak to your account manager for further details.

Part number: VB-440-64-KF-N













VB-400-DOCK-SOLO

VB-400-DOCK-14/UK etc. DC-200/UK etc.

VB-400-EXT-CHARGE

RF-220

RF-STICKER-10 RF-CARD-10

VB-400-ID-CUS-ART VB-400-ID-CUS-100 etc.

CHARGERS, DOCKCONTROLLERS, RFIDS & CUSTOM DISPLAY STICKERS

VB400 1-Port Dock	VB-400-EXT-CHARGE	USB Type A to VB400 Adaptor and Charging Cable
	RF-220	RFID RF-220
	RF-STICKER-10	RFID Sticker-Style Tag (x10)
VB400 14-Port Dock	RF-CARD-10	RFID-Card (x10)
	VB-400-ID-CUS-ART	Custom VB400 Front-button Sticker (Design)
DockController DC-200	VB-400-ID-CUS-250, VB-400-ID-CUS-1000, VB-400-ID-CUS-5000	Custom VB400 Front-button Sticker (Print). Can be ordered in the following amounts: 250, 1000, 5000
	VB400 14-Port Dock	VB400 14-Port Dock RF-220 RF-STICKER-10 RF-CARD-10 VB400-ID-CUS-ART VB-400-ID-CUS-ART DockController DC-200 VB-400-ID-CUS-250, VB-400-ID-CUS-1000,



VB400 models

VB440-64-KF-N & accessories (continued)




KLICK FAST FIXING	\$ ²		
KF-SCREW	Klick Fast Uniform Screw-on Dock	KF-DOCKBUTTONM	Klick Fast Button Dock (Male)
KF-LOOP	Klick Fast Radio Loop Dock	KF-DOCKBUTTONF	Klick Fast Button Dock (Female)
	Klick Fast Dock Clamp	KF-DOCK05BVELCRO	Klick Fast Belt Loop
	(Pocket Klick Fast Dock)	KF-DOCKRUCKSACK	Klick Fast Rucksack Dock
KF-DOCKEP	Klick Fast Dock Epaulette	KF-DOCKCROCCLIP	Klick Fast Crocodile Clip
KF-MAGMOUNT2	Klick Fast Magnetic Mounting Set (w/ Magnets)	KF-DOCKCROCCLAT	Klick Fast Crocodile Clip (w/ Anti-tilt Attachment)
KF-MOLLEVEST	Klick Fast Dock for MOLLE Vests		





VB440-64-QR-N & accessories

VB400 (VB-440-64-QR-N) - SUITABLE FOR ATTACHING TO THE QUICK RELEASE FIXING OPTIONS









DC-200/UK etc.









VB-400-DOCK-SOLO

VB-400-DOCK-14/UK etc.

VB-400-EXT-CHARGE

RF-220

RF-STICKER-10 RF-CARD-10

VB-400-ID-CUS-ART VB-400-ID-CUS-100 etc.

CHARGERS, DOCKCO	NTROLLERS, RFIDS & CUSTOM DISPLAY STICKER	S	
VB-400-DOCK-SOLO	VB400 1-Port Dock	VB-400-EXT-CHARGE	USB Type A to VB400 Adaptor and Charging Cable
VB-400-DOCK-14/ US, VB-400-DOCK-14/ ROW, VB-400- DOCK-14/UK, VB-400-DOCK-14/EU, VB-400-DOCK-14/AUS	VB400 14-Port Dock	RF-220	RFID RF-220
		RF-STICKER-10	RFID Sticker-Style Tag (x10)
		RF-CARD-10	RFID-Card (x10)
		VB-400-ID-CUS-ART	Custom VB400 Front-button Sticker (Design)
DC-200/US, DC-200/		VB-400-ID-CUS-250,	Custom VB400 Front-button

D ROW, DC-200/UK, DC-200/EU, DC-200/AUS

VB-400-QR-SPORT

DockController DC-200





Quick Release Sports Camera Pillar

KF-HARN3 KF-HARN5 KF-HARN4 **KLICK FAST HARNESSES³ KF-HARN3** Klick Fast 3-Point Chest Harness KF-HARN4 Klick Fast 4-Point Chest Harness **KF-HARN5** Klick Fast Shoulder Harness

VB440-64-VF-N & accessories

VB400 (VB-440-64-VF-N) - SUITABLE FOR ATTACHING TO THE CLOSE FIT MOUNT OPTIONS

DC-200/UK etc.

FRONT BACK	Features include: Wi-Fi streaming, Built-in GPS functionality, Bluetooth sensor monitoring, Ruggedized exterior, 64GB storage, Slimline battery (up to 12hrs recording time), 1 year manufacturer's warranty. Please note: Requires VideoManager EX Enterprise License. Please speak to your account manager for further details.
	Part number: VB-440-64-VF-N













VB-400-DOCK-SOLO

VB-400-DOCK-14/UK etc.

VB-400-EXT-CHARGE

RF-220 RF-

RF-STICKER-10 RF-CARD-10 VB-400-ID-CUS-ART VB-400-ID-CUS-100 etc.

CHARGERS, DOCKCONTROLLERS, RFIDS & CUSTOM DISPLAY STICKERS					
VB-400-DOCK-SOLO	VB400 1-Port Dock	VB-400-EXT-CHARGE	USB Type A to VB400 Adaptor and Charging Cable		
VB-400-DOCK-14/ US, VB-400-DOCK-14/ ROW, VB-400- DOCK-14/UK, VB-400-DOCK-14/EU, VB-400-DOCK-14/AUS	VB400 14-Port Dock	RF-220	RFID RF-220		
		RF-STICKER-10	RFID Sticker-Style Tag (x10)		
		RF-CARD-10	RFID-Card (x10)		
		VB-400-ID-CUS-ART	Custom VB400 Front-button Sticker (Design)		
DC-200/US, DC-200/ ROW, DC-200/UK, DC- 200/EU, DC-200/AUS	DockController DC-200	VB-400-ID-CUS-250, VB-400-ID-CUS-1000, VB-400-ID-CUS-5000	Custom VB400 Front-button Sticker (Print). Can be ordered in the following amounts: 250, 1000, 5000		



CLOSE-FIT MOUNTS	
VB-400-VF-MAG	Close-Fit Magnetic Mount
VB-400-VF-MOL2	Close-Fit Double MOLLE Mount
VB-400-VF-MOL1-HR	Close-Fit Single MOLLE Mount
VB400-VF-HARN4	Close-Fit 4-Point Chest Harness



VB440-64-ALIG-N & accessories

VB400 (VB-440-64-ALIG-N) - COMES WITH A FACTORY FITTED ALLIGATOR CLIP

FRONT BACK	Features include: Wi-Fi streaming, Built-in GPS functionality, Bluetooth sensor monitoring, Ruggedized exterior, 64GB storage, Slimline battery (up to 12hrs recording time), 1 year manufacturer's warranty. Please note: Requires VideoManager EX Enterprise License. Please speak to your account manager for further details.
9	Part number: VB-440-64-ALIG-N















VB-400-DOCK-SOLO

VB-400-DOCK-14/UK etc.


VB-400-EXT-CHARGE

DC-200/UK etc.

RF-220 RF-ST

RF-STICKER-10 RF-CARD-10 VB-400-ID-CUS-ART VB-400-ID-CUS-100 etc.

CHARGERS, DOCKCONTROLLERS, RFIDS & CUSTOM DISPLAY STICKERS					
VB-400-DOCK-SOLO	VB400 1-Port Dock	VB-400-EXT-CHARGE	USB Type A to VB400 Adaptor and Charging Cable		
VB-400-DOCK-14/ US, VB-400-DOCK-14/ ROW, VB-400- DOCK-14/UK, VB-400-DOCK-14/EU, VB-400-DOCK-14/AUS	VB400 14-Port Dock	RF-220	RFID RF-220		
		RF-STICKER-10	RFID Sticker-Style Tag (x10)		
		RF-CARD-10	RFID-Card (x10)		
		VB-400-ID-CUS-ART	Custom VB400 Front-button Sticker (Design)		
DC-200/US, DC-200/ ROW, DC-200/UK, DC- 200/EU, DC-200/AUS	DockController DC-200	VB-400-ID-CUS-250, VB-400-ID-CUS-1000, VB-400-ID-CUS-5000	Custom VB400 Front-button Sticker (Print). Can be ordered in the following amounts: 250, 1000, 5000		





To learn more, visit: www.motorolasolutions.com/BWC



Motorola Solutions, Inc. 500 West Monroe Street, Chicago, IL 60661 U.S.A.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2024 Motorola Solutions, Inc. All rights reserved. 04-2024 [ES03]