

VB400 body-worn camera

Take control of the situation



GENERAL INFORMATION

The VB400 is suited to applications where shift-long battery life and high-quality video evidence capture is required. Rugged build quality. High performance. Multiple ways to connect. Delivering the features you need to take control of every situation.

Management Software	VideoManager EX 12.1 or later Requires VideoManager EX License
---------------------	---

SIZE AND WEIGHT

Dimensions	2.7 x 3.5 x 1.04 in (68 x 89 x 26.6 mm)
Weight	5.7 oz (162 g), plus mounting

BATTERY

Battery	Integral, not user serviceable
Battery Type	Lithium-Polymer
Battery Recharging	Typically recharges in less than 8 hours
Run Time	Actual battery runtime is dependent on camera configuration

AUDIO

Audio Capture	Dual Microphone
Configurable Audio Policy	Enable audio recording for: All footage All footage except footage captured during pre-record No footage

CAMERA

Switches	Five software-configurable switches (top switch, two small front switches, large central switch and side-mounted slide switch)
Lens Capture Angle	120° horizontal, 65° vertical, 140° diagonal
Day / Night Operation	Supports low light conditions to 0.2 lux
Notification	Configurable LEDs, audible and vibration alerts and notifications

CAMERA FEATURES

Peer-assisted Recording	Triggers the camera to start recording when other VB400s are within a configurable radius
Pre / Post-Record Facility	Full-shift pre / post-record, with up to 2 minute pre / post-recording buffer
RFID Assignment	Use RFID to allocate cameras to users This enables efficient pooled issue of cameras, or RFID controlled personal allocation
Bookmark Footage	Instantly mark important video footage by pressing a configured switch or button
Recording Status User Notification	Vibration, visual and audible notification
GPS	Integral GPS receiver Actual performance may vary depending on location, usage, and other conditions.
Bluetooth®	BT 2.1 + EDR, BLE 4.2

VIDEO AND RECORDING

Video Recording Format	H.264 format with H.265 in future release
Resolution	1920 x 1080 p, 1280 x 720 p and 640 x 360 p
Frame Rate	25 or 30 frames per second
Recording Storage Capacity	64 GB

APPROVALS AND ENVIRONMENTAL


Ingress Protection	IP67
Environmental Temperature Operational Rating	Operating: -4°F to +122°F; (-20°C to +50°C) Charging: +32°F to +77°F (0°C to +25°C)
Drop Tested	Tested to MIL STD 810G

WI-FI® FEATURES

Wi-Fi Specifications	802.11 a/b/g/n (2.4GHz & 5GHz)
Wi-Fi Security	WPA2-PSK
Wi-Fi Streaming	640 x 360 25 or 30 fps

SECURITY

Network Data Security on USB Storage Media	VB400 does not appear as a USB storage device, and cannot receive files whilst connected to a Wi-Fi network
Digital Evidence Integrity Chain	Full audit trail with generated check-sums and watermarked evidential outputs
Audit Trail	Usage, operations and recording details all audit-logged and indexed
Video Downloading Protected by Encryption	AES, encrypted keys specific to base station
Recordings View, Copy and Deletion Ability	The VB400 wearer cannot access, view or delete any recordings directly from the device
Storage Media Access	Sealed unit with no user access to storage media
Compliance	NDA / TAA compliant Manufactured in Canada CMVP validated FIPS 140-2 cryptography





To learn more, visit: www.motorolasolutions.com/BWC



Motorola Solutions, Inc. 500 West Monroe Street, Chicago, IL 60661 U.S.A.

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2025 Motorola Solutions, Inc. All rights reserved. 02-2025 [EV06]